

# **TENDER FOR**

# SUPPLY AND DELIVERY OF ASSORTED ICT AND COMMUNICATION EQUIPMENT – FRAMEWORK AGREEMENT FOR TWO YEARS

TENDER NO: CGN/FRA/1660208 -2024/2025

CLOSING ON WEDNESDAY,  $16^{TH}$  OCTOBER, 2024 AT 11:00 AM (RESERVED FOR AGPO)

COUNTY GOVERNMENT OF NYANDARUA
P.O. BOX 701-20303
OL KALOU.

Email: scms@nyandarua.go.ke Website – www.nyandarua.go.ke

# TABLE OF CONTENTS

PRE	FACE	iii
	ENDIX TO THE PREFACE	
GUID	DELINES FOR PREPARATION OF TENDER DOCUMENTS	iv
1.	GENERAL	iv
2.	PART 1 - TENDERING PROCEDURES	
3.	PART 2 – PROCUREMENT ENTITY'S REQUIREMENTS	. v
4.	PART 3 – CONDITIONS OF CONTRACT AND CONTRACT FORMS	. v
INVI	TATION TO TENDER	vii
Section	on I - Instructions to Tenderers	1
<b>A</b>	General Provisions	1
<b>A</b> 1	Scope of Tender	• 1
2	Fraud and Corruption	. 1
3	Eligible Ter derery	
4	Eligible Goods and Related Services	3
B.	Contents of Request for Tenders Document	
5.	Sections of Tendering Document	
6	Clarification of Tender Document	
7	Amendment of Tender Document	4
C.	Preparation of Tenders	5
8	Cost of Tendering	
9	Language of Tender	
10	Documents Comprising the Tender	
11	Form of Tender and Price Schedules.	
12	Alternative Tenders	
13	Tender Prices and Discounts	
14	Currencies of Tender and Payment	
15 16	Documents Establishing the Eligibility and Conformity of the Goods and Related Services Documents Establishing the Eligibility and Qualifications of the Tenderer	
17	Period of Validity of Tenders	
18	Tender Security	
19	Format and Signing of Tender	
D.	Submission and Opening of Tenders	
20	Sealing and Marking of Tenders	
21	Deadline for Submission of Tenders	
22	Late Tenders	
23 24	Withdrawal, Substitution, and Modification of Tenders.  Tender Opening	
<i>2</i> <del>1</del>	Tender Opening	10
E	Evaluation and Comparison of Tenders	11
25	Confidentiality	
26	Clarification of Tenders	
27	Deviations, Reservations, and Omissions	12
28	Determination of Responsiveness	
29	Non-conformities, Errors and Omissions	
30	Conversion to Single Commons	
31	Conversion to Single Currency	
32 33	Margin of Preference and Reservations  Evaluation of Tenders	
33 34	Comparison of Tenders	
35	Abnormally Low Tenders	
36.	Abnormally High Tenders	

37.	Post Qualification of the Tenderer	. 15
38.	Lowest Evaluated Tender	
39.	Procuring Entity's Right to Accept Any Tender, and to Reject Any or All	. 15
F.	Award of Contract	. 15
40.	Award Criteria	. 15
41.	Notice of Intention to enter into a Contract	
42.	Standstill Period	
43.	Debriefing by the Procuring Entity	
44.	Letter of Award	
45.	Signing of Contract	
46.	Performance Security	
40. 47.	Publication of Procurement Contract	
	Procurement Related Complaint	
48.	Procurement Related Compianit	. 1 /
CECT	PION II TENDED DATA CHEET (TDC)	10
SEC	TION II – TENDER DATA SHEET (TDS)	. 18
CECT	PION III EVALUATION AND QUALIFICATION CDITEDIA	22
	TION III - EVALUATION AND QUALIFICATION CRITERIA	
1. Ge	neral Provisions	. 22
	aluation of Tenders (ITT 33)	
	ARGIN OF PREFERENCE	
4. Pos	st Qualification of Tenderers (ITT 37)	. 25
	FION IV - TENDERING FORMS	. 28
Form		
	er22	9
	ficate of Independent Tender Determination	
	declaration Forms33	
Appe	ndix 1 - Fraud and Corruption36	
	erer Information Form38	
Tende	erer's Eligibility- Confidential Business Questionnaire Form39	
Tende	erer's JV Members Information Form	. 42
Price	Schedule Forms	43
FORM	M OF TENDER SECURITY - DEMAND BANK GUARANTEE	49
FORM	M OF TENDER SECURITY (INSURANCE GUARANTEE)	50
	M OF TENDER-SECURING DECLARATION	
	IUFACTURER'S AUTHORIZATION FORM	
1,11,11		_
PAR'	Γ 2: SUPPLY REQUIREMENTS	.53
Section	on V - Schedule of Requirements	.53
	s for Preparing the Schedule of Requirements	
1.	List of Goods and Delivery Schedule	
2.	List of Related Services and Completion Schedule	
3.	Technical Specifications	
<i>3</i> . 4.	Drawings	
5.	Inspections and Tests	. 39
DAD		
	T 3 - CONTRACT	
	TION VI - GENERAL CONDITIONS OF CONTRACT	
	TION VII - SPECIAL CONDITIONS OF CONTRACT	
	TION VIII - CONTRACT FORMS	
	M No. 1: NOTIFICATION OF INTENTION TO AWARD	
FORM	M No. 2: REQUEST FOR REVIEW	. 82
FORM	M No. 3: LETTER OF AWARD	. 82
	M No. 4 - CONTRACT AGREEMENT	
	M No. 5 - PERFORMANCE SECURITY [Option 1- Unconditional Demand Bank Guarantee]	
	M No. 6 - PERFORMANCE SECURITY [Option 2— Performance Bond]	
	M No. 7 - ADVANCE PAYMENT SECURITY [Demand Bank Guarantee]	
	M No. 8 - BENEFICIAL OWNERSHIP DISCLOSURE FORM	
LOK!	VI INU. 0 - DENEFICIAL OWINERSHIF DISCLUSURE FURIVI	. 00

## INVITATION TO TENDER

PROCURING ENTITY: County Government of Nyandarua, P.O. Box 701 20303 Ol Kalou

**CONTRACT NAME AND DESCRIPTION: Supply and Delivery of Assorted ICT and Communication Equipment.** 

- 1. The County Government of Nyandarua invites sealed tenders for the **Supply and Delivery of Assorted ICT and Communication Equipment.**
- 2. Tendering will be conducted under **Open National Tender** using a standardized tender document. Tendering is open to **youth, women and people living with disability**.
- 3. Qualified and interested tenderers may obtain further information and inspect the Tender Documents during office hours 0800 to 1700 hours at the Supply Chain Management Services Offices, Department of Finance
- 4. Tender documents may be obtained electronically from the Website(s) <a href="http://www.nyandarua.go.ke">http://www.nyandarua.go.ke</a> and/or from the Public Procurement Information Portal (PPIP) <a href="https://www.tenders.go.ke">www.tenders.go.ke</a>, free of charge. Tenderers who download the tender document are advised to forward their particulars immediately to <a href="mailto:scms@nyandarua.go.ke">scms@nyandarua.go.ke</a> to facilitate any further clarification or addendum.
- 5. All Tenders must be accompanied by duly filled signed and stamped Tender-Securing Declaration in the format provided in the tender document.
- 6. The Tenderer shall chronologically serialize all pages of the tender documents submitted.
- 7. Hardcopies of the completed tenders must be delivered to the address below on or before 16<sup>th</sup> October, 2024 at 11:00am. Electronic Tenders MUST also be submitted through the IFMIS GOK Portal: www.supplier.treasury.go.ke on or before 16<sup>th</sup> October, 2024 at 11:00am. Late bids shall be locked out.
- 8. Tenders will be opened immediately after the deadline date and time specified above or any deadline date and time specified later. Tenders will be publicly opened in the presence of the Tenderers' designated representatives who choose to attend at the address below.
- 9. The addresses referred to above are:

# A. Address for obtaining further information and for purchasing tender documents

County Government of Nyandarua Supply Chain Management Offices P.O. BOX 701-20303 OI Kalou

Email: scms@nyandarua.go.ke


# B. Address for Submission of Tenders.

Chief Officer - Finance County Government of Nyandarua P.O. BOX 701-20303 Ol Kalou

# C. Address for Opening of Tenders.

County Government of Nyandarua Headquarters
Reception situated at the entrance of the County Government Headquarters offices next to the tender box.

HEAD OF SUPPLY CHAIN MANAGEMENT SERVICES COUNTY GOVERNMENT OF NYANDARUA P.O. BOX 701-20303 OL KALOU.



# SECTION I: INSTRUCTIONS TO TENDERERS

# **A** General Provisions

## 1. Scope of Tender

- 1.1 The Procuring Entity as defined in the **TDS** invites tenders for supply of goods and, if applicable, any Related Services incidental thereto, as specified in Section V, Supply Requirements. The name, identification, and number of lots (contracts) of this Tender Document are specified in the **TDS**.
- 12 Throughout this tendering document:
  - a) the term "in writing" means communicated in written form (e.g. by mail, e-mail, fax, including if specified in the **TDS**, distributed or received through the electronic-procurement system used by the Procuring Entity) with proof of receipt;
  - b) if the context so requires, "singular" means "plural" and vice versa;
  - c) "Day" means calendar day, unless otherwise specified as "Business Day". A Business Day is any day that is an official working day of the Procuring Entity. It excludes official public holidays.

# 2 Fraud and Corruption

- The Procuring Entity requires compliance with the provisions of the Public Procurement and Asset Disposal Act, 2015, Section 62 "Declaration not to engage in corruption". The tender submitted by a person shall include a declaration that the person shall not engage in any corrupt or fraudulent practice and a declaration that the person or his or her sub-contractors are not debarred from participating in public procurement proceedings.
- The Procuring Entity requires compliance with the provisions of the Competition Act 2010, regarding collusive practices in contracting. Any tenderer found to have engaged in collusive conduct shall be disqualified and criminal and/or civil sanctions may be imposed. To this effect, Tenders shall be required to complete and sign the "Certificate of Independent Tender Determination" annexed to the Form of Tender.
- Unfair Competitive Advantage Fairness and transparency in the tender process require that the firms or their Affiliates competing for a specific assignment do not derive a competitive advantage from having provided consulting services related to this tender. To that end, the Procuring Entity shall indicate in the **Data Sheet** and make available to all the firms together with this tender document all information that would in that respect give such firm any unfair competitive advantage over competing firms.

## 3. Eligible Tenderers

A Tenderer may be a firm that is a private entity, an individual, a state-owned enterprise or institution subject to ITT3.7, or any combination of such entities in the form of a joint venture (JV) under an existing agreement or with the intent to enter into such an agreement supported by a letter of intent. Public employees and their close relatives (spouses, children, brothers, sisters and uncles and aunts) are not eligible to participate in the tender.

In the case of a joint venture, all members shall be jointly and severally liable for the execution of the entire Contract in accordance with the Contract terms. The JV shall nominate a Representative who shall have the authority to conduct all business for and on behalf of any and all the members of the JV during the Tendering process and, in the event the JV is awarded the Contract, during contract execution. The maximum number of JV members shall be specified in the **TDS**.

- Public Officers of the Procuring Entity, their Spouses, Child, Parent, Brothers or Sister. Child, Parent, Brother or Sister of a Spouse their business associates or agents and firms/organizations in which they have a substantial or controlling interest shall not be eligible to tender or be awarded a contract. Public Officers are also not allowed to participate in any procurement proceedings.
- A Tenderer shall not have a conflict of interest. Any Tenderer found to have a conflict of interest shall be disqualified. A Tenderer may be considered to have a conflict of interest for the purpose of this Tendering process, if the Tenderer:

- a) directly or indirectly controls, is controlled by or is under common control with another Tenderer; or
- b) receives or has received any direct or indirect subsidy from another Tenderer; or
- c) has the same representative or ownership as another Tenderer; or
- d) has a relationship with another Tenderer, directly or through common third parties, that puts it in a position to influence the Tender of another Tenderer, or influence the decisions of the Procuring Entity regarding this Tendering process; or
- e) or any of its affiliates participated as a consultant in the preparation of the design or technical specifications of the goods that are the subject of the Tender; or
- f) or any of its affiliates has been hired (or is proposed to be hired) by the Procuring Entity or Procuring Entity for the Contract implementation; or
- g) would be providing goods, works, or non-consulting services resulting from or directly related to consulting services for the preparation or implementation of the project specified in the **TDS** ITT 1.1 that it provided or were provided by any affiliate that directly or indirectly controls, is controlled by, or is under common control with that firm; or has a close business or family relationship with a professional staff of the Procuring Entity (or of the project implementing agency, who: (i) are directly or indirectly involved in the preparation of the tendering document or specifications of the Contract, and/or the Tender evaluation process of such Contract; or (ii) would be involved in the implementation or supervision of such Contract unless the conflict stemming from such relationship has been resolved in a manner acceptable to the Procuring Entity throughout the Tendering process and execution of the Contract.
- A tenderer shall not be involved in corrupt, coercive, obstructive, collusive or fraudulent practice. A tenderer that is proven to have been involved in any of these practices shall be automatically disqualified.
- A firm that is a Tenderer (either individually or as a JV member) shall not submit more than one Tender, except for permitted alternative Tenders. This includes participation as a subcontractor. Such participation shall result in the disqualification of all Tenders in which the firm is involved. A firm that is not a Tenderer or a JV member, may participate as a subcontractor in more than one Tender. Members of a joint venture may not also make an individual tender, be a subcontractor in a separate tender or be part of another joint venture for the purposes of the same Tender.
- A Tenderer may have the nationality of any country, subject to the restrictions pursuant to ITT3.9. A Tenderer shall be deemed to have the nationality of a country if the Tenderer is constituted, incorporated or registered in and operates in conformity with the provisions of the laws of that country, as evidenced by its articles of incorporation (or equivalent documents of constitution or association) and its registration documents, as the case may be. This criterion also shall apply to the determination of the nationality of proposed subcontractors or sub consultants for any part of the Contract including related Services.
- 3.7 A Tenderer that has been debarred by the PPRA from participating in public procurement shall be ineligible to tender or be awarded a contract. The list of debarred firms and individuals is available from the PPRA's website www.ppra.go.ke
- Tenderers that are state-owned enterprises or institutions may be eligible to compete and be awarded a Contract(s) only if they are (i) a legal public entity of the state Government and/or public administration, (ii) financially autonomous and not receiving any significant subsidies or budget support from any public entity or Government, and (iii) operating under commercial law and vested with legal rights and liabilities similar to any commercial enterprise to enable it compete with firms in the private sector on an equal basis. Public employees and their close relatives are not eligible to participate in the tender.
- Tenderers may be ineligible if their countries of origin (a) as a matter of law or official regulations, Kenya prohibits commercial relations with that country, or(b) by an act of compliance with a decision of the United Nations Security Council taken under Chapter VII of the Charter of the United Nations, Kenya prohibits any import of goods or contracting for supply of goods or services from that country, or any payments to any country, person, or entity in that country. A tenderer shall provide such documentary evidence of eligibility satisfactory to the Procuring Entity, as the Procuring Entity shall reasonably request.
- 3.10 Tenderers shall provide the qualification information statement that the tenderer (including all members of a joint venture and subcontractors) is not associated, or have been associated in the past, directly or indirectly, with a firm or any of its affiliates which have been engaged by the Procuring entity to provide consulting services for the preparation of the design, specifications, and other documents to be used for the procurement of the goods under this Invitation for tenders.

- 3.11 Where the law requires tenderers to be registered with certain authorities in Kenya, such registration requirements shall be defined in the TDS
- 3.12 The Competition Act of Kenya requires that firms wishing to tender as Joint Venture undertakings which may prevent, distort or lessen competition in provision of services are prohibited unless they are exempt in accordance with the provisions of Section 25 of the Competition Act, 2010. JVs will be required to seek for exemption from the Competition Authority. Exemption shall not be a condition for tender, but it shall be a condition of contract award and signature. A JV tenderer shall be given opportunity to seek such exemption as a condition of award and signature of contract. Application for exemption from the Competition Authority of Kenya may be accessed from the website www.cak.go.ke.
- 3.13 A Kenyan tenderer shall provide evidence of having fulfilled his/her tax obligations by producing a current tax clearance certificate or tax exemption certificate issued by the Kenya Revenue Authority.

# 4. Eligible Goods and Related Services

- 4.1 All the Goods and Related Services to be supplied under the Contract shall have their origin in any country that is eligible in accordance with ITT 3.9.
- For purposes of this ITT, the term "goods" includes commodities, raw material, machinery, equipment, and industrial plants; and "related services" include services such as insurance, installation, training, and initial maintenance.
- The term "origin" means the country where the goods have been mined, grown, cultivated, produced, manufactured or processed; or, through manufacture, processing, or assembly, another commercially recognized article results that differs substantially in its basic characteristics from its components.
- A procuring entity shall ensure that the items listed below shall be sourced from Kenya and there shall be no substitutions from foreign sources. The affected items are:
  - a) motor vehicles, plant and equipment which are assembled in Kenya;
  - b) furniture, textile, foodstuffs, oil and gas, information communication technology, steel, cement, leather, agro-processed products, sanitary products, and other goods made in Kenya; or
  - c) goods manufactured, mined, extracted or grown in Kenya.
- Any goods, works and production processes with characteristics that have been declared by the relevant national environmental protection agency or by other competent authority as harmful to human beings and to the environment shall not be eligible for procurement.

## 5. Sections of Tendering Document

5.1 The tendering document consist of Parts 1, 2, and 3, which include all the sections indicated below, and should be read in conjunction with any Addenda issued in accordance with ITT8.

# **PART 1: Tendering Procedures**

- i) Section I Instructions to Tenderers (ITT)
- ii) Section II Tendering Data Sheet (TDS)
- iii) Section III Evaluation and Qualification Criteria
- iv) Section IV Tendering Forms

## **PART 2: Supply Requirements**

v) Section V - Schedule of Requirements

# **PART 3: Contract**

- vi) Section VI General Conditions of Contract (GCC)
- vii) Section VII Special Conditions of Contract (SCC)
- viii) Section VIII- Contract Forms
- The notice of Invitation to Tender or the notice to the prequalified Tenderers issued by the Procuring Entity is not part of the tendering document.
- 53 Unless obtained directly from the Procuring Entity, the Procuring Entity is not responsible for the

- completeness of the document, responses to requests for clarification, the minutes of the pre-tender meeting (if any), or addenda to the tendering document in accordance with ITT7.
- 54 The Tenderer is expected to examine all instructions, forms, terms, and specifications in the tendering document and to furnish with its Tender all information or documentation as is required by the tendering document.

# **6.** Clarification of Tendering Document

- A Tenderer requiring any clarification of the Tender Document shall contact the Procuring Entity in writing at the Procuring Entity's address specified in the **TDS** or raise its enquiries during the pre-Tender meeting if provided for in accordance with ITT 6.4. The Procuring Entity will respond in writing to any request for clarification, provided that such request is received no later than the period specified in the **TDS** prior to the deadline for submission of tenders. The Procuring Entity shall forward copies of its response to all tenderers who have acquired the Tender documents in accordance with ITT 5.3, including a description of the inquiry but without identifying its source. If so specified in the **TDS**, the Procuring Entity shall also promptly publish its response at the web page identified in the **TDS**. Should the clarification result in changes to the essential elements of the Tender Documents, the Procuring Entity shall amend the Tender Documents following the procedure under ITT 7.
- The Procuring Entity shall specify in the **TDS** if a pre-tender conference will be held, when and where. The Tenderer's designated representative is invited to attend a pre-Tender meeting. The purpose of the meeting will be to clarify issues and to answer questions on any matter that may be raised at that stage.
- The Tenderer is requested to submit any questions in writing, to reach the Procuring Entity not later than the period specified in the **TDS** before the meeting.
- Minutes of the pre-Tender meeting, if applicable, including the text of the questions asked by Tenderers and the responses given, together with any responses prepared after the meeting, will be transmitted promptly to all Tenderers who have acquired the Tender Documents in accordance with ITT 6.3. Minutes shall not identify the source of the questions asked.
- The Procuring Entity shall also promptly publish anonymized (*no names*)Minutes of the pre-Tender meeting at the web page identified **in the TDS**. Any modification to the Tender Documents that may become necessary as a result of the pre-Tender meeting shall be made by the Procuring Entity exclusively through the issue of an Addendum pursuant to ITT 7 and not through the minutes of the pre-Tender meeting. Nonattendance at the pre- Tender meeting will not be a cause for disqualification of a Tenderer.

## 7. Amendment of Tendering Document

- 7.1 At any time prior to the deadline for submission of Tenders, the Procuring Entity may amend the tendering document by issuing addenda.
- Any addendum issued shall be part of the tendering document and shall be communicated in writing to all who have obtained the tender document from the Procuring Entity in accordance with ITT 6.3. The Procuring Entity shall also promptly publish the addendum on the Procuring Entity's web page in accordance with ITT 7.1.
- To give prospective Tenderers reasonable time in which to take an addendum into account in preparing their Tenders, the Procuring Entity may, at its discretion, extend the deadline for the submission of Tenders, pursuant to ITT 21.2.

## C. Preparation of Tenders

# **8.** Cost of Tendering

81 The Tenderer shall bear all costs associated with the preparation and submission of its Tender, and the Procuring Entity shall not be responsible or liable for those costs, regardless of the conduct or outcome of the Tendering process.

## Language of Tender

9.1 The Tender, as well as all correspondence and documents relating to the Tender exchanged by the Tenderer and the Procuring Entity, shall be written in English Language. Supporting documents and printed literature that are part of the Tender may be in another language provided they are accompanied by an accurate translation of the relevant passages into the English Language, in which case, for purposes of interpretation of the Tender, such translation shall govern.

## 10. Documents Comprising the Tender

- 10.1 The Tender shall comprise the following:
  - a) Form of Tender prepared in accordance with ITT11;
  - b) Price Schedules: completed in accordance with ITT 11 and ITT 13;
  - c) Tender Security or Tender-Securing Declaration, in accordance with ITT 18.1;
  - d) Alternative Tender: if permissible, in accordance with ITT12;
  - e) Authorization: written confirmation authorizing the signatory of the Tender to commit the Tenderer, in accordance with ITT19.3;
  - f) Qualifications: documentary evidence in accordance with ITT 16.2 establishing the Tenderer qualifications to perform the Contract if its Tender is accepted;
  - g) Tenderer Eligibility: documentary evidence in accordance with ITT16.1 establishing the Tenderer eligibility to tender;
  - h) Eligibility of Goods and Related Services: documentary evidence in accordance with ITT 15, establishing the eligibility of the Goods and Related Services to be supplied by the Tenderer;
  - i) Conformity: documentary evidence in accordance with ITT15.2 that the Goods and Related Services conform to the tender document; and
  - i) any other document required in the **TDS**.
- In addition to the requirements under ITT 10.1, Tenders submitted by a JV shall include a copy of the Joint Venture Agreement entered into by all members. Alternatively, a letter of intent to execute a Joint Venture Agreement in the event of a successful Tender shall be signed by all members and submitted with the Tender, together with a copy of the proposed Agreement.
- 103 The Tenderer shall furnish in the Form of Tender information on commissions gratuities, and fees, if any, paid or to be paid to agents or any other party relating to this Tender.

## 11. Form of Tender and Price Schedules

11.1 The Form of Tender and Price Schedules shall be prepared using the relevant forms furnished in Section IV, Tendering Forms. The forms must be completed without any alterations to the text. All blank spaces shall be filled in with the information requested. The Tenderer shall chronologically serialise pages of all tender documents submitted.

## 12. Alternative Tenders

12.1 Unless otherwise specified in the TDS, alternative Tenders shall not be considered.

## 13. Tender Prices and discounts

- 13.1 The prices quoted by the Tenderer in the Form of Tender and in the Price, Schedules shall conform to the requirements specified below.
- 132 All lots (contracts) and items must be listed and priced separately in the Price Schedules.
- The price to be quoted in the Form of Tender in accordance with ITT10.1 shall be the total price of the Tender, including any discounts offered.
- 13.4 The Tenderer shall quote any discounts and indicate the methodology for their application in the form of tender. Conditional discounts will be rejected.
- Prices quoted by the Tenderer shall be fixed during the performance of the Contract and not subject to variation on any account, unless otherwise specified in the TDS. A Tender submitted with an

adjustable price quotation shall be treated as non-responsive and shall be rejected, pursuant to ITT 28. However, if in accordance with **the TDS**, prices quoted by the Tenderer shall be subject to adjustment during the performance of the Contract, a Tender submitted with a fixed price quotation shall not be rejected, but the price adjustment shall be treated as zero.

- If specified in ITT 1.1, Tenders are being invited for individual lots (contracts) or for any combination of lots (packages). Unless otherwise specified **in the TDS**, prices quoted shall correspond to 100 % of the items specified for each lot and to 100% of the quantities specified for each item of a lot. Tenderers wishing to offer discounts for the award of more than one Contract shall specify in their Tender the price reductions applicable to each package, or alternatively, to individual Contracts within the package. Discounts shall be submitted in accordance with ITT 13.4 provided the Tenders for all lots (contracts) are opened at the same time.
- 13.7 The terms EXW, CIP, CIF, DDP and other similar terms shall be governed by the rules prescribed in the current edition of Incoterms, published by the International Chamber of Commerce.
- Prices shall be quoted as specified in each Price Schedule included in Section IV, Tendering Forms. The disaggregation of price components is required solely for the purpose of facilitating the comparison of Tenders by the Procuring Entity. This shall not in any way limit the Procuring Entity's right to contract on any of the terms offered. In quoting prices, the Tenderer shall be free to use transportation through carriers registered in any eligible country. Similarly, the Tenderer may obtain insurance services from any eligible country in accordance with ITT 3.6, Eligible Tenders. Prices shall be entered in the following manner:
  - a) For Goods manufactured in Kenya:
    - I) the price of the Goods quoted EXW (ex-works, ex-factory, ex warehouse, ex showroom, or off-the- shelf, as applicable) final destination point indicated in the **TDS**, including all customs duties and sales and other taxes already paid or payable on the components and raw material used in the manufacture or assembly of the Goods;
    - ii) any sales tax and other taxes which will be payable in Kenya on the Goods if the Contract is awarded to the Tenderer; and
    - the price for inland transportation, insurance, and other local services required to convey the Goods to their final destination specified in the TDS.
  - b) For Goods manufactured outside Kenya, to be imported:
    - the price of the Goods, quoted CIP named place of destination, in Kenya, as specified in the TDS;
    - the price for inland transportation, insurance, and other local services required to convey the Goods from the named place of destination to their final destination specified in the TDS;
  - c) For Goods manufactured outside Kenya, already imported:
    - i) the price of the Goods, including the original import value of the Goods; plus, any markup (or rebate); plus, any other related local cost, and custom duties and other import taxes already paid or to be paid on the Goods already imported;
    - ii) the custom duties and other import taxes already paid (need to be supported with documentary evidence) or to be paid on the Goods already imported;
    - iii) any sales and other taxes levied in Kenya which will be payable on the Goods if the Contract is awarded to the Tenderer; and
    - **iv**) the price for inland transportation, insurance, and other local services required to convey the Goods from the named place of destination to their final destination (Project Site) specified **in the TDS.**
  - d) for Related Services, other than inland transportation and other services required to convey the Goods to their final destination, whenever such Related Services are specified in the Schedule of Requirements, the price of each item comprising the Related Services (inclusive of any applicable taxes).

## 14. Currencies of Tender and Payment

The currency (ies) of the Tender, the currency (ies) of award and the currency (ies) of contract

- payments shall be the same.
- The Tenderer shall quote in Kenya shillings. If allowed in the **TDS**, the Tenderer may express the Tender price in any currency, provided it shall use no more than two foreign currencies in addition to the Kenya Shilling.
- The rates of exchange to be used by the Tenderer shall be based on the exchange rates provided by the Central Bank of Kenya on the date 30 days prior to the actual date of tender opening.
- 15. Documents Establishing the Eligibility and Conformity of the Goods and Related Services
- 15.1 To establish the eligibility of the Goods and Related Services in accordance with ITT 15, Tenderers shall complete the country of origin declarations in the Price Schedule Forms, included in Section IV, Tendering Forms.
- To establish the conformity of the Goods and Related Services to the tendering document, the Tenderer shall furnish as part of its Tender the documentary evidence that the Goods conform to the technical specifications and standards specified in Section VII, Schedule of Requirements.
- The documentary evidence may be in the form of literature, drawings or data, and shall consist of a detailed item by item description of the essential technical and performance characteristics of the Goods and Related Services, demonstrating substantial responsiveness of the Goods and Related Services to the technical specification, and if applicable, a statement of deviations and exceptions to the provisions of the Section VII, Schedule of Requirements.
- The Tenderer shall also furnish a list giving full particulars, including available sources and current prices of spare parts, special tools, etc., necessary for the proper and continuing functioning of the Goods during the period **specified in the TDS** following commencement of the use of the goods by the Procuring Entity.
- Standards for workmanship, process, material, and equipment, as well as references to brand names or catalogue numbers specified by the Procuring Entity in the Schedule of Requirements, are intended to be descriptive only and not restrictive. The Tenderer may offer other standards of quality, brand names, and/or catalogue numbers, provided that it demonstrates, to the Procuring Entity's satisfaction, that the substitutions ensure substantial equivalence or are superior to those specified in the Section VII, Schedule of Requirements.

# 16. Documents Establishing the Eligibility and Qualifications of the Tenderer

- 16.1 To establish Tenderer eligibility in accordance with ITT 4, Tenderers shall complete the Form of Tender, included in Section IV, Tendering Forms.
- The documentary evidence of the Tenderer qualifications to perform the Contract if its Tender is accepted shall establish to the Procuring Entity's satisfaction:
  - that, if required **in the TDS**, a Tenderer that does not manufacture or produce the Goods it offers to supply shall submit the Manufacturer's Authorization using the form included in Section IV, Tendering Forms to demonstrate that it has been duly authorized by the manufacturer or producer of the Goods to supply these Goods in Kenya;
  - b) that, if required **in the TDS**, in case of a Tenderer not doing business within the Kenya, the Tenderer is or will be (if awarded the Contract) represented by an Agent in the country equipped and able to carry out the Supplier's maintenance, repair and spare parts-stocking obligations prescribed in the Conditions of Contract and/or Technical Specifications; and
  - c) that the Tenderer meets each of the qualification criterion specified in Section III, Evaluation and Qualification Criteria.

# 17. Period of Validity of Tenders

- 17.1 Tenders shall remain valid for the Tender Validity period specified **in the TDS**. The Tender Validity period starts from the date fixed for the Tender submission deadline (as prescribed by the Procuring Entity in accordance with ITT 21.1). A Tender valid for a shorter period shall be rejected by the Procuring Entity as non-responsive.
- In exceptional circumstances, prior to the expiration of the Tender validity period, the Procuring Entity may request Tenderers to extend the period of validity of their Tenders. The request and the responses shall be made in writing. If a Tender Security is requested in accordance with ITT 18, it shall also be extended for a corresponding period. A Tenderer may refuse the request without forfeiting its Tender Security. A Tenderer granting the request shall not be required or permitted to modify its Tender, except as provided in ITT 17.3.
- 173 If the award is delayed by a period exceeding the number of days to be specified in the **TDS** days beyond the expiry of the initial tender validity period, the Contract price shall be determined as follows:

- a) in the case of **fixed price** contracts, the Contract price shall be the tender price adjusted by the factor specified **in the TDS**;
- b) in the case of **adjustable price** contracts, no adjustment shall be made; or in any case, tender evaluation shall be based on the tender price without taking into consideration the applicable correction from those indicated above.

## 18. Tender Security

- 181 The Tenderer shall furnish as part of its Tender, either a Tender-Securing Declaration or a Tender Security, as specified in the TDS, in original form and, in the case of a Tender Security, in the amount and currency specified in the TDS.
- 182 A Tender Securing Declaration shall use the form included in Section IV, Tendering Forms.
- 183 If a Tender Security is specified pursuant to ITT 18.1, the Tender Security shall be a demand guarantee in any of the following forms at the Tenderer option:
  - i) cash;
  - ii) a bank guarantee;
  - iii) a guarantee by an insurance company registered and licensed by the Insurance Regulatory Authority listed by the Authority; or
  - iv) a letter of credit; or
  - v) guarantee by a deposit taking micro-finance institution, Sacco society, the Youth Enterprise Development Fund or the Women Enterprise Fund.
- If an unconditional guarantee is issued by a non-Bank financial institution located outside Kenya, the issuing non-Bank financial institution shall have a correspondent financial institution located in Kenya to make it enforceable unless the Procuring Entity has agreed in writing, prior to Tender submission, that a correspondent financial institution is not required. In the case of a bank guarantee, the Tender Security shall be submitted either using the Tender Security Form included in Section IV, Tendering Forms, or in another substantially similar format approved by the Procuring Entity prior to Tender submission. The Tender Security shall be valid for thirty
  - (30) days beyond the original validity period of the Tender, or beyond any period of extension if requested under ITT 17.2.
- If a Tender Security is specified pursuant to ITT 18.1, any Tender not accompanied by a substantially responsive Tender Security shall be rejected by the Procuring Entity as non-responsive.
- If a Tender Security is specified pursuant to ITT 18.1, the Tender Security of unsuccessful Tenderers shall be returned as promptly as possible upon the successful Tenderer signing the Contract and furnishing the Performance Security pursuant to ITT 46.The Procuring Entity shall also promptly return the tender security to the tenderers where the procurement proceedings are terminated, all tenders were determined non-responsive or a bidder declines to extend tender validity period.
- 18.7 The Tender Security of the successful Tenderer shall be returned as promptly as possible once the successful Tenderer has signed the Contract and furnished the required Performance Security.
- 188 The Tender Security may be forfeited or the Tender Securing Declaration executed:
  - a) if a Tenderer withdraws its Tender during the period of Tender validity specified by the Tenderer in the Form of Tender, or any extension thereto provided by the Tenderer; or
  - b) if the successful Tenderer fails to:
    - i) sign the Contract in accordance with ITT 45; or
    - ii) furnish a Performance Security in accordance with ITT 46.
- 189 Where tender securing declaration is executed, the Procuring Entity shall recommend to the PPRA that PPRA debars the Tenderer from participating in public procurement as provided in the law.
- 18.10 The Tender Security or Tender- Securing Declaration of a JV must be in the name of the JV that submits the Tender. If the JV has not been legally constituted into a legally enforceable JV at the time of Tendering, the Tender Security or Tender-Securing Declaration shall be in the names of all future members as named in the letter of intent referred to in ITT3.1 and ITT 10.2.
- 18.11 A tenderer shall not issue a tender security to guarantee itself.

## 19. Format and Signing of Tender

- 19.1 The Tenderer shall prepare one original of the documents comprising the Tender as described in ITT 11 and clearly mark it "ORIGINAL." Alternative Tenders, if permitted in accordance with ITT 12, shall be clearly marked "ALTERNATIVE." In addition, the Tenderer shall submit copies of the Tender, in the number **specified in the TDS** and clearly mark them "COPY." In the event of any discrepancy between the original and the copies, the original shall prevail.
- 192 Tenderers shall mark as "CONFIDENTIAL" information in their Tenders which is confidential to their business. This may include proprietary information, trade secrets, or commercial or financially sensitive information.
- The original and all copies of the Tender shall be typed or written in indelible ink and shall be signed by a person duly authorized to sign on behalf of the Tenderer. This authorization shall consist of a written confirmation **as specified in the TDS** and shall be attached to the Tender. The name and position held by each person signing the authorization must be typed or printed below the signature. All pages of the Tender where entries or amendments have been made shall be signed or initialed by the person signing the Tender.
- 19.4 In case the Tenderer is a JV, the Tender shall be signed by an authorized representative of the JV on behalf of the JV, and so as to be legally binding on all the members as evidenced by a power of attorney signed by each members' legally authorized representatives.
- Any inter-lineation, erasures, or overwriting shall be valid only if they are signed or initialed by the person signing the Tender.

# D. Submission and Opening of Tenders

# **20** Sealing and Marking of Tenders

- 20.1 Depending on the sizes or quantities or weight of the tender documents, a tenderer may use an envelope, package or container. The Tenderer shall deliver the Tender in a single sealed envelope, or in a single sealed package, or in a single sealed container bearing the name and Reference number of the Tender, addressed to the Procuring Entity and a warning not to open before the time and date for Tender opening date. Within the single envelope, package or container, the Tenderer shall place the following separate, sealed envelopes:
  - a) in an envelope or package or container marked "ORIGINAL", all documents comprising the Tender, as described in ITT 11; and
  - b) in an envelope or package or container marked "COPIES", all required copies of the Tender; and
  - c) if alternative Tenders are permitted in accordance with ITT 12, and if relevant:
    - i) in an envelope or package or container marked "ORIGINAL -ALTERNATIVE TENDER", the alternative Tender; and
    - ii) in the envelope or package or container marked "COPIES- ALTERNATIVE TENDER", all required copies of the alternative Tender.
- 202 The inner envelopes or packages or containers shall:
  - a) bear the name and address of the Procuring Entity.
  - b) bear the name and address of the Tenderer; and
  - c) bear the name and Reference number of the Tender.
- 203 Where a tender package or container cannot fit in the tender box, the procuring entity shall:
  - a) Specify in the **TDS where** such documents should be received.
  - b) maintain a record of tenders received and issue acknowledgement receipt note to each tenderer specifying time and date of receipt.
  - c) Ensure all tenders received are handed over to the tender opening committee for opening at the specified opening place and time.
- 204 If an envelope or package or container is not sealed and marked as required, the *Procuring Entity* will assume no responsibility for the misplacement or premature opening of the Tender. Tenders misplaced or opened prematurely will not be accepted.

## 21. Deadline for Submission of Tenders

21.1 Tenders must be received by the Procuring Entity at the address and no later than the date and time specified in the TDS. When so specified in the TDS, Tenderers shall have the option of submitting their Tenders electronically. Tenderers submitting Tenders electronically shall follow the electronic

Tender submission procedures specified in the TDS.

The Procuring Entity may, at its discretion, extend the deadline for the submission of Tenders by amending the tendering document in accordance with ITT7, in which case all rights and obligations of the Procuring Entity and Tenderers previously subject to the deadline shall thereafter be subject to the deadline as extended.

#### 22. Late Tenders

22.1 The Procuring Entity shall not consider any Tender that arrives after the deadline for submission of Tenders. Any Tender received by the Procuring Entity after the deadline for submission of Tenders shall be declared late, rejected, and returned unopened to the Tenderer.

## 23. Withdrawal, Substitution, and Modification of Tenders

- A Tenderer may withdraw, substitute, or modify its Tender after it has been submitted by sending a written notice, duly signed by an authorized representative, and shall include a copy of the authorization (the power of attorney) in accordance with ITT19.3, (except that withdrawal notices do not require copies). The corresponding substitution or modification of the Tender must accompany the respective written notice. All notices must be:
  - a) prepared and submitted in accordance with ITT 20 and 21 (except that withdrawal notices do not require copies), and in addition, the respective envelopes shall be clearly marked "WITHDRAWAL," "SUBSTITUTION," or "MODIFICATION;" and
  - b) received by the Procuring Entity prior to the deadline prescribed for submission of Tenders, in accordance with ITT 22.
- Tenders requested to be withdrawn in accordance with ITT 23.1 shall be returned unopened to the Tenderers.
- No Tender may be withdrawn, substituted, or modified in the interval between the deadline for submission of Tenders and the expiration of the period of Tender validity specified by the Tenderer on the Form of Tender or any extension thereof.

## 24. Tender Opening

- Except as in the cases specified in ITT 23, the Procuring Entity shall, at the Tender opening, publicly open and read out all Tenders received by the deadline at the date, time and place specified in the TDS in the presence of Tenderers' designated representatives who choose to attend, including to attend any specific electronic tender opening procedures if electronic tendering is permitted in accordance with ITT 21.1, shall be as specified in the TDS.
- First, envelopes marked "WITHDRAWAL" shall be opened and read out and the envelope with the corresponding Tender shall not be opened, but returned to the Tenderer. If the withdrawal envelope does not contain a copy of the "power of attorney" confirming the signature as a person duly authorized to sign on behalf of the Tenderer, the corresponding Tender will be opened. No Tender withdrawal shall be permitted unless the corresponding withdrawal notice contains a valid authorization to request the withdrawal and is read out at Tender opening.
- Next, envelopes marked "SUBSTITUTION" shall be opened and read out and exchanged with the corresponding Tender being substituted, and the substituted Tender shall not be opened, but returned to the Tenderer. No Tender substitution shall be permitted unless the corresponding substitution notice contains a valid authorization to request the substitution and is read out at Tender opening.
- Next, envelopes marked "MODIFICATION" shall be opened and read out with the corresponding Tender. No Tender modification shall be permitted unless the corresponding modification notice contains a valid authorization to request the modification and is read out at Tender opening.
- Next, all remaining envelopes shall be opened one at a time, reading out: the name of the Tenderer and whether there is a modification; the total Tender Prices, per lot (contract) if applicable, including any discounts and alternative Tenders; the presence or absence of a Tender Security, if required; and any other details as the Procuring Entity may consider appropriate.
- Only Tenders, alternative Tenders and discounts that are opened and read out at Tender opening shall be considered further for evaluation. The Form of Tender and pages of the Bills of Quantities are to be initialed by the members of the tender opening committee attending the opening. The number

of representatives of the Procuring Entity to sign shall be specified in the TDS.

- 24.7 The Procuring Entity shall neither discuss the merits of any Tender nor reject any Tender (except for late Tenders, in accordance with ITT 22.1).
- 248 The Procuring Entity shall prepare a record of the Tender opening that shall include, as a minimum:
  - a) the name of the Tenderer and whether there is a withdrawal, substitution, or modification;
  - b) the Tender Price, per lot (contract) if applicable, including any discounts;
  - c) any alternative Tenders;
  - d) the presence or absence of a Tender Security or Tender-Securing Declaration, if one was required;
  - e) number of pages of each tender document submitted.
- 249 The Tenderers' representatives who are present shall be requested to sign the record. The omission of a Tenderer signature on the record shall not invalidate the contents and effect of the record. A copy of the tender opening register shall be issued to a Tenderer upon request.

## E. Evaluation and Comparison of Tenders

# 25. Confidentiality

- 25.1 Information relating to the evaluation of Tenders and recommendation of contract award, shall not be disclosed to Tenderers or any other persons not officially concerned with the tendering process until the information on Intention to Award the Contract is transmitted to all Tenderers in accordance with ITT 41.
- 252 Any effort by a Tenderer to influence the Procuring Entity in the evaluation or contract award decisions may result in the rejection of its Tender.
- Notwithstanding ITT 25.2, from the time of Tender opening to the time of Contract Award, if any Tenderer wishes to contact the Procuring Entity on any matter related to the Tendering process, it should do so in writing.

## **26.** Clarification of Tenders

To assist in the examination, evaluation, comparison of the Tenders, and qualification of the Tenderers, the Procuring Entity may, at its discretion, ask any Tenderer for a clarification of its Tender. Any clarification submitted by a Tenderer in respect to its Tender and that is not in response to a request by the Procuring Entity shall not be considered. The Procuring Entity's request for clarification and the response shall be in writing. No change, including any voluntary increase or decrease, in the prices or substance of the Tender shall be sought, offered, or permitted except to confirm the correction of arithmetic errors discovered by the Procuring Entity in the Evaluation of the Tenders, in accordance with ITT 30.

If a Tenderer does not provide clarifications of its Tender by the date and time set in the Procuring Entity's request for clarification, its Tender may be rejected.

## 27. Deviations, Reservations, and Omissions

- 27.1 During the evaluation of Tenders, the following definitions apply:
  - a) "Deviation" is a departure from the requirements specified in the Tendering document;
  - b) "Reservation" is the setting of limiting conditions or withholding from complete acceptance of the requirements specified in the tendering document; and
  - c) "Omission" is the failure to submit part or all of the information or documentation required in the tendering document.

# 28. Determination of Responsiveness

- 28.1 The Procuring Entity's determination of a Tender's responsiveness is to be based on the contents of the Tender itself, as defined in ITT28.2.
- 28 A substantially responsive Tender is one that meets the requirements of the tendering document

without material deviation, reservation, or omission. A material deviation, reservation, or omission is one that:

- a) if accepted, would:
  - i) affect in any substantial way the scope, quality, or performance of the Goods and Related Services specified in the Contract; or
  - ii) limit in any substantial way, inconsistent with the tendering document, the Procuring Entity's rights or the Tenderer obligations under the Contract; or
- b) if rectified, would unfairly affect the competitive position of other Tenderers presenting substantially responsive Tenders.
- The Procuring Entity shall examine the technical aspects of the Tender submitted in accordance with ITT 15 and ITT 16, in particular, to confirm that all requirements of Section VII, Schedule of Requirements have been met without any material deviation or reservation, or omission.
- 283 If a Tender is not substantially responsive to the requirements of tendering document, it shall be rejected by the Procuring Entity and may not subsequently be made responsive by correction of the material deviation, reservation, or omission.

## 29. Non-conformities, Errors and Omissions

- 29.1 Provided that a Tender is substantially responsive, the Procuring Entity may waive any non-conformities in the Tender.
- Provided that a Tender is substantially responsive, the Procuring Entity may request that the Tenderer submit the necessary information or documentation, within a reasonable period of time, to rectify nonmaterial non- conformities or omissions in the Tender related to documentation requirements. Such omission shall not be related to any aspect of the price of the Tender. Failure of the Tenderer to comply with the request may result in the rejection of its Tender.
- Provided that a Tender is substantially responsive, the Procuring Entity shall rectify quantifiable nonmaterial non-conformities related to the Tender Price. To this effect, the Tender Price shall be adjusted, for comparison purposes only, to reflect the price of a missing or non-conforming item or component in the manner specified **in the TDS**. The adjustment shall be based on the *average* price of the item or component as quoted in other substantially responsive Tenders. If the price of the item or component cannot be derived from the price of other substantially responsive Tenders, the Procuring Entity shall use its best estimate.

## **30.** Arithmetical Errors

- 30.1 The tender sum as submitted and read out during the tender opening shall be absolute and final and shall not be the subject of correction, adjustment or amendment in any way by any person or entity.
- Provided that the Tender is substantially responsive, the Procuring Entity shall handle errors on the following basis:
  - a) Any error detected if considered a major deviation that affects the substance of the tender, shall lead to disqualification of the tender as non-responsive.
  - b) Any errors in the submitted tender arising from a miscalculation of unit price, quantity, subtotal and total bid price shall be considered as a major deviation that affects the substance of the tender and shall lead to disqualification of the tender as non-responsive. and
  - c) if there is a discrepancy between words and figures, the amount in words shall prevail.
- 303 Tenderers shall be notified of any error detected in their bid during the notification of a ward.

# 31. Conversion to Single Currency

31.1 For evaluation and comparison purposes, the currency(ies) of the Tender shall be converted in a single currency as specified in the TDS.

## **32.** Margin of Preference and Reservations

- 32.1 A margin of preference may be allowed on locally manufactured goods only when the contract is open to international tendering, where the tender is likely to attract foreign goods and where the contract exceeds the threshold specified in the Regulations.
- For purposes of granting a margin of preference on locally manufactured goods under international competitive tendering, a procuring entity shall not subject the items listed below to international tender and hence no margin of preference shall be allowed. The affected items are:
  - a) motor vehicles, plant and equipment which are assembled in Kenya;
  - b) furniture, textile, foodstuffs, oil and gas, information communication technology, steel, cement, leather agro-processing, sanitary products, and other goods made in Kenya; or
  - c) goods manufactured, mined, extracted or grown in Kenya.
- 323 A margin of preference shall not be allowed unless it is specified so in the **TDS**.
- 324 Contracts procured on basis of international competitive tendering shall not be subject to reservations to specific groups s as provided in ITT 32.5.
- Where it is intended to reserve a contract to a specific group of businesses (these groups are Small and Medium Enterprises, Women Enterprises, Youth Enterprises and Enterprises of persons living with disability, as the case may be), and who are appropriately registered as such by the authority to be specified in the **TDS**, a procuring entity shall ensure that the invitation to tender specifically indicates that only businesses or firms belonging to the specified group are eligible to tender as specified in the **TDS**. No tender shall be reserved to more than one group. If not so stated in the Tender documents, the invitation to tender will be open to all interested tenderers.

## 33. Evaluation of Tenders

- 33.1 The Procuring Entity shall use the criteria and methodologies listed in this ITT and Section III, Evaluation and Qualification criteria. No other evaluation criteria or methodologies shall be permitted. The evaluation and award of contracts will be based on Packages. This is the Tender of the Tenderer that meets the qualification criteria and whose Tender has been determined to be:
  - a) substantially responsive to the tender documents; and
  - b) the lowest evaluated price.
- Price evaluation will be done for Items or Lots (contracts), as specified **in the TDS**; and the Tender Price as quoted in accordance with ITT 14. To evaluate a Tender, the Procuring Entity shall consider the following:
  - a) price adjustment due to unconditional discounts offered in accordance with ITT 13.4;
  - b) converting the amount resulting from applying (a) and (b) above, if relevant, to a single currency in accordance with ITT 31;
  - c) price adjustment due to quantifiable nonmaterial non-conformities in accordance with ITT 29.3; and
  - d) any additional evaluation factors specified in the TDS and Section III, Evaluation and Qualification Criteria.
- 333 The estimated effect of the price adjustment provisions of the Conditions of Contract, applied over the period of execution of the Contract, shall not be considered in Tender evaluation.
- Where the tender involves multiple lots or contracts, the tenderer will be allowed to tender for one or more lots (contracts). Each lot or contract will be evaluated in accordance with ITT 33.2. The methodology to determine the lowest evaluated tenderer or tenderers based one lot (contract) or based on a combination of lots (contracts), will be specified in Section III, Evaluation and Qualification Criteria. In the case of multiple lots or contracts, tenderer will be will be required to prepare the Eligibility and Qualification Criteria Form for each Lot.
- 335 The Procuring Entity's evaluation of a Tender will include and consider:
  - a) in the case of Goods manufactured in Kenya, sales and other similar taxes, which will be payable on the goods if a contract is awarded to the Tenderer;
  - b) in the case of Goods manufactured outside Kenya, already imported or to be imported, customs duties and other import taxes levied on the imported Good, sales and other similar taxes, which will be payable on the Goods if the contract is awarded to the Tenderer;

The Procuring Entity's evaluation of a Tender may require the consideration of other factors, in addition to the Tender Price quoted in accordance with ITT 14. These factors may be related to the characteristics, performance, and terms and conditions of purchase of the Goods and Related Services. The effect of the factors selected, if any, shall be expressed in monetary terms to facilitate comparison of Tenders, unless otherwise specified in the **TDS** from amongst those set out in Section III, Evaluation and Qualification Criteria. The additional criteria and methodologies to be used shall be as specified in ITT 33.2(d).

## **34.** Comparison of Tenders

34.1 The Procuring Entity shall compare the evaluated costs of all substantially responsive Tenders established in accordance with ITT 33.2 to determine the Tender that has the lowest evaluated cost. The comparison shall be on the basis of total cost (place of final destination) prices for all goods and all prices, plus cost of inland transportation and insurance to place of destination, for goods manufactured within the Kenya, together with prices for any required installation, training, commissioning and other services.

# 35. Abnormally Low Tenders

- 35.1 An Abnormally Low Tender is one where the Tender price, in combination with other constituent elements of the Tender, appears unreasonably low to the extent that the Tender price raises material concerns with the Procuring Entity as to the capability of the Tenderer to perform the Contract for the offered Tender price.
- 352 In the event of identification of a potentially Abnormally Low Tender by the evaluation committee, the Procuring Entity shall seek written clarification from the Tenderer, including a detailed price analyses of its Tender price in relation to the subject matter of the contract, scope, delivery schedule, allocation of risks and responsibilities and any other requirements of the tendering document.
- After evaluation of the price analysis, in the event that the Procuring Entity determines that the Tenderer has failed to demonstrate its capability to perform the contract for the offered Tender price, the Procuring Entity shall reject the Tender.

## **36.** Abnormally High Tenders

- An abnormally high price is one where the tender price, in combination with other constituent elements of the Tender, appears unreasonably too high to the extent that the Procuring Entity is concerned that it (the Procuring Entity) may not be getting value for money or it may be paying too high a price for the contract compared with market prices or that genuine competition between Tenderers is compromised.
- 36.5 In case of an abnormally high tender price, the Procuring Entity shall make a survey of the market prices, check if the estimated cost of the contract is correct and review the Tender Documents to check if the specifications, scope of work and conditions of contract are contributory to the abnormally high tenders. The Procuring Entity may also seek written clarification from the tenderer on the reason for the high tender price. The Procuring Entity shall proceed as follows:
  - i) If the tender price is abnormally high based on wrong estimated cost of the contract, the Procuring Entity may accept or not accept the tender depending on the Procuring Entity's budget considerations.
  - ii) If specifications, scope of work and/or conditions of contract are contributory to the abnormally high tender prices, the Procuring Entity shall reject all tenders and may retender for the contract based on revised estimates, specifications, scope of work and conditions of contract, as the case may be.
- 36.6 If the Procuring Entity determines that the Tender Price is abnormally too high because genuine competition between tenderers is compromised (often due to collusion, corruption or other manipulations), the Procuring Entity shall reject all Tenders and shall institute or cause relevant Government Agencies to institute an investigation on the cause of the compromise, before retendering.

## **37.** Post-Qualification of the Tenderer

37.1 The Procuring Entity shall determine, to its satisfaction, whether the eligible Tenderer that is selected as having submitted the lowest evaluated cost and substantially responsive Tender, meets the qualifying criteria specified in Section III, Evaluation and Qualification Criteria.

- The determination shall be based upon an examination of the documentary evidence of the Tenderer qualifications submitted by the Tenderer, pursuant to ITT 15 and 16. The determination shall not take into consideration the qualifications of other firms such as the Tenderer subsidiaries, parent entities, affiliates, subcontractors (other than specialized subcontractors if permitted in the tendering document), or any other firm(s) different from the Tenderer.
- An affirmative determination shall be a prerequisite for award of the Contract to the Tenderer. A negative determination shall result in disqualification of the Tender, in which event the Procuring Entity shall proceed to the Tenderer who offers a substantially responsive Tender with the next lowest evaluated cost to make a similar determination of that Tenderer qualifications to perform satisfactorily.

## **38.** Lowest Evaluated Tender

- 38.1 Having compared the evaluated prices of Tenders, the Procuring Entity shall determine the Lowest Evaluated Tender. The Lowest Evaluated Tender is the Tender of the Tenderer that meets the Qualification Criteria and whose Tender has been determined to be:
  - a) most responsive to the Tender document; and
  - b) the lowest evaluated price.

# 39. Procuring Entity's Right to Accept Any Tender, and to Reject Any or All Tenders.

39.1 The Procuring Entity reserves the right to accept or reject any Tender, and to annul the Tendering process and reject all Tenders at any time prior to notification Award, without thereby incurring any liability to Tenderers. In case of annulment, all Tenderers shall be notified with reasons and all Tenders submitted and specifically, tender securities, shall be promptly returned to the Tenderers.

## F. Award of Contract

## 40. Award Criteria

40.1 The Procuring Entity shall award the Contract to the successful tenderer whose tender has been determined to be the Lowest Evaluated Tender in accordance with procedures in Section 3: Evaluation and Qualification Criteria.

# 41. Procuring Entity's Right to Vary Quantities at Time of Award

The Procuring Entity reserves the right at the time of Contract award to increase or decrease, by the percentage (s) for items as indicated **in the TDS.** 

#### 42. Notice of Intention to enter into a Contract

Upon award of the contract and Prior to the expiry of the Tender Validity Period the Procuring Entity shall issue a Notification of Intention to Enter into a Contract / Notification of award to all tenderers which shall contain, at a minimum, the following information:

- a) the name and address of the Tenderer submitting the successful tender;
- b) the Contract price of the successful tender;
- c) a statement of the reason(s) the tender of the unsuccessful tenderer to whom the letter is addressed was unsuccessful, unless the price information in (c) above already reveals the reason;
- d) the expiry date of the Standstill Period; and
- e) instructions on how to request a debriefing and/or submit a complaint during the standstill period;

#### 43. Standstill Period

- 43.1 The Contract shall not be awarded earlier than the expiry of a Standstill Period of 14 days to allow any dissatisfied candidate to launch a complaint. Where only one Tender is submitted, the Standstill Period shall not apply.
- Where standstill period applies, it shall commence when the Procuring Entity has transmitted to each Tenderer the Notification of Intention to Enter into a Contract to the successful Tenderer.

# 44. Debriefing by the Procuring Entity

- 44.1 On receipt of the Procuring Entity's Notification of Intention to Enter into a Contract referred to in ITT 41, an unsuccessful tenderer may make a written request to the Procuring Entity for a debriefing on specific issues or concerns regarding their tender. The Procuring Entity shall provide the debriefing within five days of receipt of the request.
- Debriefings of unsuccessful Tenderers may be done in writing or verbally. The Tenderer shall bear its own costs of attending such a debriefing meeting.

## 45. Letter of Award

Prior to the expiry of the Tender Validity Period and upon expiry of the Standstill Period specified in ITT 42, upon addressing a complaint that has been filed within the Standstill Period, the Procuring Entity shall transmit the Letter of Award to the successful Tenderer. The letter of award shall request the successful tenderer to furnish the Performance Security within 21days of the date of the letter.

# 46. Signing of Contract

- 46.1 Upon the expiry of the fourteen days of the Notification of Intention to enter into contract and upon the parties meeting their respective statutory requirements, the Procuring Entity shall send the successful Tenderer the Contract Agreement.
- Within fourteen (14) days of receipt of the Contract Agreement, the successful Tenderer shall sign, date, and return it to the Procuring Entity.
- The written contract shall be entered into within the period specified in the notification of award and before expiry of the tender validity period.

# 47. Performance Security

- Within twenty-one (21) days of the receipt of Letter of Acceptance from the Procuring Entity, the successful Tenderer, if required, shall furnish the Performance Security in accordance with the GCC 18, using for that purpose the Performance Security Form included in Section X, Contract Forms. If the Performance Security furnished by the successful Tenderer is in the form of a bond, it shall be issued by a bonding or insurance company that has been determined by the successful Tenderer to be acceptable to the Procuring Entity. A foreign institution providing a bond shall have a correspondent financial institution located in Kenya, unless the Procuring Entity has agreed in writing that a correspondent financial institution is not required.
- Failure of the successful Tenderer to submit the above-mentioned Performance Security or sign the Contract shall constitute sufficient grounds for the annulment of the award and forfeiture of the Tender Security. In that event the Procuring Entity may award the Contract to the Tenderer offering the next lowest Evaluated Tender.
- 473 Performance security shall not be required for a contract, if so specified in the **TDS**.

## 48. Publication of Procurement Contract

- 48.1 Within fourteen days after signing the contract, the Procuring Entity shall publish and publicize the awarded contract at its notice boards, entity website; and on the Website of the Authority in manner and format prescribed by the Authority. At the minimum, the notice shall contain the following information:
  - a) name and address of the Procuring Entity;
  - b) name and reference number of the contract being awarded, a summary of its scope and the selection method used;
  - c) the name of the successful Tenderer, the final total contract price, the contract duration.
  - d) dates of signature, commencement and completion of contract;
  - e) names of all Tenderers that submitted Tenders, and their Tender prices as read out at Tender opening;

# 49. Procurement Related Complaints and Administrative Review

- 49.1 The procedures for making a Procurement-related Complaint are as specified in the **TDS**.
- 492 A request for administrative review shall be made in the form provided under contract forms.

# SECTION II – TENDER DATA SHEET (TDS)

The following specific data shall complement, supplement, or amend the provisions in the Instructions to Tenderers (ITT). Whenever there is a conflict, the provisions herein shall prevail over those in ITT.

ITT Reference	Particulars of Appendix to Instructions to Tenders
A. General	Particulars of Appendix to Instructions to Tenders
	The of the property of the December of the Table (ITT) in COM/FDA/1/(0200
ITT 1.1	The reference number of the Request for Tenders (ITT) is: CGN/FRA/1660208 - 2024/2025
	The Procuring Entity is: County Government of Nyandarua
	The name of the ITT is: Supply and Delivery of Assorted ICT and Communication
	Equipment
	The number and identification of lots (contracts) comprising this ITT is: <i>N/A</i>
ITT 1.2(a)	Electronic –Procurement System
	The Procuring Entity shall use the following electronic-procurement system to manage this Tendering process: <b>IFMIS GOK Portal:</b> <a href="www.supplier.treasury.go.ke">www.supplier.treasury.go.ke</a> The electronic-procurement system shall be used to manage the following aspects of the
	Tendering process: Issuing ITT, submissions of Tenders, opening of Tenders, evaluation and award of tenders
ITT 2.3	The Information made available on competing firms is as follows: <i>N/A</i>
	The firms that provided consulting services for the contract being tendered for are: <i>N/A</i>
	The Commencement Date is: Effective date of Contract Signing
	The duration of the framework contract will be <b>two years</b> with an option of renewal up
	to a maximum of one time subject to satisfactory performance.
ITT 3.1	Maximum number of members in the Joint Venture (JV) shall be: N/A
ITT 3.7	A list of debarred firms and individuals is available on the PPRA's website:
	www.ppra.go.ke
ITT 3.11	Tenderers shall be required to be to be registered with <i>N/A</i>
	B. Contents of Tendering Document
ITT 6.1	(a) Address where to send enquiries is:
	Head of Supply Chain Management Services County Government of Nyandarua P.O. BOX 701-20303 Ol Kalou Email: scms@nyandarua.go.ke
	i) to reach the Procuring Entity not later than 7th October, 2024 at 5:00 pm.
	(b) The Procuring Entity shall publish its response at the website <u>www.nyandarua.go.ke</u>
ITT 6.2	A pre-tender conference will <i>not be held</i>
ITT 6.3	The questions to reach the Procuring Entity not later than $7^{th}$ <i>October</i> , 2024.
ITT 6.5	The Minutes of the Pre-Tender meeting shall be published on the at the website <i>N/A</i> .
	C. Preparation of Tenders
ITT 10 (j)	The Tenderer shall submit the following additional documents in its Tender: <i>specified in</i>
	Section III, Evaluation and Qualification Criteria.
ITT 12.1	Alternative Tenders shall not be considered.
ITT 13.5	The prices quoted by the Tenderer <i>shall not</i> be subject to adjustment during the performance of the Contract.
ITT 13.6	Prices quoted for each lot (contract) shall correspond at least <b>to</b> 100 percent of the items specified for each lot (contract).  Prices quoted for each item of a lot shall correspond at least to 100 percent of the quantities specified for this item of a lot.

ITT Reference	Particulars of Appendix to Instructions to Tenders
ITT 13.8 (a) (i)	Place of final destination: As indicated on the Letter of Award – (County Government
and (iii)	of Nyandarua)
ITT 13.8 (a) (iii)	Final Destination (Project Site): <i>N/A</i>
ITT 13.8 (b) (i)	Named place of destination, in Kenya is County Government of Nyandarua
ITT 13.8 (b)	
(ii)	Goods from the named place of destination to their final destination which is <i>as indicated</i>
	on the Letter of Award – (County Government of Nyandarua)
13.8 (c) (iv)	Place of final destination (Project Site) is <i>N/A</i>
ITT 14.2	Foreign currency requirements <i>not allowed</i> .
ITT 15.4	Period of time the Goods are expected to be functioning (for the purpose of spare parts):
	as per the warranty period
ITT 16.2 (a)	Manufacturer's authorization is: <i>may be required during mini-competition</i>
ITT 16.2 (b)	After sales service is: required
ITT 17.1	The Tender validity period shall be 140 days.
ITT 17.3	(a) The Number of days beyond the expiry of the initial tender validity period will be _90_days.
	(b) The Tender price shall be adjusted by the following percentages of the tender price:
	(i) By0.5% of the local currency portion of the Contract price adjusted to reflect local inflation during the period of extension, and
	(ii) By0.5% the foreign currency portion of the Contract price adjusted to reflect the international inflation during the period of extension.
ITT 18.1	A Tender Security shall not be required.
	A Tender-Securing Declaration shall be required in the format provided.
ITT 19.1	In addition to the original of the Tender, the number of copies is: <i>One</i> ( <i>Original &amp; Copy</i> )
ITT 19.3	The written confirmation of authorization to sign on behalf of the Tenderer shall consist of: <i>Power of Attorney</i> .
	D. Submission and Opening of Tenders
ITT 20.3	A tender package or container that cannot fit in the tender box shall be received at the following address:
	County Government of Nyandarua
	Supply Chain Management Offices
	P.O. BOX 701-20303 Ol Kalou
	Email: <u>scms@nyandarua.go.ke</u>
ITT 21.1	For <u>Tender submission purposes</u> only, the Procuring Entity's address is:
	Chief Officer - Finance
	County Government of Nyandarua
	P.O. BOX 701-20303
	Ol Kalou
	The deadline for Tender submission is:
	Date: 16th October, 2024.
	Time: 11:00 a.m.
	In the tender box situated at the entrance of the County Headquarters' reception.
	Tenderers <b>MUST</b> submit an exact replica of the tender document through the GOK IFMIS portal.
ITT 24.1	The Tender opening shall take place at:
	Physical Address: Reception situated at the entrance of the County Government
	Headquarters offices next to the tender box.
	Date: 16th October, 2024.
	Time: 11:00 a.m.

ITT Reference	Particulars of Appendix to Instructions to Tenders
ITT 24.6	The number of representatives of the Procuring Entity to sign is: <i>members of the tender</i>
	opening committee
E. Evaluation a	nd Comparison of Tenders
ITT 29.3	The manner of rectify quantifiable nonmaterial nonconformities described below:
	As per the Act and Regulations.
ITT 31.1	The currency that shall be used for Tender evaluation and comparison purposes to convert at the selling exchange rate all Tender prices expressed in various currencies into
	a single currency is: <i>Kenya Shillings</i> .  The source of exchange rate shall be: <i>Central Bank of Kenya</i>
	The date for the exchange rate shall be: date for tender submission.
ITT 32.3	A margin of preference and/or reservation <i>shall</i> apply
ITT 32.5	The invitation to tender is extended to the following group that qualify for Reservations:
111 52.5	AGPO (Youth, Women & Persons Living with Disabilities).
ITT 33.2	Price evaluation will be done for <i>quoted items</i>
ITT 33.2 (d)	Additional evaluation factors are <i>specified in Section III</i> , <i>Evaluation and Qualification Criteria</i> .
ITT 33.6	The adjustments shall be determined using the following criteria, from amongst those set out in Section III, Evaluation and Qualification Criteria:  (a) Deviation in Delivery schedule: <i>N/A</i>
	(b) Deviation in payment schedule: N/A
	(c) the cost of major replacement component, mandatory spare parts, and service: N/A
	(d) the availability in Kenya of spare parts and after-sales services for the equipment offered in the Tender $N/A$
	<ul><li>(e) Life cycle costs: the costs during the life of the goods or equipment <i>N/A</i></li><li>(f) the performance and productivity of the equipment offered; <i>N/A</i></li></ul>
	F. Award of Contract
ITT 41.1	The maximum percentage by which quantities may be increased is: 15%
	The maximum percentage by which quantities may be decreased is: 15%
ITT 41.1	The Procuring Entity shall increase or decrease the quantity of Goods and Related Services by an amount not exceed 15% and without any change in the unit prices or other terms and conditions of the Tender and the tendering document.
ITT 47.3	Performance security if so required shall be in the sum of <i>to be indicated in the letter of</i>
ITT 49.1	award.  The procedures for making a Procurement-related Complaint are available from the PPRA Website <a href="www.ppra.go.ke">www.ppra.go.ke</a> or email <a href="complaints@ppra.go.ke">complaints@ppra.go.ke</a> .
	If a Tenderer wishes to make a Procurement-related Complaint, the Tenderer should submit its complaint following these procedures, in writing (by the quickest means available, that is either by hand delivery or email to:
	Head of Supply Chain Management Services  County Government of Nyandarua  P.O. BOX 701-20303 Ol Kalou
	Email: scms@nyandarua.go.ke
	In summary, a Procurement-related Complaint may challenge any of the following:
	(i) the terms of the Tender Documents; and (ii) the Procuring Entity's decision to award the contract.

## SECTION III - EVALUATION AND QUALIFICATION CRITERIA

## 1. General Provisions

- Wherever a Tenderer is required to state a monetary amount, Tenderers should indicate the Kenya Shilling equivalent using the rate of exchange determined as follows:
  - a) For business turnover or financial data required for each year Exchange rate prevailing on the last day of the respective calendar year (in which the amounts for that year is to be converted) was originally established.
  - b) Value of single contract Exchange rate prevailing on the date of the contract signature.
  - c) Exchange rates shall be taken from the publicly available source identified in **the ITT 14.3.** Any error in determining the exchange rates in the Tender may be corrected by the Procuring Entity.
- This section contains the criteria that the Procuring Entity Procuring Entity shall use to evaluate tender and qualify tenderers. No other factors, methods or criteria shall be used other than those specified in this tender document. The Tenderer shall provide all the information requested in the forms included in Section IV, Tendering Forms. The Procuring Entity should use the Standard Tender Evaluation Report for Goods and Works for evaluating Tenders.

## **2.** Evaluation of Tenders (ITT 33)

## 21 Successful Tender or Tenders

The Procuring Entity shall use the criteria and methodologies listed in this Section to evaluate Tenders. By applying these criteria and methodologies, the Procuring Entity shall determine the successful Tender or Tenders which has/have been determined to:

- a) be substantially responsive to the tender documents;
- b) offer the lowest evaluated cost to the Procuring Entity for all items of Goods to be procured based on either a single Contract or all multiple Contracts combined, as the case may be, in accordance with the ITT 13.6 inviting Tender prices and discounts, and provisions made of the Tender Document for evaluation of tenders and award of contract (s); and
- c) be offered by Tenderer or Tenderers that substantially meet the qualification criteria applicable for Contract or combined Contracts for which they are selected.

## 22 Evaluation of Tenders

## **Preliminary examination for Determination of Responsiveness**

The Procuring Entity will start by examining all tenders to ensure they meet in all respects the eligibility criteria and other mandatory requirements in the ITT, and that the tender is complete in all aspects in meeting the requirements provided for in the preliminary evaluation criteria outlined below. The Standard Tender Evaluation Report Document for Goods and Works for evaluating Tenders provides very clear guide on how to deal with review of these requirements. Tenders that do not pass the Preliminary Examination will be considered non-responsive and will not be considered further.

**Stage 1: Mandatory Requirements** 

No.	Requirements	Responsiveness
MR1	Submit a copy of Certificate of Registration or Incorporation	
MR2	Provide a Certificate of Confirmation of Directors and Shareholding (CR 12) for companies Incorporated under the Company's Act issued within the last twelve (12) months from the date of tender opening. For companies operating under Business names, provide copies of Directors / Shareholders Identification documents (IDs or Passports).	
MR3	Must submit a copy of Valid Tax Compliance certificate from Kenya Revenue Authority (tax compliance certificate MUST be valid at the date of tender opening.	
MR4	Submit copy of County Government Single Business Permit	
MR5	Must fill, sign and stamp t h e certificate of independent tender determination in the Format provided	
MR6	Must submit a duly filled signed and stamped Tender-Securing Declaration in the Format provided	
MR7	Must submit a duly filled up Confidential Business Questionnaire in the format provided	
MR8	Must submit Price schedule dully completed, signed and stamped by the tenderer in the format provided	
MR9	Must fill, sign and Stamp the declaration and commitment to the code of ethics	
MR10	Must submit Bound "Original" and "Copy" tender documents	
MR11	Duly filled, signed and stamped Self-Declaration Form that the Tenderer is not Debarred	
MR12	Dully filled, signed and Stamped Self Declaration form that the Tenderer will not engage in any Corrupt or Fraudulent Practice	
MR13	Tenderer MUST provide Power of Attorney OR a written authorization clearly indicating who the tenderers' authorized representative is. The tenderer's representative must be the one to duly fill and sign all the documents submitted. Power of Attorney shall not be required where the signatory(ies) of the tender are directors/shareholders as declared in the CR12 for incorporated companies or similar document for business names.	
MR14	Valid Access to Government Procurement Opportunities (AGPO) Certificate (Youth / Women / PWD)	
MR15	The tender document <b>SHALL</b> :  i) Be paginated / serial numbered with pages in the whole document from the cover page numbered in the correct sequence including all appendixes and attachments. The document shall be paginated / serial numbered in a continuous ascending order i.e sequentially paginated, from the first page to the last in this format; (i.e., 1, 2, 3 n, where n is the last page).  ii) Be firmly bound and should not have any loose pages. Spiral binding and files (spring and box) shall not be acceptable.  Hardcopies of the tender <b>MUST</b> be submitted and an exact replica of the tender document <b>MUST</b> also be submitted in soft copy through the IFMIS GOK Portal <b>www.suppliers.treasury.go.ke</b> .	

N/B; AT THIS STAGE, THE TENDERER'S SUBMISSION WILL EITHER BE RESPONSIVE OR NON-RESPONSIVE. THE NON-RESPONSIVE SUBMISSIONS WILL BE ELIMINATED FROM THE ENTIRE EVALUATION PROCESS AND WILL NOT BE CONSIDERED FURTHER.

**Stage 2: Technical Evaluation** 

No		Maximum Score
1.	Experience of company  a. registered at least four (4) years prior to applications submission deadline (max points)	10
	b. Three years and below (5points) Attach Certificate of Incorporation	
	Proof of similar goods supplied to any county government/organization.	
2.	a. More than 5 assignments similar to this (max points)	25
	b. Each assignment 5 points	
	Attach LPO's and/or Contracts	
3.	Minimum average annual work of: -  a. Kenya Shillings five hundred thousand (Kes 500,000) or more (20 points)	20
	b. Kenya Shillings (Kes 250,000 – 499.000) (15 points)	
	c. Kenya Shillings (Kes 100,000 – 249,000) (10 points)	
	d. Less than Kenya Shillings 100,000 (5 points)	
	Attach LSO's and/or Contracts	
4.	Maximum duration of credit facility (indicate maximum no. of days in	15
7.	which credit can be given) a. more than 3moths (max points)	13
	<ul><li>a. more than 3moths (max points)</li><li>b. between 1-3 months (10 points)</li></ul>	
	c. less than a month (5 points)	
	Attach commitment letter dully signed and stamped	
	Demonstrate access to, or availability of, financial resource such as liquid	
5.	assets, unencumbered real assets, lines of credit, and other financial means,	20
	other than any contractual advance payments to meet the following cash-flow	
	requirement:	
	a. Kenya Shillings five hundred thousand (Kes 500,000) per month or more (20 points)	
	b. Kenya Shillings (Kes 250,000 – 499.000) per month (15 points)	
	c. Kenya Shillings (Kes 100,000 – 249,000) per month (10 points)	
	d. Less than Kenya Shillings 100,000 (5 points)	
	Attach bank statement(s) for the last 6 months and/or letter from bank	
	confirming access to line of credit.	
6.	Information on bidder's Bankers including authority to contact banks.  Provide certified letter from bank with Name, Postal Address, Telephone of Banks	10
	a. if given max points	
	b. if not given nil points.	
	Attach letter from Bank(s)	
	TOTAL	100

Pass mark for technical evaluation is **80%.** The bidder who attains 80% and above in the Technical Evaluation shall proceed to financial evaluation and post qualification checks.

# Stage 3 – Financial Evaluation

The responsive bidder(s) will be considered for Financial Evaluation. At this stage, bidders who have passed Technical Evaluation will be checked against:

a) Arithmetical Errors: A bidder whose bid will have arithmetical errors shall be quantified and treated as stipulated in the Public Procurement and Asset Disposal Regulations 2020 section 74(2).

- b) Tender Security: Tenderers must provide duly filled signed and stamped Tender-Securing Declaration
- c) Price schedule: Must be fully filled, signed and stamped as indicated in the instructions to tenderers.
- d) Form of tender: Must be correctly filled, signed and stamped with total contract sum both in figures and word by the Tenderer.

# i) Due diligence/ Post-qualification

County Government of Nyandarua may conduct due diligence on the lowest evaluated bidder prior to the Award as per the Public Procurement and Assets Disposal Act, 2015.

The County Treasury shall verify and determine to its satisfaction whether the tenderer that is selected as having submitted the lowest evaluated bid is responsive and qualified to perform the contract satisfactorily

# 221 Evaluation of Technical aspects of the Tender

The Procuring Entity shall evaluate the Technical aspects of the Tender to determine compliance with the Procuring Entity's requirements under Section V 'Schedule of Requirement' and whether the Tenders are substantially responsive to the Technical Specifications and other Requirements.

# 222 Evaluation of Commercial Terms and Conditions of the Tender (ITT 33.1(a)):

The Procuring Entity shall determine whether the Tenders are substantially responsive to the Commercial and Contractual Terms and Conditions (e.g. Performance securities, Payment and delivery schedules).

## **Evaluation Criteria (Other Factors) (ITT 33.6)**

The Procuring Entity's evaluation of a Tender may take into account, in addition to the Tender Price quoted in accordance with ITT 13.8, one or more of the following factors as specified in ITT 33.2(d) and in TDS ITT 33.6, using the following criteria and methodologies.

## a) Delivery schedule.

The Goods specified in the List of Goods are required to be delivered within the acceptable time range (after the earliest and before the final date, both dates inclusive) specified in Section V, Schedule of Requirements. No credit will be given to deliveries before the earliest date, and Tenders offering delivery after the final date shall be treated as non-responsive. Within this acceptable period, an adjustment of [insert the adjustment factor], will be added, for evaluation purposes only, to the Tender price of Tenders offering deliveries later than the "Earliest Delivery Date" specified in Section V, Schedule of Requirements.

- b) Deviation in payment schedule: N/A
- c) Cost of major replacement components: N/A
- d) Availability in Kenya of spare parts and after sales services for equipment offered in the Tender: N/A
- e) Life Cycle Costs: N/A

## f) Performance and productivity of the equipment: N/A

# g) Specific additional criteria

[Other specific additional criteria to be considered in the evaluation, and the evaluation method shall be detailed in TDS 34.6][If specific sustainable

**procurement technical requirements** have been specified in Section VII-Specification, **either** state that (i) those requirements will be evaluated on a pass/fail (compliance basis) **or** otherwise (ii) in addition to evaluating those requirements on a pass/fail (compliance basis), if applicable, specify the monetary adjustments to be applied to Tender Prices for comparison purposes on account of Tenders that exceed the specified minimum sustainable procurement technical requirements.]

# 224. Multiple Contracts (ITT 33.4)

Tenders are invited for individual lots, the contract will be awarded to the tenderer offering a substantially responsive Tender(s) and the lowest evaluated cost for individual lots, subject to the selected tenderer(s) meeting the required qualification criteria (this Section III, Sub-Section ITT 36 Qualification Requirements) for each lot. In determining tenderer that offer the lowest evaluated cost to the Procuring Entity for each lot, the Procuring Entity shall apply the following steps in sequence:

- (a) evaluate individual lots to determine the substantially responsive Tenders and corresponding evaluated costs:
- (b) for each lot, rank the substantially responsive Tenders starting from the lowest evaluated cost for the lot;
- (c) apply to the evaluated costs listed in (b) above, any applicable discounts/price reductions offered by a tenderer (s) for the award of each Lot based on the discounts and the methodology for their application offered by the respective Tenderer; and
- (d) determine contract award based on the lots that offer the tender offers each of which has the lowest evaluated cost to the Procuring Entity.

## 225. Alternative Tenders: N/A

## 3. MARGIN OF PREFERENCE

- 31 If the TDS so specifies, the Procuring Entity will grant a margin of preference of 15% (fifteen percent) to Tenderers offering goods manufactured, mined, extracted, grown, assembled or semi-processed in Kenya. Goods assembled or semi-processed in Kenya shall have a local content of not less than 40%.
- 32 The margin of preference will be applied in accordance with, and subject to, the following provisions:
  - a) Tenderers applying for such preference on goods offered shall provide, as part of the data for qualification, such information, including details of the goods produced in Kenya, so as to determine whether, according to the classification established by the Procuring Entity, a particular category of goods or group of goods qualifies for a margin of preference.
  - b) After Tenders have been received and reviewed by the Procuring Entity, goods offered in the responsive Tenders shall be assessed to ascertain they are manufactured, mined, extracted, grown, assembled or semi- processed in Kenya. Responsive tenders shall be classified into the following groups:
    - Group A: Tenders offering goods manufactured in Kenya, for which (a) labour, raw materials, and components from within Kenya account for more than forty (40) percent of the Ex-Works price; and
      - (b) the production facility in which they will be manufactured or assembled has been
      - engaged in manufacturing or assembling such goods at least since the date of Tender
      - Submission date;
    - ii) Group B: All other Tenders offering Goods manufactured in Kenya;
    - *iii)* **Group C:** Tenders offering Goods manufactured outside Kenya that have been already imported or that will be imported.
  - c) To facilitate this classification by the Procuring Entity, the Tenderer shall complete

whichever version of the Price Schedule furnished in the Tender Documents is appropriate. Incorrect classification may render the Tender non-responsive as no reclassification will be permitted after Tender opening. Tenderers shall provide correct information especially with respect to duties, taxes etc. paid on previously imported Goods and percentage of local labour, materials and components for Goods manufactured in Kenya as any false information which cannot be supported by documentation may render the Tender non-responsive besides other sanctions for providing falsified information.

- d) The Procuring Entity will first review the Tenders to confirm the appropriateness of the Tender group classification to which Tenderers assigned their Tenders in preparing their Tender Forms and Price Schedules.
- e) All evaluated Tenders in each group will then be compared to determine the lowest evaluated Tender of each group. Such lowest evaluated Tenders shall be compared with each other and if as a result of this comparison a Tender from Group A or Group B is the lowest, it shall be selected for the award.
- f) If as a result of the preceding comparison, the lowest evaluated Tender is a Tender from Group C, all Tenders from Group C shall be further compared with the lowest evaluated Tender from Group A after adding to the evaluated price of goods offered in each Tender from Group C, for the purpose of this further comparison only, an amount equal to 15% (fifteen percent) of the respective CIP Tender price for goods to be imported and already imported goods. Both prices shall include unconditional discounts and be corrected for arithmetical errors. If the Tender from Group A is the lowest, it shall be selected for award. If not, the lowest evaluated Tender from Group C shall be selected as per paragraph (e) above."

# 4. Post-Qualification of Tenderers (ITT 37)

## 4.1 Post-Qualification Criteria (ITT 37.1)

In case the tender <u>was not subject to pre-qualification</u>, the tender that has been determined to be the lowest evaluated tenderer shall be considered for contract award, subject to meeting each of the following conditions (post qualification Criteria applied on a GO/NO GO basis). The Procuring Entity shall carry out the post-qualification of the Tenderer in accordance with ITT 37, using only the requirements specified herein. Requirements not included in the text below shall not be used in the evaluation of the Tenderer's qualifications. The minimum qualification requirements for multiple contracts will be the sum of the minimum requirements for respective individual contracts, unless otherwise specified.

#### 42 If the Tenderer is a manufacturer

# a) Financial Capability

- i) The Tenderer shall demonstrate that it has access to, or has available, liquid assets, unencumbered real assets, lines of credit, and other financial means (independent of any contractual advance payment) sufficient to meet the supply cash flow of *the value of the quoted items*.
- ii) Minimum average annual supply turnover of *Kenya Shillings Two Million or* equivalent calculated as total certified payments received for contracts of goods manufactured and supplied within the last *3 years*. In case of multiple contracts, limitation will be placed on the number of item(s) that will be awarded to the Tenderer.

# b) Experience and Technical Capacity

The Tenderer shall furnish documentary evidence to demonstrate that it meets the following experience requirement(s) using the form provided in Section IV. In case the Tenderer is a JV, experience and demonstrated technical capacity of only the JV shall be taken into account and not of individual members nor their individual experience/capacity will be aggregated unless all members of the JV have been manufacturing and supplying Goods offered in the Tender to the same technology, processing, design, materials, specifications, model number, etc. in all respects such

that Goods manufactured have the same functional characteristics, performance parameters, outputs and other guarantees and fully interchangeable which shall be documented along with other required documents demonstrating capacity to the satisfaction of the Procuring Entity in case individual members claim experience. Otherwise, documents evidencing experience and technical capacity shall be in the name of the JV that submitted the Tender. Wherever the Words "Similar Goods" have been used it includes upgrades, latest and improved versions or models of similar specifications and technology. Refer to Form Exp-1 to provide the required information.

- i) The Tenderer shall be manufacturing similar Goods for the last 3 years.
- ii) The Tenderer shall furnish documentary evidence to demonstrate successful completion of at least of contracts of similar Goods in the last *3 years* each contract costing at least Kenya shillings\_equivalent and involving a supply of at least 75% of required quantity

iii)	( <b>Optional</b> ) The installed capacity to manufacture	number of
	items (specify the relevant item number) shall not be less than	units per _
		(specify
	week or month).	

# 43 If Tenderer is a Supplier:

If a Tenderer is a Supplier offering the Goods on behalf of or from a Manufacturer under Manufacturer's Authorization Form (Section IV, Tendering Forms), the Manufacturer shall demonstrate the above qualifications 4.2 (b) (i), (ii), and (iii) and the Tenderer shall demonstrate it meets the following criteria.

- i) The Tenderer shall demonstrate that it has access to, or has available, liquid assets, unencumbered real assets, lines of credit, and other financial means (independent of any contractual advance payment) sufficient to meet the supply cash flow of the value of the quoted items.
- ii) Minimum average annual supply turnover of *Kenya Shillings One Million* or equivalent calculated as total certified payments received for contracts in progress and/or completed within the last *3 years*.
- 44 Has satisfactorily and substantially completed at least *one* contract(s) of a similar nature either within Kenya, the East African Community or abroad, as a prime supplier or a joint venture member, each of a minimum value in Kenya shillings *the value of the quoted items*\_

# 45 History of non-performing contracts:

Tenderer (Supplier or/and manufacturer, and each member of JV in case the Tenderer is a JV, shall demonstrate that Non-performance of a contract did not occur as a result of the default of the Tenderer, manufacturer or the member of JV as the case may be, in the last 3 *years*. The required information shall be furnished as per form CON-2].

# **4.6** Pending Litigation

Financial position and prospective long-term profitability of the Single Tenderer, and in the case the Tenderer is a JV, of each member of the JV, shall remain sound according to criteria established with respect to Financial Capability under paragraph I (i) above assuming that all pending litigation will be resolved against the Tenderer. Tenderer shall provide information on pending litigations as per Form CON-2.

## 4.6. Litigation History

There shall be no consistent history of court/arbitral award decisions against the

Tenderer, in the last 3 years. All parties to the contract shall furnish the information on the related Form (CON-2) about any litigation or arbitration resulting from contracts completed or ongoing under its execution over the years specified. A consistent history of awards against the Tenderer or any member of a JV may result in rejection of the tender.

# **SECTION IV - TENDERING FORMS**

Form of Tender Tenderer Information Form Tenderer JV Members Information Form

Price Schedule: Goods Manufactured Outside Kenya, to be Imported Price Schedule: Goods

Manufactured Outside Kenya, already imported Price Schedule: Goods Manufactured in Kenya

Price and Completion Schedule – Related Services Form of Tender Security – Demand

Guarantee Form of Tender Security (Tender Bond)

Form of Tender-Securing Declaration Manufacturer's Authorization Form

## FORM OF TENDER

# (Amended and issued pursuant to PPRA CIRCULAR No. 02/2022)

## **INSTRUCTIONS TO TENDERERS**

- i) All italicized text is to help the Tenderer in preparing this form.
- ii) The Tenderer must prepare this Form of Tender on stationery with its letterhead clearly showing the Tenderer's complete name and business address. Tenderers are reminded that this is a mandatory requirement.
- iii) Tenderer must complete and sign CERTIFICATE OF INDEPENDENT TENDER DETERMINATION and the SELF DECLARATION FORMS OF THE TENDERER as listed under (s) below.

Date of this	Tender submission	:[insert date (as da	ly, month and year	r) of Tender	submissi	ion] Tender
Name	and	Identification:	[insert	ident	ification]	Alternative
No.:	[in	sert identification No if thi	s is a Tender for	an alternat	ive]	
To:	[Insert c	complete name of Procuring I	Entity l			

- a) **No reservations:** We have examined and have no reservations to the Tendering document, including Addenda issued in accordance with Instructions to tenderers (ITT 7);
- b) **Eligibility**: We meet the eligibility requirements and have no conflict of interest in accordance with ITT 3:
- c) **Tender/Proposal-Securing Declaration**: We have not been suspended nor declared ineligible by the Procuring Entity based on execution of a Tender-Securing Declaration. Or Proposal-Securing Declaration in Kenya in accordance with ITT 3.6;
- d) **Conformity:** We offer to supply in conformity with the Tendering document and in accordance with the Delivery Schedules specified in the Schedule of Requirements the following Goods: [insert a brief description of the Goods and Related Services];
- e) **Tender Price**: The total price of our Tender, excluding any discounts offered in item (f) below as per listed Lots (list each lot with its price and then the total of all tendered for lots) [insert the prices of the Tender in words and figures, indicating the various amounts for lots and the respective currencies];
- f) Discounts: The discounts offered and the methodology for their application are:
  - i) The discounts offered are: [Specify in detail each discount offered.]
  - ii) The exact method of calculations to determine the net price after application of discounts are shown below: [Specify in detail the method that shall be used to apply the discounts];
- g) **Tender Validity Period**: Our Tender shall be valid for the period specified in TDS 17.1 (as amended, if applicable) from the date fixed for the Tender submission deadline specified in TDS 21.1 (as amended, if applicable), and it shall remain binding upon us and may be accepted at any time before the expiration of that period;
- h) **Performance Security**: If our Tender is accepted, we commit to obtain a performance security in accordance with the Tendering document;
- i) One Tender per tenderer: We are not submitting any other Tender(s) as an individual tenderer, and we are not participating in any other Tender(s) as a Joint Venture member, or as a subcontractor, and meet the requirements of ITT 3.9, other than alternative Tenders submitted in accordance with ITT 12;
- j) **Suspension and Debarment**: We, along with any of our subcontractors, suppliers, consultants, manufacturers, or service providers for any part of the contract, are not subject to, and not controlled by any entity or individual that is subject to, a temporary suspension or a debarment imposed by the Procuring Entity. Further, we are not ineligible under the Kenya laws or official regulations or pursuant

to a decision of the United Nations Security Council;

- k) **State-owned enterprise or institution**: [select the appropriate **option** and delete the other] [We are not a state-owned enterprise or institution] / [We are a state-owned enterprise or institution but meet the requirements of ITT 3.7];
- 1) **Commissions, gratuities, fees:** We have paid, or will pay the following commissions, gratuities, or fees with respect to the Tendering process or execution of the Contract: [insert complete name of each Recipient, its full address, the reason for which each commission or gratuity was paid and the amount and currency of each such commission or gratuity]

Name of Recipient	Address	Reason	Amount

(If none has been paid or is to be paid, indicate "none.")

- m) **Binding Contract**: We understand that this Tender, together with your written acceptance thereof included in your Letter of Acceptance, shall constitute a binding contract between us, until a formal contract is prepared and executed;
- n) **Procuring Entity Not Bound to Accept**: We understand that you are not bound to accept the lowest evaluated cost Tender, the Best Evaluated Tender or any other Tender that you may receive; and
- o) **Fraud and Corruption**: We hereby certify that we have taken steps to ensure that no person acting for us or on our behalf engages in any type of Fraud and Corruption.
- p) **Code of Ethical Conduct**: We undertake to adhere by the Code of Ethics for Persons Participating in Public Procurement and Asset Disposal, copy available from\_\_\_\_\_\_(specify website) during the procurement process and the execution of any resulting contract.
- q) Collusive practices: We hereby certify and confirm that the tender is genuine, non-collusive and made with the intention of accepting the contract if awarded. To this effect we have signed the "Certificate of Independent tender Determination" attached below.
- r) **Beneficial Ownership Information:** We commit to provide to the procuring entity the Beneficial Ownership Information in conformity with the Beneficial Ownership Disclosure Form upon receipt of notification of intention to enter into a contract in the event we are the successful tenderer in this subject procurement proceeding.
- s) We, the Tenderer, have duly completed, signed and stamped the following Forms as part of our Tender:
  - a) Tenderer's Eligibility; Confidential Business Questionnaire to establish we are not in any conflict to interest;
  - b) Certificate of Independent Tender Determination to declare that we completed the tender without colluding with other tenderers;
  - c) Self-Declaration of the Tenderer to declare that we will, if awarded a contract, not engage in any form of fraud and corruption; and
  - d) Declaration and Commitment to the Code of Ethics for Persons Participating in Public Procurement and Asset Disposal.

Further,	we	confirm	that	we	have	read	and	understo	ood	the	full	content	and	scope	of	fraud	and	corruption	as
informed	lin	"Appen	dix 1	- Fı	raud	and	Corr	uption"	atta	chec	d to	the For	m of	Tende	er.				

Name of the tenderer:														
Name	of	the	person	duly	authorized	to	sign	the	Tender	on	behalf	of	the	tenderer:

Title	of	the	person	signing	the	Tender:	
Signa	ture	of th	ne persor	n named	above	g:	
Date	sign	ed		day	of	• • • • • • • • • • • • • • • • • • • •	,

<sup>\*:</sup> In the case of the Tender submitted by a Joint Venture specify the name of the Joint Venture as tenderer.

<sup>\*\*:</sup> Person signing the Tender shall have the power of attorney given by the tenderer. The power of attorney shall be attached with the Tender Schedules.

#### CERTIFICATE OF INDEPENDENT TENDER DETERMINATION

I, the undersigned, in submitting the accompanying Letter of Tender to the	ల్	
	[Name	of
Procuring Entity] for:	[Name	and
number of tender] in response to the request for tenders made by:	[Name	of
Tenderer] do hereby make the following statements that I certify to be truevery respect:	ie and complet	e in
I certify, on behalf of	[Nar	ne

- 1. I have read and I understand the contents of this Certificate;
- 2. I understand that the Tender will be disqualified if this Certificate is found not to be true and complete in every respect;
- 3. I am the authorized representative of the Tenderer with authority to sign this Certificate, and to submit the Tender on behalf of the Tenderer;
- 4. For the purposes of this Certificate and the Tender, I understand that the word "competitor" shall include any individual or organization, other than the Tenderer, whether or not affiliated with the Tenderer, who:
  - a) has been requested to submit a Tender in response to this request for tenders;
  - b) could potentially submit a tender in response to this request for tenders, based on their qualifications, abilities or experience;
- 5. The Tenderer discloses that [check one of the following, as applicable]:
  - a) The Tenderer has arrived at the Tender independently from, and without consultation, communication, agreement or arrangement with, any competitor;
  - b) the Tenderer has entered into consultations, communications, agreements or arrangements with one or more competitors regarding this request for tenders, and the Tenderer discloses, in the attached document(s), complete details thereof, including the names of the competitors and the nature of, and reasons for, such consultations, communications, agreements or arrangements;
- 6. In particular, without limiting the generality of paragraphs (5)(a) or (5)(b) above, there has been no consultation, communication, agreement or arrangement with any competitor regarding:
  - a) prices;
  - b) methods, factors or formulas used to calculate prices;
  - c) the intention or decision to submit, or not to submit, a tender; or
  - d) the submission of a tender which does not meet the specifications of the request for Tenders; except as specifically disclosed pursuant to paragraph (5)(b) above;
- 7. In addition, there has been no consultation, communication, agreement or arrangement with any competitor regarding the quality, quantity, specifications or delivery particulars of the works or services to which this request for tenders relates, except as specifically authorized by the procuring authority or as specifically disclosed pursuant to paragraph (5)(b) above;
- 8. the terms of the Tender have not been, and will not be, knowingly disclosed by the Tenderer, directly or indirectly, to any competitor, prior to the date and time of the official tender opening, or of the awarding of the Contract, whichever comes first, unless otherwise required by law or as specifically disclosed pursuant to paragraph (5)(b) above.

Name

Title							
Date							
[Name,	title and	signature	of author	ized agent	of Tender	er and Date	 e]

## **SELF-DECLARATION FORMS**

### FORM SD1

SELF DECLARATION THAT THE PERSON/TENDERER IS NOT DEBARRED IN THE MATTER OF THE PUBLIC PROCUREMENT AND ASSET DISPOSAL ACT 2015.

I		of Post Office Box	being
a resi		in the Republic of	
muke	a statement as ronows.		
1.	Officer/Director of	Secretary/ Chief Executive/Mana (insert name of to of <b>Tender No.</b>	the Company) who is
	for	(insert name of the	(insert tender
2.		s Directors and subcontractors h nt proceeding under Part IV of the	
3.	THAT what is deponed to herein and belief.	n above is true to the best of my	knowledge, information
(Title	)	(Signature)	(Date)
Bidde	er Official Stamp		

### FORM SD2

# SELF DECLARATION THAT THE PERSON/TENDERER WILL NOT ENGAGE IN ANY CORRUPT OR FRAUDULENT PRACTICE

of			being a resident do hereby make
1.	of	in respect of <b>Tender No</b> ert tender title/description) for	irector/Principal Officer/Director (insert name of the (insert npetent to make this statement.
2.	corrupt or fraudulent practic member of the Board,	ce and has not been requested	contractors will not engage in any to pay any inducement to any employees and/or agents of hich is the procuring entity.
3.		of the Board, Management, Staf	ocontractors have not offered any ff and/or employees and/or agents
4.	THAT the aforesaid Bidder other bidders participating in		ed in any corrosive practice with
5.	THAT what is deponed to and belief.	herein above is true to the be	est of my knowledge information
	(Title)	(Signature)	(Date)

Bidder's Official Stamp

## DECLARATION AND COMMITMENT TO THE CODE OF ETHICS

I(Person) on behalf of (Nan	
of the Business/ Company/Firm)	ns
I do hereby commit to abide by the provisions of the Code of Ethics for persons participating Public Procurement and Asset Disposal.	ir
Name of Authorized signatory	
Sign	
Position	
Office address Telephone	
E-mail	
Name of the Firm/Company	· • •
Date	
(Company Seal/ Rubber Stamp where applicable)	
Witness	
Name	
Sign	
Date	

#### **APPENDIX 1- FRAUD AND CORRUPTION**

#### 1. Purpose

1.1 The Government of Kenya's Anti-Corruption and Economic Crime laws and their sanction's policies and procedures, Public Procurement and Asset Disposal Act (no. 33 of 2015) and its Regulation, and any other Kenya's Acts or Regulations related to Fraud and Corruption, and similar offences, shall apply with respect to Public Procurement Processes and Contracts that are governed by the laws of Kenya.

#### 2. Requirements

- 2.1 The Government of Kenya requires that all parties including Procuring Entities, Tenderers, (applicants/proposers), Consultants, Contractors and Suppliers; any Subcontractors, Sub-consultants, Service providers or Suppliers; any Agents (whether declared or not); and any of their Personnel, involved and engaged in procurement under Kenya's Laws and Regulation, observe the highest standard of ethics during the procurement process, selection and contract execution of all contracts, and refrain from Fraud and Corruption and fully comply with Kenya's laws and Regulations as per paragraphs 1.1 above.
- 2.2 Kenya's public procurement and asset disposal act (no. 33 of 2015) under Section 66 describes rules to be followed and actions to be taken in dealing with Corrupt, Coercive, Obstructive, Collusive or Fraudulent practices, and Conflicts of Interest in procurement including consequences for offences committed. A few of the provisions noted below highlight Kenya's policy of no tolerance for such practices and behavior:
  - 1) a person to whom this Act applies shall not be involved in any corrupt, coercive, obstructive, collusive or fraudulent practice; or conflicts of interest in any procurement or asset disposal proceeding;
  - 2) A person referred to under subsection (1) who contravenes the provisions of that sub-section commits an offence;
  - 3) Without limiting the generality of the subsection (1) and (2), the person shall be
    - a) disqualified from entering into a contract for a procurement or asset disposal proceeding; or
    - b) if a contract has already been entered into with the person, the contract shall be voidable;
  - 4) The voiding of a contract by the procuring entity under subsection (7) does not limit any legal remedy the procuring entity may have;
  - 5) An employee or agent of the procuring entity or a member of the Board or committee of the procuring entity who has a conflict of interest with respect to a procurement:
    - a) shall not take part in the procurement proceedings;
    - b) shall not, after a procurement contract has been entered into, take part in any decision relating to the procurement or contract; and
    - c) shall not be a subcontractor for the bidder to whom was awarded contract, or a member of the group of bidders to whom the contract was awarded, but the subcontractor appointed shall meet all the requirements of this Act.
  - 6) An employee, agent or member described in subsection (1) who refrains from doing anything prohibited under that subsection, but for that subsection, would have been within his or her duties shall disclose the conflict of interest to the procuring entity;
  - 7) If a person contravenes subsection (1) with respect to a conflict of interest described in subsection (5)(a) and the contract is awarded to the person or his relative or to another person in whom one of them had a direct or indirect pecuniary interest, the contract shall be terminated and all costs incurred by the public entity shall be made good by the awarding officer. Etc.
- In compliance with Kenya's laws, regulations and policies mentioned above, the Procuring Entity:

- a) Defines broadly, for the purposes of the above provisions, the terms set forth below as follows:
  - i) "corrupt practice" is the offering, giving, receiving, or soliciting, directly or indirectly, of anything of value to influence improperly the actions of another party;
  - ii) "fraudulent practice" is any act or omission, including misrepresentation, that knowingly or recklessly misleads, or attempts to mislead, a party to obtain financial or other benefit or to avoid an obligation;
  - iii) "collusive practice" is an arrangement between two or more parties designed to achieve an improper purpose, including to influence improperly the actions of another party;
  - iv) "coercive practice" is impairing or harming, or threatening to impair or harm, directly or indirectly, any party or the property of the party to influence improperly the actions of a party;
  - v) "obstructive practice" is:
    - deliberately destroying, falsifying, altering, or concealing of evidence material to the investigation or making false statements to investigators in order to materially impede investigation by Public Procurement Regulatory Authority (PPRA) or any other appropriate authority appointed by Government of Kenya into allegations of a corrupt, fraudulent, coercive, or collusive practice; and/or threatening, harassing, or intimidating any party to prevent it from disclosing its knowledge of matters relevant to the investigation or from pursuing the investigation; or
    - acts intended to materially impede the exercise of the PPRA's or the appointed authority's inspection and audit rights provided for under paragraph 2.3 e. below.
- b) Defines more specifically, in accordance with the above procurement Act provisions set forth for fraudulent and collusive practices as follows:
  - "fraudulent practice" includes a misrepresentation of fact in order to influence a procurement or disposal process or the exercise of a contract to the detriment of the procuring entity or the tenderer or the contractor, and includes collusive practices amongst tenderers prior to or after tender submission designed to establish tender prices at artificial non-competitive levels and to deprive the procuring entity of the benefits of free and open competition.
- c) Rejects a proposal for award¹ of a contract if PPRA determines that the firm or individual recommended for award, any of its personnel, or its agents, or its subconsultants, sub-contractors, service providers, suppliers and/ or their employees, has, directly or indirectly, engaged in corrupt, fraudulent, collusive, coercive, or obstructive practices in competing for the contract in question;
- d) Pursuant to the Kenya's above stated Acts and Regulations, may sanction or debar or recommend to appropriate authority (ies) for sanctioning and debarment of a firm or individual, as applicable under the Acts and Regulations;
- e) Requires that a clause be included in Tender documents and Request for Proposal documents requiring (i) Tenderers (applicants/proposers), Consultants, Contractors, and Suppliers, and their Sub-contractors, Sub-consultants, Service providers, Suppliers, Agents personnel, permit the PPRA or any other appropriate authority appointed by Government of Kenya to inspect<sup>2</sup> all accounts, records and other documents relating to the procurement process, selection and/or contract execution, and to have them audited by auditors appointed by the PPRA or any other appropriate authority appointed by Government of Kenya; and
- f) Pursuant to Section 62 of the above Act, requires Applicants/Tenderers to submit

along with their Applications/Tenders/Proposals a "Self-Declaration Form" as included in the procurement document declaring that they and all parties involved in the procurement process and contract execution have not engaged/will not engage in any corrupt or fraudulent practices.

<sup>&</sup>lt;sup>1</sup>For the avoidance of doubt, a party's ineligibility to be awarded a contract shall include, without limitation, (i) applying for pre-qualification, expressing interest in a consultancy, and tendering, either directly or as a nominated sub-contractor, nominated consultant, nominated manufacturer or supplier, or nominated service provider, in respect of such contract, and (ii) entering into an addendum or amendment introducing a material modification to any existing contract.

<sup>&</sup>lt;sup>2</sup> Inspections in this context usually are investigative (i.e., forensic) in nature. They involve fact-finding activities undertaken by the Investigating Authority or persons appointed by the Procuring Entity to address specific matters related to investigations/audits, such as evaluating the veracity of an allegation of possible Fraud and Corruption, through the appropriate mechanisms. Such activity includes but is not limited to: accessing and examining a firm's or individual's financial records and information, and making copies thereof as relevant; accessing and examining any other documents, data and information (whether in hard copy or electronic format) deemed relevant for the investigation/audit, and making copies thereof as relevant; interviewing staff and other relevant individuals; performing physical inspections and site visits; and obtaining third party verification of information.

# TENDERER INFORMATION FORM

[The tenderer shall fill in this Form in accordance with the instructions indicated below. No alterations to its format shall be permitted and no substitutions shall be accepted.]
Date:
Tender Name and Identification: [Insert identification
Alternative No.: [insert identification No if this is a Tender for an alternative]
Pageofpages
1. Tenderer's Name [insert Tenderer's legal name]
2. In case of JV, legal name of each member: [insert legal name of each member in JV]
3. Tenderer's actual or intended country of registration: [insert actual or intended country of registration]
4. Tenderer's year of registration: [insert Tenderer's year of registration]
5. Tenderer's Address in country of registration: [insert Tenderer's legal address in country of registration]
6. Tenderer's Authorized Representative Information
Name: [insert Authorized Representative's name]
Address: [insert Authorized Representative's Address]
Telephone/Fax numbers: [insert Authorized Representative's telephone/fax numbers]
Email Address: [insert Authorized Representative's email address]
7. Attached are copies of original documents of [check the box(es) of the attached original documents]
☐ For Kenyan Tenderers a current tax clearance certificate or tax exemption certificate issued by the Kenya Revenue Authority in accordance with ITT 3.14.
□Articles of Incorporation (or equivalent documents of constitution or association), and/or documents of registration of the legal entity named above, in accordance with ITT 3.4.
☐ In case of JV, letter of intent to form JV or JV agreement, in accordance with ITT 3.1.
☐ In case of state-owned enterprise or institution, in accordance with ITT 4.6 documents establishing:
(i) Legal and financial autonomy
(ii) Operation under commercial law
(iii) Establishing that the tenderer is not under the supervision of the Procuring Entity
2 Included are the organizational chart and a list of Board of Directors

# TENDERER'S ELIGIBILITY- CONFIDENTIAL BUSINESS QUESTIONNAIRE FORM

#### a) Instruction to Tenderer

Tender is instructed to complete the particulars required in this Form, *one form for each entity if Tender is a JV*. Tenderer is further reminded that it is an offence to give false information on this Form.

#### A. Tenderer's details

	ITEM	DESCRIPTION
1	Name of the Procuring Entity	
2	Name of the Tenderer	
3	Full Address and Contact Details of the Tenderer.	<ol> <li>Country</li> <li>City</li> <li>Location</li> <li>Building</li> <li>Floor</li> <li>Postal Address</li> <li>Name and email of contact person.</li> </ol>
4	Reference Number of the Tender	
5	Date and Time of Tender Opening	
6	Current Trade License No and Expiring date	
7	Maximum value of business which the Tenderer handles.	
8		

Gen	General and Specific Details								
b)	So	Sole Proprietor, provide the following details.							
Nan	Name in full								
Age	AgeNationality								
Cou	Country of Origin Citizenship								
c)	Pa	artnership, provide the fo	llowing details.						
		Names of Partners	Nationality	Citizenship	% Shares owned				
	1								
	2								
	3								
(d)									

i) Private or public Company \_

ii) State the nominal and issued capital of the Company-

Nominal Kenya Shillings (Equivalent)	
Issued Kenya Shillings (Equivalent)	

### iii) Give details of Directors as follows.

	Names of Director	Nationality	Citizenship	% Shares owned
1				
2				
3				

# (e) DISCLOSURE OF INTEREST- Interest of the Firm in the Procuring Entity.

(i)	Are there any person/persons in	(Name of Procuring Entity) who	has an interest
	or relationship in this firm? Yes/No		

If yes, provide details as follows.

	Names of Person	Designation in the Procuring Entity	Interest or Relationship with Tenderer
1			
2			
3			

### (ii) Conflict of interest disclosure

	Type of Conflict	Disclosure YES OR NO	If YES provide details of the relationship with Tenderer
1	Tenderer is directly or indirectly controlled by or is under common control with another tenderer.		
2	Tenderer receives or has received any direct or indirect subsidy from another tenderer.		
3	Tenderer has the same legal representative as another tenderer		
4	Tender has a relationship with another tenderer, directly or through common third parties that puts it in a position to influence the tender of another tenderer, or influence the decisions of the Procuring Entity regarding this tendering process.		
5	Any of the Tenderer's affiliates participated as a consultant in the preparation of the design or technical specifications of the works that are the subject of the tender.		
6	Tenderer would be providing goods, works, non-consulting services or consulting services during implementation of the contract specified in this Tender Document.		

	Type of Conflict	Disclosure YES OR NO	If YES provide details of the relationship with Tenderer
7	Tenderer has a close business or family relationship with a professional staff of the Procuring Entity who are directly or indirectly involved in the preparation of the Tender document or specifications of the Contract, and/or the Tender evaluation process of such contract.		
8	Tenderer has a close business or family relationship with a professional staff of the Procuring Entity who would be involved in the implementation or supervision of the Contract.		
9	Has the conflict stemming from such relationship stated in item 7 and 8 above been resolved in a manner acceptable to the Procuring Entity throughout the tendering process and execution of the Contract?		

(f)	Certification
(f)	Certification

On behalf of the Tenderer, I certify that the informa	tion given above is correct.
Full Name	
Title or Designation	
(Signature)	(Date)

#### TENDERER'S JV MEMBERS INFORMATION FORM

The following table shall be filled in for the tenderer and for each member of a Joint Venture]]. Date:.....[insert date (as day, month and year) of Tender submission]. Tender Name and Identification: [insert identification Alternative No:.....[insert identification No if this is a Tender for an alternative]. Page of pages 1. Tenderer's Name: [insert Tenderer's legal name] 2. Tenderer's JV Member's name: [insert JV's Member legal name] 3. Tenderer's JV Member's country of registration: [insert JV's Member country of registration] 4. Tenderer's JV Member's year of registration: [insert JV's Member year of registration] 5. Tenderer's JV Member's legal address in country of registration: [insert JV's Member legal address in country of registration] Tenderer's JV Member's authorized representative information Name: [insert name of JV's Member authorized representative] Address: [insert address of JV's Member authorized representative] Telephone/Fax numbers: [insert telephone/fax numbers of JV's Member authorized representative] Email Address: [insert email address of JV's Member authorized representative] Attached are copies of original documents of [check the box(es) of the attached original documents] Articles of Incorporation (or equivalent documents of constitution or association), and/or registration documents of the legal entity named above, in accordance with ITT 4.4. In case of a state-owned enterprise or institution, documents establishing legal and financial autonomy, operation in accordance with commercial law, and that they are not under the supervision of the Procuring Entity, in accordance with ITT 4.6. Included are the organizational chart and a list of Board of Directors

[The tenderer shall fill in this Form in accordance with the instructions indicated below.

# **Price Schedule Forms**

N/B; Refer to the Schedule of Requirements

[signature(s)]

# FORM OF TENDER SECURITY-[Option 1-Demand Bank Guarantee] **Beneficiary: Request for Tenders No:** Date: TENDER GUARANTEE No.: We have been informed that \_\_\_\_\_\_ (here inafter called "the Applicant") has submitted or will submit to the Beneficiary its Tender (here inafter called" the Tender") for the execution of \_\_\_\_\_ under Request for Tenders No.\_\_\_\_\_("the ITT"). Furthermore, we understand that, according to the Beneficiary's conditions, Tenders must be supported by a Tender guarantee. At the request of the Applicant, we, as Guarantor, hereby irrevocably undertake to pay the Beneficiary any sum or sums not exceeding in total an amount of \_\_\_\_\_\_(\_\_\_\_\_) upon receipt by us of the Beneficiary's complying demand, supported by the Beneficiary's statement, whether in the demand itself or a separate signed document accompanying or identifying the demand, stating that either the Applicant: (a) has withdrawn its Tender during the period of Tender validity set forth in the Applicant's Letter of Tender ("the Tender Validity Period"), or any extension thereto provided by the Applicant; or b) having been notified of the acceptance of its Tender by the Beneficiary during the Tender Validity Period or any extension there to provided by the Applicant, (i) has failed to execute the framework agreement, or (ii) has failed to furnish the Performance. This guarantee will expire: (a) if the Applicant is the successful Tenderer, upon our receipt of copies of the framework agreement signed by the Applicant and the Performance Security and, or (b) if the Applicant is not the successful Tenderer, upon the earlier of (i) our receipt of a copy of the Beneficiary's notification to the Applicant of the results of the Tendering process; or (ii) thirty days after the end of the Tender Validity Period. Consequently, any demand for payment under this guarantee must be received by us at the office indicated above on or before that date.

Note: All italicized text is for use in preparing this form and shall be deleted from the final product.

# **FORMAT OF TENDER SECURITY [Option 2–Insurance Guarantee]**

TEN	DER GUARANTEE No.:	
1.		tenderer] (hereinafter called "the tenderer") has submitted its tender dated ader] for the
2.	having our registered office at [Name of Procuring Entity] (here (Currency and guarantee amount) Guarantor binds itself, its success	resents that WE
3.	NOW, THEREFORE, THE CO	NDITION OF THIS OBLIGATION is such that if the Applicant:
		during the period of Tender validity set forth in the Principal's Letter of dity Period"), or any extension thereto provided by the Principal; or
	Validity Period or any exagreement; or (ii) has fail	the acceptance of its Tender by the Procuring Entity during the Tender tension thereto provided by the Principal; (i) failed to execute the Contract ed to furnish the Performance Security, in accordance with the Instructions he Procuring Entity's Tendering document.
	receipt of the Procuring Entity' its demand, provided that in its	o immediately pay to the Procuring Entity up to the above amount upon first written demand, without the Procuring Entity having to substantiate demand the Procuring Entity shall state that the demand arises from the events, specifying which event(s) has occurred.
4.	the contract agreement signed to is not the successful Tenderer,	if the Applicant is the successful Tenderer, upon our receipt of copies of y the Applicant and the Performance Security and, or (b) if the Applicant upon the earlier of (i) our receipt of a copy of the Beneficiary's notification of the Tendering process; or (ii)twenty-eight days after the end of the
5.	Consequently, any demand for pabove on or before that date.	ayment under this guarantee must be received by us at the office indicated
	[Date]	[Signature of the Guarantor]
	[Witness]	[Seal]

Note: All italicized text is for use in preparing this form and shall be deleted from the final product.

## FORM OF TENDER-SECURING DECLARATION

[The	Bidder shall complete this Form in accordance with the instructions indicated]
Date:	[insert date (as day, month and year) of Tender Submission]
Tende	er No.:[Insert number of tendering process]
То:	[insert complete name of
Purch	haser] I/We, the undersigned, declare that:
1.	I/We understand that, according to your conditions, bids must be supported by a Tender-Securing Declaration.
2	I/We accept that I/we will automatically be suspended from being eligible for tendering in any contract with the Purchaser for the period of time of[insert number of months or years] starting on[insert date], if we are in breach of our obligation(s) under the bid conditions, because we – (a) have withdrawn our tender during the period of tender validity specified by us in the Tendering Data Sheet; or (b) having been notified of the acceptance of our Bid by the Purchaser during the period of bid validity, (i) fail or refuse to execute the Contract, if required, or (ii) fail or refuse to furnish the Performance Security, in accordance with the instructions to tenders.
3.	I/We understand that this Tender Securing Declaration shall expire if we are not the successful Tenderer(s), upon the earlier of:
	a) our receipt of a copy of your notification of the name of the successful Tenderer; or
	b) thirty days after the expiration of our Tender.
4.	I/We understand that if I am/we are/in a Joint Venture, the Tender Securing Declaration must be in the name of the Joint Venture that submits the bid, and the Joint Venture has not been legally constituted at the time of bidding, the Tender Securing Declaration shall be in the names of all future partners as named in the letter of intent.
Signe	ed:
•	city / title (director or partner or sole proprietor, etc.)
	2:
Duly	authorized to sign the bid for and on behalf of:[insert complete name of
Tende	erer]. Dated on
signir	ng].
Seal o	or stamp.

52

#### MANUFACTURER'S AUTHORIZATION FORM

[The tenderer shall require the Manufacturer to fill in this Form in accordance with the instructions indicated. This letter of authorization should be on the letterhead of the Manufacturer and should be signed by a person with the proper authority to sign documents that are binding on the Manufacturer. The tenderer shall include it in its Tender, if so indicated in the TDS.]

Date:	[insert date (as day, m	nonth and year)	of Tender s	ubmission]	
ITT	No.:[insert	number	of	ITT	
process] A	Alternative No.:[ins	sert identification	n No if this	is a	
Tender for	· an alternative]				
То:	[Insert complete name of	Procuring			
Entity] WI	HEREAS				
offactories], which is t		factured], having complete name of s, manufactured	g factories a f tenderer] by us	[insert full address of Manu to submit a Tender the pu [insert name and	irpose of
•	extend our full guarantee and of Contract, with respect to the	•			
Signed:	[Insert signature(s) of	authorized repre	esentative(s)	of the Manufacturer]	
Name:	[Insert complete name	e(s) of authorized	d representa	tive(s) of the Manufacturer]	
Title:	[Insert title]				
Dated on	day of		[insert dat	e of signing]	

## 1. Price Schedule for List of Goods and Delivery Schedule

Items under this contract will be ordered as and when required during the contract period stated in the Framework Agreement.

## SUPPLY AND DELIVERY OF ASSORTED ICT AND COMMUNICATION EQUIPMENT

Item	<b>Description of Goods</b>	T1 14 0	36 11/	C 4 6	Delivery (as per	Delivery (as per Incoterms) Date		
No.	•	Unit of Issue	Model/ Brand	Country of Origin	Earliest	<b>Latest Delivery Date</b>	Unit Price	
		18800	Dianu	Origin	<b>Delivery Date</b>			
1.	LAPTOP TYPE 1	Pc			Day of order	60 days after order		
2.	LAPTOP TYPE 2	Pc			"	"		
3.	LAPTOP TYPE 3(i)	Pc			"	44		
4.	LAPTOP TYPE 3(ii)	Pc			"	"		
5.	LAPTOP TYPE 4	Pc			"	"		
6.	LAPTOP TYPE 5	Pc			"	"		
7.	LAPTOP TYPE 6	Pc			"	"		
8.	DESKTOP COMPUTER TYPE 1	Pc				"		
9.	DESKTOP COMPUTER TYPE 2	Pc			"	"		
10.	DESKTOP COMPUTER TYPE 3	Pc				"		
11.	DESKTOP COMPUTER TYPE 4	Pc				"		
12.	DESKTOP COMPUTER TYPE 5	Pc				"		
13.	DESKTOP COMPUTER TYPE 6	Pc				"		
14.	CCTV CAMERA TYPE 1	Pc				"		
15.	CCTV CAMERA TYPE 2	Pc				"		
16.	CCTV CAMERA TYPE 3	Pc				"		
17.	CCTV CAMERA TYPE 4	Pc				"		
18.	CCTV CAMERA TYPE 5	Pc				"		
19.	MOBILE PHONE TYPE 1	Pc				"		
20.	MOBILE PHONE TYPE 2	Pc			"	"		
21.	MOBILE PHONE TYPE 3	Pc			"	"		
22.	MOBILE PHONE TYPE 4	Pc				"		
23.	MOBILE PHONE TYPE 5	Pc				"		
24.	PRINTERS TYPE 1	Pc			66	"		
25.	PRINTERS TYPE 2	Pc			"	"		
26.	PRINTERS TYPE 3	Pc			"	۲,		
27.	PRINTERS TYPE 3	Pc			"	۲,		
28.	PRINTERS TYPE 4	Pc			"	۲,		
29.	PRINTERS TYPE 5	Pc			"	"		
30.	Smart Phones IOS	Pc	_		"	۲,		

31.	ROUTER TYPE 1	Pc	"	"	
32.	ROUTER TYPE 2	Pc	"	"	
33.	ROUTER TYPE 3	Pc	"	"	
34.	ROUTER TYPE 4	Pc	"	"	
35.	ROUTER TYPE 5	Pc	"	"	
36.	SERVER CABINET TYPE 1	Pc	"	44	
37.	SERVER CABINET TYPE 2	Pc	"	44	
38.	SERVER CABINET TYPE 3	Pc	"	"	
39.	SERVER CABINET TYPE 4	Pc	"	44	
40.	SWITCH TYPE 1	Pc	"	"	
41.	SWITCH TYPE 2	Pc	"	"	
42.	SWITCH TYPE 3	Pc	"	"	
43.	SWITCH TYPE 4	Pc	"	"	
44.	SWITCH TYPE 5	Pc	"	"	
45.	SWITCH TYPE 6	Pc	"	"	
46.	SWITCH TYPE 7	Pc	"	"	
47.	SWITCH TYPE 8	Pc	"	"	
48.	SWITCH TYPE 9	Pc	"	"	
49.	SWITCH TYPE 10	Pc	"	"	
50.	SWITCH TYPE 11	Pc	"	"	
51.	TABLETS TYPE 1	Pc	"	"	
52.	Tablets TYPE 2	Pc	"	"	
53.	Hard Disks 512TB	Pc	"	"	
54.	Hard Disks 1TB	Pc	"	"	
55.	Hard Disks 2TB	Pc	"	"	
56.	Hard Disks 4TB	Pc	"	"	
57.	Kaspersky Anti-Virus	Pc	"	"	
58.	Microsoft Windows License	Pc	"	"	
59.	Microsoft Office License	Pc	"	"	
60.	Desktop Uninterruptible Power		"	"	
	Supply (UPS) TYPE 1	Pc			
61.	Desktop Uninterruptible Power		"	"	
	Supply (UPS) TYPE 2	Pc			
62.	Desktop Uninterruptible Power	Pc	"	۲,	
	Supply (UPS) TYPE 3				
63.	Desktop Uninterruptible Power	Pc	 "	"	
	Supply (UPS) TYPE 4				
64.	Flatbed Scanners	Pc	"	"	
65.	Mouse	Pc	"	"	
66.	Keyboard	Pc	"	"	
67.	Projector	Pc	"	"	
68.	Projector Board	Pc	"	"	
69.	Printer Cable	Pc	"	"	

70	Walkie Talkie	Pc	T		"	I I
70.				"	"	
71.	Television Set 32	Pc		"	"	
72.	Television Set 43	Pc				
73.	Television Set 55	Pc		"	<b>،</b>	
74.	Monopod	Pc		"	۲,	
75.	Tripod	pc		"	66	
76.	Shot Gun Microphone	Pc		"	"	
77.	HDMI 2VGA Adaptor	Pc		"	46	
78.	HDMI Extender	Pc		"	"	
79.	HDMI Cable 1m	Pc		"	"	
80.	HDMI Cable 3m	Pc		"	"	
81.	HDMI Cable 10m	Pc		"	۲,	
82.	Ip Based Desktop Handset Phone	Pc		"	۲,	
83.	Pole Switch	Pc		"	٠,	
84.	Flash Disk 8GB	Pc		"	"	
85.	Flash Disk 16GB	Pc		"	"	
86.	Flash Disk 32 GB	Pc		"	"	
87.	Flash Disk 64 GB	Pc		"	"	
88.	4-Way Extension Cable	Pc		"	"	
89.	5-Way Extension Cable	Pc		"	"	
90.	Power Cable	Pc		"	"	
91.	Laptop Battery	Pc		"	"	
92.	Drone	Pc		"	"	
93.	Stabilizer/ Gimbal	Pc		"	"	
94.	Teleprompter	Pc		"	"	
95.	Yolobox Pro	Pc		"	"	
96.	Wireless Video Transmitter	Pc		"	۲,	
97.	SD Card 64gb	Pc		"	"	
98.	SD Cards 32gb			"	"	
99.	Speedlight	Pc		"	"	
	Media Equipment Flight Case	Pc		"	"	
	Speedlight Diffusers	Pc		"	"	
101.		Pc		"	44	
	Mybook Charger	Pc		"	66	
105.	IVI YOUGK CHAIGEI	10				

Name of tenderer
Signature of tenderer
Date

# 2. List of Related Services and Completion Schedule

Applicable at time of order

Service	Description of Service	Quantity <sup>1</sup>	Physical Unit	Place where Services shall be performed	Final Completion Date(s) of Services
[insert Service No]	[insert description of Related Services]	[insert quantity of items to be supplied]	[insert physical unit for the items]	[insert name of the Place]	[insert required Completion Date(s)]

<sup>&</sup>lt;sup>1</sup>If applicable

# RECOMMENDED MINIMUM SPECIFICATIONS



#### **COUNTY GOVERNMENT OF** NYANDARUA



PO BOX 701-20303 Telephone: 0202660859 Email: ict@nyandarua.go.ke

ITEM	MINIMUM REQUIREMENTS	
Processor & Core Logic	Apple M1 chip with 8-core CPU and 8 core GPU	
System Memory	8GB LPDDR onboard memory, upgradable	
Storage Subsystem	512GB PCIe-based SSD, upgradable	
Power System	Built-in 49.9-watt-hour lithium-polymer battery; USB- C Power Adapter	
Display/Graphics	13.3-inch LED-backlit display with IPS technology; Intel Iris Plus Graphics	
Keyboard and	Backlit magic keyboard; Touch trackpad	
Pointing		
Audio	Stereo speakers; Dual microphones	
Communication Wi-Fi 6 wireless networking; Bluetooth 5.0 wireless		
I/O interface ports	2 * Thunderbolt 3 (USB - C) ports; 1 * USB 3.1 Gen 2 port; 1 * headphone jack port	
Operating System	Mac OS, latest version	
Software	Office for Mac devices, licensed and activated	
Accessories	Executive bag, Magic Mouse; AC Power Adapter; USB-C Charge Cable; USB-C to	
Warranty	One (1) Year	





PO BOX 701-20303 Telephone: 0202660859 Email: ict@nyandarua.go.ke

	LAPTOP TYPE 2		
Platform Technology	Intel vPro Technology		
Preinstalled OS	Windows 11 Home Activated		
PROCESSOR / CHIPSET	13th Gen Intel® Core™ i7-13620H 13th Gen		
Graphic Processor	NVIDIA® GeForce RTX <sup>™</sup> 4060 Laptop GPU (233 AI TOPs), 8GB GDDR6		
64-bit Computing	Yes		
CACHE MEMORY	Installed Size 8 MB Cache		
RAM	Memory Speed 2420MHz* at 140W (23' Boost Clock+50MHz OC 115W+25W Dynamic Bo Installed RAM Size 6GB DDR5-5600 SO-DI		
		the memory speed of the systems vary by CPU SPEC x 2, Max Capacity:32GB, Support dual channel memory	
ENVIRONMENTAL PARAMETERS	Humidity Range Operating - 10 - 90	% (non-condensing)	
DISPLAY	LCD Backlight Technology	LED backlight	
	Widescreen Display	Yes	
	Image Aspect Ratio	16:9	
	Monitor Features	Multitouch-enabled, IPS, edge-to- edge glass, micro-edge	
	Pixels	2560 x 1440	
	Diagonal Size (metric)	15.6-inch, WQHD (2560 x 1440) 16:9, IPS-level, Anti-glare display, DCI-P3:100%, Refresh Rate:165Hz, G-Sync, MUX Switch + NVIDIA® Advanced Optimus	
	Display Resolution Abbreviation	Full HD LED Backlit Bright View IPS Micro-edge Touch Display (400 nits Brightness, 100% sRGB Color Gamut, 166 PPI, with Corning Gorilla Glass NBT Protection)	
	Touch screen	No	
	360 rotation	No	
AUDIO & VIDEO	Graphics Processor	NVIDIA® GeForce RTX <sup>TM</sup>	
	Integrated Webcam	Yes	
	Sound	Dolby Atmos AI noise-canceling technology Hi-Res certification (for headphone) Support Microsoft Cortana near field/far field Built-in array microphone 2-speaker system	
a.	Audio Codec	CX7501	
Storage	Internal storage Capacity	At least 512GB PCIe® 4.0 NVMe <sup>TM</sup> M.2 Performance SSD	
INPUT	Туре	Backlit Chiclet Keyboard 1-Zone RGB Touchpad	
	Localization & Layout	US	

	Features	gesture function, spill-resistant,	
	reatures	volume control	
COMMUNICATIONS	Wireless Protocol	Bluetooth® 5.2 Wireless Card	
COMMONICATIONS	Wireless Controller	Wi-Fi 6(802.11ax) (Dual band) 2*2	
	Wired Protocol	Gigabit Ethernet	
	Features	Wake-on-LAN (WOL)	
DDOCESSOD		Core i7	
PROCESSOR	CPU Type		
CARR REARING	Manufacturer	Intel	
CARD READER	Type	Card reader	
	Supported Flash Memory	SD Memory Card, SDHC Memory	
D A (PVDEDA)	Compositor	Card, SDXC Memory Card	
BATTERY	Capacity	43 Wh Li-ion polymer	
	Cells	90WHrs, 4S1P, 4-cell Li-ion ø6.0,	
		240W AC Adapter, Output: 20V	
		DC, 12A, 240W, Input: 100~240C AC 50/60Hz universal	
		TYPE-C, 100W AC Adapter,	
		Output: 20V DC, 5A, 100W, Input:	
		100~240V AC 50/60Hz universal	
		100 210 V 110 30/00112 uni versur	
	Technology	lithium ion	
	Run Time (Up To)	8 hour(s)	
CHARGER	Plug and socket (United Kingdom)	socket compatible with plug type G	
CONNECTIONS &	Interfaces	x 3.5mm Combo Audio Jack	
EXPANSION	Interraces	1x HDMI 2.1 FRL	
EATAINSION		2x USB 3.2 Gen 1 Type-A	
		1x USB 3.2 Gen 2 Type-C support	
		DisplayPort <sup>TM</sup> / power delivery / G-	
		SYNC	
		1x RJ45 LAN port	
		1x Thunderbolt <sup>TM</sup> 4 support	
		DisplayPort <sup>TM</sup>	
	Memory Card Reader	Yes (SD Card, SDHC Card, SDXC	
		Card)	
NETWORKING	Data Link Protocol	Intel® Wi-Fi 6E AX211 (2x2) and	
1,21,1,011221,0	2 2 1 1 3 1 3 2 3 1	Bluetooth® 5.3 wireless card, 5MP	
		IR camera	
	Remote Management Protocol	SNMP 2	
	Compliant Standards	EEE 802.11, IEEE 802.11i, IEEE	
		802.1Q, IEEE 802.1p, IEEE 802.1x,	
		IEEE 802.2, IEEE 802.3, IEEE	
		802.3ab, IEEE 802.3az, IEEE	
		802.3u, Wi-Fi CERTIFIED	
	Ethernet Controller(s)	Intel I219-LM	
	Wireless NIC	Intel Dual Band Wireless-AC 8260	
MONITOR	Diagonal Size	15.6 inch maximum	
	Image Brightness	300 cd/m2	
WARRANTY	Туре	1 year's warranty (12 months)	
Antivirus	Kaspersky (2022) one year Activate		
Office	At least Microsoft office 2016 or higher Activated (genuine)		
Peripherals	Wireless mouse		
Bag	Laptop bag		
ALL ORIGINAL MEDIA KIT TO BE INCLUDED DURING DELIVERY AND WILL BE			
AUTHENTICATED BEFORE ACCEPTANCE			
ACTIENTICATED DEFORE ACCELIANCE			





PO BOX 701-20303	Telephone: 0202660859	•	Email: <u>ict@nyandarua.go.ke</u>	
	LAPTOP TYPE 3 (I)			
Platform Technology	Intel vPro Technology			
Preinstalled OS	Windows 11 Home Activated			
PROCESSOR / CHIPSET	13 <sup>th</sup> gen intel core 17 processor			
Graphic Processor	Intel® Iris® X <sup>e</sup>			
64-bit Computing	Yes			
CACHE MEMORY	Installed Size 8 MB Cache			
RAM	Memory Speed		3200 Mhz	
	Memory Specification Compliance		PC4-17000	
	Technology		DDR4-3200 MHz RAM	
	Installed RAM Size		At least 16 GB	
	Rated Memory Speed		3200 Mhz	
ENVIRONMENTAL PARAMETERS	Humidity Range Operating - 10 - 90	)% (non	-condensing)	
DISPLAY	LCD Backlight Technology	LED	backlight	
	Widescreen Display	Yes	6	
	Image Aspect Ratio	16:9		
	Monitor Features		itouch-enabled, IPS, edge-to-edge	
	Monto Teatares		, micro-edge	
	Pixels		x 1080	
	Diagonal Size (metric)		ost 14 inches	
	Display Resolution Abbreviation		HD LED Backlit Bright View IPS	
	T		o-edge Touch Display (400 nits	
			ntness, 100% sRGB Color Gamut,	
			PPI, with Corning Gorilla Glass	
		NBT Protection)		
	Touch screen	Yes		
	360 rotation	Yes		
AUDIO & VIDEO	Graphics Processor	Intel	Iris Xe	
	Integrated Webcam	Yes	Yes	
	Sound		& Olufsen Play, Stereo speakers,	
			nicrophones	
	Audio Codec	CX75		
Storage	Internal storage Capacity	At lea	ast 1TB PCLe NVMe <sup>TM</sup> (SSD)	
INPUT	Туре		ty keyboard with <b>backlit</b>	
	Localization & Layout	US		
	Features	_	re function, spill-resistant, volume	
	W. 1 2	contr		
COMMUNICATIONS	Wireless Protocol		1a/b/g/n/ac, Bluetooth 4.2, NFC	
	Wireless Controller		Dual Band Wireless-AC 8260	
	Wired Protocol		bit Ethernet	
	Features	l l	e-on-LAN (WOL)	
PROCESSOR	CPU Type	Core	i7	
	Manufacturer	Intel		
CARD READER	Туре		reader	
	Supported Flash Memory		Memory Card, SDHC Memory	
			, SDXC Memory Card	
BATTERY	Capacity		h Li-ion polymer	
	Cells	3-cell		
	Technology	lithiu	m ion	

	Run Time (Up To)	8 hour(s)	
HARGER	Plug and socket (United Kingdom)	socket compatible with plug type G	
CONNECTIONS & EXPANSION	Interfaces	1 SuperSpeed USB-C 2 SuperSpeed USB Type-A Display Port VGA/HDMI LAN(inbuilt/adapter) external Dock 1 AC smart pin Headphone/microphone combo jack	
	Memory Card Reader	Yes (SD Card, SDHC Card, SDXC Card)	
NETWORKING	Data Link Protocol	Realtek Wi-Fi 6 (2x2) and Bluetooth® 5.3 compatible combo (supporting gigabit data rate)	
	Remote Management Protocol	SNMP 2	
	Compliant Standards	EEE 802.11, IEEE 802.11i, IEEE 802.1Q, IEEE 802.1p, IEEE 802.1x, IEEE 802.2, IEEE 802.3, IEEE 802.3ab, IEEE 802.3az, IEEE 802.3u, Wi-Fi CERTIFIED	
	Ethernet Controller(s)	Intel I219-LM	
	Wireless NIC	Intel Dual Band Wireless-AC 8260	
MONITOR	Diagonal Size	At most 14 inches	
	Image Brightness	300 cd/m2	
WARRANTY	Type	1 year's warranty (12 months)	
Antivirus	Kaspersky (2022) one year Activated (365 days)		
Office	At least Microsoft office 2019 or higher Activated (genuine)		
Peripherals	Wireless mouse		
Bag	Laptop bag		
	A KIT TO BE INCLUDED DURING D AUTHENTICATED BEFORE ACCEP		



### **COUNTY GOVERNMENT OF**

#### NYANDARUA



PO BOX 701-20303 Telephone: 0202660859 Email: ict@nyandarua.go.ke

LAPTOP TYPE 3 (II)

DI 46 TE 3	LAPTOP TYPE 3 (I	<u> </u>		
Platform Technology	Intel vPro Technology			
Preinstalled OS	Windows 11 Home Activated			
PROCESSOR / CHIPSET	13 <sup>th</sup> gen intel core 17 processor			
Graphic Processor	Intel® Iris® X°			
64-bit Computing	Yes			
CACHE MEMORY	Installed Size 8 MB Cache		T	
RAM	Memory Speed		3200 Mhz	
	Memory Specification Compliance		PC4-17000	
	Technology		DDR4-3200 MHz RAM	
	Installed RAM Size		At least 16 GB	
	Rated Memory Speed		3200 Mhz	
ENVIRONMENTAL	Humidity Range Operating - 10 - 90	% (non-	-condensing)	
PARAMETERS				
DISPLAY	LCD Backlight Technology		backlight	
	Widescreen Display	Yes		
	Image Aspect Ratio	16:9		
	Monitor Features		touch-enabled, IPS, edge-to-	
			glass, micro-edge	
	Pixels		x 1080	
	Diagonal Size (metric)		ost 14 inches	
	Display Resolution Abbreviation		HD LED Backlit Bright View IPS	
			o-edge Touch Display (400 nits	
			tness, 100% sRGB Color Gamut,	
			166 PPI, with Corning	
		Gorilla Glass NBT Protection)		
	Touch screen	Yes		
	360 rotation	Yes		
AUDIO & VIDEO	Graphics Processor		Iris Xe	
	Integrated Webcam	Yes		
	Sound	_	& Olufsen Play, Stereo	
			ters, two microphones	
a.	Audio Codec	CX75		
Storage	Internal storage Capacity	TTB .	PCLe Solid State Drive (SSD)	
INPUT	Type		ty keyboard with <b>backlit</b>	
	Localization & Layout	US		
	Features	gesture function, spill-resistant,		
COLOMBUNGATIONS	W' 1 D . 1		ne control	
COMMUNICATIONS	Wireless Protocol		1a/b/g/n/ac, Bluetooth 4.2, NFC	
	Wireless Controller		Dual Band Wireless-AC 8260	
	Wired Protocol		oit Ethernet	
	Features		e-on-LAN (WOL)	
PROCESSOR	CPU Type	Core	i7	
	Manufacturer	Intel		
CARD READER	Type		reader	
	Supported Flash Memory		Iemory Card, SDHC Memory	
			SDXC Memory Card	
BATTERY	Capacity		h Li-ion polymer	
	Cells	3-cell		
	Technology		m ion	
	Run Time (Up To)	8 hou	( )	
CHARGER	Plug and socket (United Kingdom)	socke	et compatible with plug type G	

CONNECTIONS & EXPANSION	Interfaces	1 SuperSpeed USB-A 2 thunderbolt USB Type-C Display Port VGA/HDMI LAN(inbuilt/adapter) external Dock 1 AC smart pin Headphone/microphone combo jack Type C 8 in 1 adapter.	
	Memory Card Reader	Yes (SD Card, SDHC Card, SDXC Card)	
NETWORKING	Data Link Protocol	Realtek Wi-Fi 6 (2x2) and Bluetooth® 5.3 compatible combo (supporting gigabit data rate)	
	Remote Management Protocol	SNMP 2	
	Compliant Standards	EEE 802.11, IEEE 802.11i, IEEE 802.1Q, IEEE 802.1p, IEEE 802.1x, IEEE 802.2, IEEE 802.3, IEEE 802.3ab, IEEE 802.3az, IEEE 802.3u, Wi-Fi CERTIFIED	
	Ethernet Controller(s)	Intel I219-LM	
	Wireless NIC	Intel Dual Band Wireless-AC 8260	
MONITOR	Diagonal Size	At most 14 inches	
	Image Brightness	300 cd/m2	
WARRANTY	Туре	1 year's warranty (12 months)	
Antivirus	Kaspersky (2022) one year Activated (365 days)		
Office	At least Microsoft office 2019 or higher Activated (genuine)		
Peripherals	Wireless mouse		
Bag	Laptop bag		
ALL ORIGINAL MEDIA KIT TO BE INCLUDED DURING DELIVERY AND WILL BE AUTHENTICATED BEFORE ACCEPTANCE			





PO BOX 701-20303 Telephone: 0202660859 Email: ict@nyandarua.go.ke

Platform Technology	Intel vPro Technology			
Preinstalled OS	Windows 11 Home Activated			
PROCESSOR / CHIPSET	13 <sup>th</sup> gen intel core 17 processor			
Graphic Processor	Intel® Iris® X <sup>e</sup>			
64-bit Computing	Yes			
CACHE MEMORY	Installed Size 8 MB Cache			
RAM	Memory Speed	3200 Mhz		
	Memory Specification Compliance	PC4-17000		
	Technology	DDR4-3200 MHz RAM		
	Installed RAM Size	At least 16 GB		
	Rated Memory Speed	3200 Mhz		
ENVIRONMENTAL	Humidity Range Operating - 10 - 90			
PARAMETERS	Training Trainge operating 10 %	(non condensing)		
DISPLAY	LCD Backlight Technology	LED backlight		
	Widescreen Display	Yes		
	Image Aspect Ratio	16:9		
	Monitor Features	Multitouch-enabled, IPS, edge-to-		
		edge glass, micro-edge		
	Pixels	1920 x 1080		
	Diagonal Size (metric)	AT MOST 14 inches		
	Display Resolution Abbreviation	Full HD LED Backlit Bright View IPS		
	Display Resolution 7 to of eviation	Micro-edge Touch Display (400 nits		
		Brightness, 100% sRGB Colour		
		Gamut, 166 PPI, with Corning		
		Gorilla Glass NBT Protection)		
	Touch screen	Yes		
	360 rotation	Yes		
AUDIO & VIDEO	Graphics Processor	Intel Iris Xe		
	Integrated Webcam	Yes		
	Sound	Bang & Olufsen Play, Stereo		
		speakers, two microphones		
	Audio Codec	CX7501		
Storage	Internal storage Capacity	At least ITB PCLe NVME(SSD)		
INPUT	Type	Qwerty keyboard		
	Localization & Layout	US		
	Features	gesture function, spill-resistant,		
		volume control		
COMMUNICATIONS	Wireless Protocol	802.11a/b/g/n/ac, Bluetooth 4.2, NFC		
	Wireless Controller	Intel Dual Band Wireless-AC 8260		
	Wired Protocol	Gigabit Ethernet		
	Features	Wake-on-LAN (WOL)		
PROCESSOR	CPU Type	Core i7		
	Manufacturer	Intel		
CARD READER	Type	card reader		
	Supported Flash Memory	SD Memory Card, SDHC Memory Card, SDXC Memory Card		
	appoint i mon monory			
BATTERY	Capacity	43 Wh Li-ion polymer		
	Cells	3-cell		
	Technology	lithium ion		
	Run Time (Up To)	8 hour(s)		
	Kun Time (Op 10)	o nour(s)		

CHARGER	Plug and socket (United Kingdom)	socket compatible with plug type G		
CONNECTIONS &	Interfaces	1 SuperSpeed USB-C		
EXPANSION		2 SuperSpeed USB Type-A		
		Display Port		
		VGA/HDMI		
		LAN(inbuilt/adapter) external		
		Dock		
		1 AC smart pin		
		Headphone/microphone combo jack		
	Memory Card Reader	Yes (SD Card, SDHC Card, SDXC		
		Card)		
NETWORKING	Data Link Protocol	Realtek Wi-Fi 6 (2x2) and		
		Bluetooth® 5.3 compatible combo		
		(supporting gigabit data rate)		
	Remote Management Protocol	SNMP 2		
	Compliant Standards	EEE 802.11, IEEE 802.11i, IEEE		
		802.1Q, IEEE 802.1p, IEEE 802.1x,		
		IEEE 802.2, IEEE 802.3, IEEE		
		802.3ab, IEEE 802.3az, IEEE		
		802.3u, Wi-Fi CERTIFIED		
	Ethernet Controller(s)	Intel I219-LM		
	Wireless NIC	Intel Dual Band Wireless-AC 8260		
MONITOR	Diagonal Size	At most 14 Inches		
	Image Brightness	300 cd/m2		
WARRANTY	Type	1 year's warranty (12 months)		
Antivirus		Kaspersky (2022) one year Activated (365 days)		
Office	At least Microsoft office 2019 or higher Activated (genuine)			
Peripherals	Wireless mouse			
Bag	Laptop bag	Laptop bag		
ALL ORIGINAL MEDIA	KIT TO BE INCLUDED DURING DE	ELIVERY AND WILL BE		
A	UTHENTICATED BEFORE ACCEPT	ΓΑΝCΕ		





PO BOX 701-20303 Telephone: 0202660859 Email: ict@nyandarua.go.ke

	<u>LAPTOP TYPE 5</u>			
Platform Technology	Intel vPro Technology			
Preinstalled OS	Windows 11 Home Activated			
PROCESSOR / CHIPSET	Intel® Core™ i5-13™ GEN			
Graphic Processor	Intel® Iris® X <sup>e</sup>			
64-bit Computing	Yes			
CACHE MEMORY	Installed Size 8 MB Cache			
RAM	Memory Speed	3200 Mhz		
	Memory Specification Compliance	PC4-17000		
	Technology	DDR4-3200 MHz RAM		
	Installed RAM Size	At least 8 GB		
	Rated Memory Speed	3200 Mhz		
ENVIRONMENTAL	Humidity Range Operating - 10 - 90	0% (non-condensing)		
PARAMETERS		(		
DISPLAY	LCD Backlight Technology	LED backlight		
	Widescreen Display	Yes		
	Image Aspect Ratio	16:9		
	Monitor Features	Multitouch-enabled, IPS, edge-to-		
	Within Feducies	edge glass, micro-edge		
	Pixels	1920 x 1080		
	Diagonal Size (metric)	AT most 14 inches		
	Display Resolution Abbreviation	Full HD LED Backlit Bright View IPS		
	Display Resolution Floore viation	Micro-edge Touch Display (400 nits		
		Brightness, 100% sRGB Colour		
		Gamut, 166 PPI, with Corning		
		Gorilla Glass NBT Protection)		
	Touch screen	Yes		
	360 rotation	Yes		
AUDIO & VIDEO	Graphics Processor	Intel Iris Xe		
	Integrated Webcam	Yes		
	Sound	Bang & Olufsen Play, Stereo		
		speakers, two microphones		
	Audio Codec	CX7501		
Storage	Internal storage Capacity	At least 512 GB PCIe SSD		
0				
INPUT	Туре	Qwerty keyboard		
	Localization & Layout	US		
	Features	gesture function, spill-resistant,		
		volume control		
COMMUNICATIONS	Wireless Protocol	802.11a/b/g/n/ac, Bluetooth 4.2, NFC		
	Wireless Controller	Intel Dual Band Wireless-AC 8260		
	Wired Protocol	Gigabit Ethernet		
	Features	Wake-on-LAN (WOL)		
PROCESSOR	CPU Type	Core i5		
INCLIBOR	Manufacturer	Intel		
CARD READER	Type	card reader		
CARD READER	Supported Flash Memory	SD Memory Card, SDHC Memory		
	Supported Plasti Melliory	Card, SDXC Memory Card		
BATTERY	Canacity	43 Wh Li-ion polymer		
DATIENT	RY Capacity 43 Wh Li-ion polymer Cells 3-cell			
	Technology	lithium ion		
	recimology	րայայլ 1011		

	Run Time (Up To)	8 hour(s)	
CHARGER	Plug and socket (United Kingdom)	socket compatible with plug type G	
CONNECTIONS &	Interfaces	1 SuperSpeed USB-C	
EXPANSION		2 SuperSpeed USB Type-A	
		Display Port	
		VGA/HDMI	
		LAN(inbuilt/adapter) external	
		Dock	
		1 AC smart pin	
		Headphone/microphone combo jack	
	Memory Card Reader	Yes (SD Card, SDHC Card, SDXC	
		Card)	
NETWORKING	Data Link Protocol	Realtek Wi-Fi 6 (2x2) and	
		Bluetooth® 5.3 compatible combo	
		(supporting gigabit data rate)	
	Remote Management Protocol	SNMP 2	
	Compliant Standards	EEE 802.11, IEEE 802.11i, IEEE	
		802.1Q, IEEE 802.1p, IEEE 802.1x,	
		IEEE 802.2, IEEE 802.3, IEEE	
		802.3ab, IEEE 802.3az, IEEE	
		802.3u, Wi-Fi CERTIFIED	
	Ethernet Controller(s)	Intel I219-LM	
	Wireless NIC	Intel Dual Band Wireless-AC 8260	
MONITOR	Diagonal Size	14 inch maximum	
	Image Brightness	300 cd/m2	
WARRANTY	Type	1 year's warranty (12 months)	
Antivirus	Kaspersky (2022) one year Activated (365 days)		
Office	At least Microsoft office 2016 or higher Activated (genuine)		
Peripherals	Wireless mouse		
Bag	Laptop bag		
ALL ORIGINAL MEDIA KIT TO BE INCLUDED DURING DELIVERY AND WILL BE			
AUTHENTICATED BEFORE ACCEPTANCE			





PO BOX 701-20303 Telephone: 0202660859 Email: ict@nyandarua.go.ke

-	LAPTOP TYPE 6	2	
Platform Technology	Intel vPro Technology		
Preinstalled OS	Windows 11 Home Activated		
PROCESSOR / CHIPSET	Intel® Core <sup>TM</sup> i7-1355U (up to 5.0 GHz with Intel® Turbo Boost Technology, 12 MB L3 cache, 10 cores, 12 threads)		
Graphic Processor	Intel® Iris® X <sup>e</sup>		
64-bit Computing	Yes		
CACHE MEMORY	Installed Size 8 MB Cache		
RAM	Memory Speed	3200 Mhz	
	Memory Specification Compliance	PC4-17000	
	Technology	DDR5-5200 MHz RAM (2 x 8 GB)	
	Installed RAM Size	At least 16 GB	
	Rated Memory Speed	3200 Mhz	
ENVIRONMENTAL PARAMETERS	Humidity Range Operating - 10 - 90% (non-condensing)		
DISPLAY	LCD Backlight Technology	LED backlight	
	Widescreen Display	Yes	
	Image Aspect Ratio	16:9	
	Monitor Features	Multitouch-enabled, IPS, edge-to-	
		edge glass, micro-edge	
	Pixels	1920 x 1080	
	Diagonal Size (metric)	14 inches	
	Display Resolution Abbreviation	Full HD LED Backlit Bright View IPS Micro-edge Touch Display (400 nits Brightness, 100% sRGB Color Gamut, 166 PPI, with Corning Gorilla Glass NBT Protection)	
	Touch screen	No	
	360 rotation	No	
AUDIO & VIDEO	Graphics Processor	Integrated, intel UHD Graphics	
	Integrated Webcam	Yes	
	Sound	Audio by Bang & Olufsen, dual	
		stereo speakers, dual microphones	
		enhanced by AI noise reduction	
	Audio Codec	CX7501	
Storage	Internal storage Capacity	At least 512 GB PCIe® NVMe <sup>TM</sup> SSD	
INPUT	Туре	Backlit Qwerty keyboard	
	Localization & Layout	US	
	Features	gesture function, spill-resistant,	
		volume control	
COMMUNICATIONS	Wireless Protocol	802.11a/b/g/n/ac, Bluetooth 4.2, NFC	
	Wireless Controller	Intel Dual Band Wireless-AC 8260	
	Wired Protocol	Gigabit Ethernet	
	Features	Wake-on-LAN (WOL)	
PROCESSOR	CPU Type	Core i7	
<del>-</del>	Manufacturer	Intel	
CARD READER	Type	Card reader	
	/ T .		

Supported Flash Memory  Card, SDXC Memory Card  BATTERY  Capacity  Cells  Technology  Run Time (Up To)  CHARGER  Plug and socket (United Kingdom)  CONNECTIONS & Interfaces  EXPANSION  SuperSpeed USB Type-A 5Gbp Signaling rate (I charging).  Fingerprint sensor.	oe G ype- C		
Capacity   43 Wh Li-ion polymer	ype- C		
Cells Technology Run Time (Up To)  CHARGER Plug and socket (United Kingdom)  CONNECTIONS &  EXPANSION  Interfaces  Interfaces  2 Thunderbolt <sup>TM</sup> 4 with USB Ty 40 Gbps signaling rate (USB Po delivery, DisplayPort TM 1.4). 2 SuperSpeed USB Type-A 5Gbp Signaling rate (I charging). Fingerprint sensor.	ype- C		
Technology Run Time (Up To) 8 hour(s)  CHARGER Plug and socket (United Kingdom) socket compatible with plug typ  CONNECTIONS & Interfaces 2 Thunderbolt <sup>TM</sup> 4 with USB Ty 40 Gbps signaling rate (USB Podelivery, DisplayPort TM 1.4). 2 SuperSpeed USB Type-A 5Gbp Signaling rate (I charging). Fingerprint sensor.	ype- C		
Run Time (Up To)  Run Time (Up To)  Plug and socket (United Kingdom)  Socket compatible with plug typ  CONNECTIONS &  EXPANSION  Interfaces  2 Thunderbolt <sup>TM</sup> 4 with USB Ty 40 Gbps signaling rate (USB Po delivery, DisplayPort TM 1.4). 2 SuperSpeed USB Type-A 5Gbp Signaling rate (I charging). Fingerprint sensor.	ype- C		
CHARGER  Plug and socket (United Kingdom)  Socket compatible with plug typ  CONNECTIONS &  EXPANSION  Interfaces  2 Thunderbolt <sup>TM</sup> 4 with USB Ty 40 Gbps signaling rate (USB Po delivery, DisplayPort TM 1.4). 2 SuperSpeed USB Type-A 5Gbp Signaling rate (I charging). Fingerprint sensor.	ype- C		
CONNECTIONS & Interfaces  2 Thunderbolt <sup>™</sup> 4 with USB Ty 40 Gbps signaling rate (USB Po delivery, DisplayPort TM 1.4). 2 SuperSpeed USB Type-A 5Gbp Signaling rate (I charging). Fingerprint sensor.	ype- C		
EXPANSION  40 Gbps signaling rate (USB Podelivery, DisplayPort TM 1.4). 2 SuperSpeed USB Type-A 5Gbp Signaling rate (I charging). Fingerprint sensor.			
delivery, DisplayPort TM 1.4). 2 SuperSpeed USB Type-A 5Gbp Signaling rate (I charging). Fingerprint sensor.	wer		
SuperSpeed USB Type-A 5Gbp Signaling rate (I charging). Fingerprint sensor.			
Signaling rate (I charging). Fingerprint sensor.			
Fingerprint sensor.			
HDMI 2.1			
LAN (inbuilt/adapter) external			
Dock			
Stereo headphone/microphone			
combo jack			
Memory Card Reader Yes (SD Card, SDHC Card, SD	XC		
Card)			
NETWORKING Data Link Protocol Intel® Wi-Fi 6E AX211 (2x2) a	and		
Bluetooth® 5.3 wireless card, 51	MP		
IR camera			
Remote Management Protocol SNMP 2			
Compliant Standards EEE 802.11, IEEE 802.11i, IEE	E		
802.1Q, IEEE 802.1p, IEEE 802	2.1x,		
IEEE 802.2, IEEE 802.3, IEEE			
802.3ab, IEEE 802.3az, IEEE			
802.3u, Wi-Fi CERTIFIED			
Ethernet Controller(s) Intel I219-LM			
Wireless NIC Intel Dual Band Wireless-AC 82	260		
MONITOR Diagonal Size 14 inch maximum			
Image Brightness 300 cd/m2			
WARRANTY Type 1 year's warranty (12 months)			
Antivirus Kaspersky (2022) one year Activated (365 days)			
Office At least Microsoft office 2016 or higher Activated (genuine)	At least Microsoft office 2016 or higher Activated (genuine)		
1	Wireless mouse		
Bag Laptop bag			
ALL ORIGINAL MEDIA KIT TO BE INCLUDED DURING DELIVERY AND WILL BE			
AUTHENTICATED BEFORE ACCEPTANCE			





PO BOX 701-20303 Telephone: 0202660859 Email: ict@nyandarua.go.ke

LAPTOP TYPE 7

	LAPTOP TYPE 7			
Platform Technology	<u> </u>	Intel vPro Technology		
Preinstalled OS	Windows 11 Home Activated			
PROCESSOR / CHIPSET	Intel® Core <sup>TM</sup> i5-1335U (up to 4.6 GHz with Intel® Turbo Boost			
	Technology, 12 MB L3 cache, 10 co	ores, 12 threads) 1		
Graphic Processor	Intel® Iris® Xe			
64-bit Computing	Yes			
CACHE MEMORY	Installed Size 8 MB Cache			
RAM	Memory Speed	3200 Mhz		
	Memory Specification Compliance	PC4-17000		
	Technology	DDR5-5200 MHz RAM (2 x 8 GB)		
	Installed RAM Size	8 GB DDR4-3200 MHz RAM		
	llistalled KAIVI Size	(1 x 8 GB)		
	Rated Memory Speed	3200 Mhz		
ENVIRONMENTAL	Humidity Range Operating - 10 - 90			
PARAMETERS	Trumuity Range Operating - 10 - 70	(non-condensing)		
DISPLAY	LCD Backlight Technology	LED backlight		
	Widescreen Display	Yes		
	Image Aspect Ratio	16:9		
	Monitor Features	Multitouch-enabled, IPS, edge-to- edge		
		glass, micro-edge		
	Pixels	1920 x 1080		
	Diagonal Size (metric)	15.6 inches		
	Display Resolution Abbreviation	Full HD LED Backlit Bright View IPS		
		Micro-edge Touch Display (400 nits		
		Brightness, 100% sRGB Color Gamut,		
		166 PPI, with Corning		
		Gorilla Glass NBT Protection)		
	Touch screen	No		
	360 rotation	No		
AUDIO & VIDEO	Graphics Processor	Integrated, intel UHD Graphics		
	Integrated Webcam	Yes		
		Audio by Bang & Olufsen, dual		
		stereo speakers, dual microphones enhanced		
	Audio Codec	by AI noise reduction CX7501		
Storage	Internal storage Capacity	At least 512 GB PCIe® NVMe <sup>TM</sup> SSD		
Storage	internal storage Capacity	At least 312 GB I Cite IVVIIC 55B		
INDUT	Tymo	Poolsit Overty based		
INPUT	Type Localization & Layout	Backlit Qwerty keyboard US		
	Features Eayout	gesture function, spill-resistant,		
	reatures	volume control		
COMMUNICATIONS	Wireless Protocol	802.11a/b/g/n/ac, Bluetooth 4.2, NFC		
COMMIDITIONION	Wireless Controller	Intel Dual Band Wireless-AC 8260		
	Wired Protocol	Gigabit Ethernet		
	Features	Wake-on-LAN (WOL)		
PROCESSOR	CPU Type	Core i7		
I NUCLOSUN	Manufacturer	Intel		
CARD READER	Type	Card reader		
CARD READER	Supported Flash Memory	SD Memory Card, SDHC Memory Card,		
	Supported Figure Profilery	SDXC Memory Card		
BATTERY	Capacity	43 Wh Li-ion polymer		

	Cells	3-cell, 41 Wh Li-ion
	Technology	lithium ion
	Run Time (Up To)	8 hour(s)
CHARGER	Plug and socket (United Kingdom)	socket compatible with plug type G
CONNECTIONS &	Interfaces One USB Type-C 5Gbps signaling rate	
EXPANSION	(supports data transfer only), Two USB	
		Type-A 5Gbps signaling rate, One AC smart
		pin, One HDMI
		1.4b, One headphone/microphone combo
	Memory Card Reader	Yes (SD Card, SDHC Card, SDXC Card)
NETWORKING	Data Link Protocol Intel® Wi-Fi 6E AX211 (2x2) and	
		Bluetooth® 5.3 wireless card, 5MP
		IR camera
	Remote Management Protocol	SNMP 2
	Compliant Standards	EEE 802.11, IEEE 802.11i, IEEE 802.1Q,
		IEEE 802.1p, IEEE 802.1x, IEEE 802.2,
		IEEE 802.3, IEEE 802.3ab, IEEE 802.3az,
		IEEE
		802.3u, Wi-Fi CERTIFIED
	Ethernet Controller(s)	Intel I219-LM
	Wireless NIC	Intel Dual Band Wireless-AC 8260
MONITOR	Diagonal Size	15.6 inch maximum
	Image Brightness	300 cd/m2
WARRANTY	Type	1 year's warranty (12 months)
Antivirus	Kaspersky (2022) one year Activated (365 days)	
Office	At least Microsoft office 2016 or higher Activated (genuine)	
Peripherals	Wireless mouse	
Bag	Laptop bag	
ALL ORIGINAL MEDIA K	IT TO BE INCLUDED DURING D	ELIVERY AND WILL BE
AU	THENTICATED BEFORE ACCEP	TANCE





PO BOX 701-20303 Telephone: 0202660859 Email: ict@nyandarua.go.ke

TOTAL	MINIMUM DEQUIDEMENTS	
ITEM	MINIMUM REQUIREMENTS	
Processor & Core Logic	8-Core CPU, 8-Core GPU	
System Memory	8GB unified memory Configurable	
Storage Subsystem	512 GB SSD configurable	
Form Factor	All-in-one	
Camera	1080p FaceTime HD camera	
Keyboard	Magic Keyboard with Numeric Keypad	
Pointing Device/Mo use	Apple Magic Mouse	
Audio	Built-in speaker/microphone	
Communicat ion	Gigabit Ethernet	
Interface	802.11ac Wi-Fi 6.0	
	Bluetooth 5.0 wireless technology	
I/O Interface Ports	2 x USB 3 ports	
10165	2 x thunderbolt / USB 4 ports	
	USB-C to VGA, HDMI, DVI, Thunderbolt 2 adapter	
	3.5 mm headphone jack	
Operating System	Latest Mac OS	
Software	Microsoft Office for Mac with Genuine License	
	Latest Compatible Antivirus (With valid license)	
Display/Monitor	24-inch 4K Retina display	
Power Supply	220 - 240V AC, Frequency 50/60 HZ	
Accessories	power adapter	
	USB-C to Lightning Cable	
	Power cord (2 m)	
Warranty	One (1) Year, Proof of Warranty must be provided	
UPS	Include 700VA UPS with surge protection	
ALL ORIGINAL	MEDIA KIT TO BE INCLUDED DURING DELIVERY AND WILL BE	
AUTHENTICATED BEFORE ACCEPTANCE		





PO BOX 701-20303 Telephone: 0202660859 Email: ict@nyandarua.go.ke

ITEM	MINIMUM REQUIREMENTS
Processor & Logic	12th Generation Intel Core i9
System Memory	16GB DDR4
<b>Storage Acceleration</b>	16 GB Intel Optane
Storage Subsytem	1 TB SSD
Form Factor	Tower
Display	24" LED-Backlit Monitor (Same brand as CPU)
Graphics	NVIDIA GeForce 4GB GDDR
Keyboard	USB Enhanced Keyboard
Pointing Device/Mouse	USB Optical Mouse
Audio	Stereo audio system with inbuilt speakers
	Audio ports: headphone and microphone
Communication	Integrated Gigabit Ethernet -10/100/1000 Mbps
Interface	802.11ac Wi-Fi 6.0 and 5.0 Bluetooth
I/O Interface Ports	2 X USB 3.1 Gen 1 ports 1 X USB 3.1 Gen 1 (Type-C) port
	2X USB 2.0 ports
	1 x HDMI port
	1 x RJ 45 Ethernet jack
	1 x Display port
	Media card Reader
	Headset and audio jack
<b>Operating System</b>	Genuine Windows 11 Professional 64 bit pre-installed (licensed with recovery Disks)
Software	Microsoft Office Professional 2021 with Genuine License
	Latest Internet Security software with valid license
Power Supply	220 - 240 VAC 50/60 HZ (Autosensing)
Accessories	Power cables; HDMI cable
UPS	Include 700VA UPS with surge protection
Warranty	One (1) Year, Proof of Warranty must be provided
ALL ORIGINAL ME	CDIA KIT TO BE INCLUDED DURING DELIVERY AND WILL BE AUTHENTICATED BEFORE ACCEPTANCE





Telephone: 0202660859
DESKTOP COMPUTER TYPE 3 PO BOX 701-20303 Email: ict@nyandarua.go.ke

ITEM	MINIMUM REQUIREMENTS	
Processor & Logic	Intel® Core™ i7-12700 (2.1 GHz base frequency, up to 4.9 GHz with Intel® Turbo Boost Technology, 25 MB L3 cache, 12 cores, 20 threads), supports Intel® vPro® Technology	
System Memory	8GB DDR4-3200 MHz SDRAM	
Storage Subsytem	1TB 7200 RPM SATA HDD	
Form Factor	Tower	
Display monitor	18.5 inches (46.99 cm) LED backlight Widescreen TN Display   image Aspect ratio: 16:9 Anti-glare   WXGA (1366 x 768 pixels) HD	
Graphics	Integrated: Intel® UHD Graphics 730	
Keyboard	USB Enhanced Keyboard	
Pointing Device/Mouse	USB Optical Mouse	
Audio	Stereo audio system with inbuilt speakers	
	Audio ports: headphone and microphone	
Communication	Integrated Gigabit Ethernet -10/100/1000 Mbps	
Interface	802.11ac Wi-Fi 6.0 and 5.0 Bluetooth	
I/O Interface Ports	4x SuperSpeed USB Type-A 5Gbps signaling rate	
	2X USB 2.0 ports	
	1 x HDMI port	
	1 x RJ 45 Ethernet jack	
	1 x Display port	
	Media card Reader	
	Headset and audio jack	
Operating System	Genuine Windows 11 Professional 64 bit pre-installed (licensed with recovery Disks)	
Software	Microsoft Office Professional 2021 with Genuine License	
	Latest Internet Security software with valid license	
Power Supply	220 - 240 VAC 50/60 HZ (Autosensing)	
Accessories	Power cables; HDMI cable	
UPS	Include 700VA UPS with surge protection	
Warranty	One (1) Year, Proof of Warranty must be provided	
ALL ORIGINA	L MEDIA KIT TO BE INCLUDED DURING DELIVERY AND WILL BE	
	AUTHENTICATED BEFORE ACCEPTANCE	





PO BOX 701-20303 Telephone: 0202660859 Email: ict@nyandarua.go.ke

ITEM	MINIMUM REQUIREMENTS
Processor & Logic	Intel Core i5-12400
_	Six cores and twelve threads.
System Memory	8GB DDR4 RAM
Storage Subsytem	1TB 7200 RPM SATA HDD
Form Factor	Tower
Display monitor	HP P204v 19.5"
Graphics	Intel UHD Graphics 730
Keyboard	USB Enhanced Keyboard
Pointing Device/Mouse	USB Optical Mouse
Audio	Stereo audio system with inbuilt speakers
	Audio ports: headphone and microphone
Communication	Integrated Gigabit Ethernet -10/100/1000 Mbps
Interface	802.11ac Wi-Fi 6.0 and 5.0 Bluetooth
I/O Interface Ports	4x SuperSpeed USB Type-A 5Gbps signaling rate
	2X USB 2.0 ports
	1 x HDMI port
	1 x RJ 45 Ethernet jack
	1 x Display port
	Media card Reader
	Headset and audio jack
Operating System	Genuine Windows 11 Professional 64 bit pre-installed (licensed with recovery Disks)
Software	Microsoft Office Professional 2021 with Genuine License
	Latest Internet Security software with valid license
<b>Power Supply</b>	220 - 240 VAC 50/60 HZ (Autosensing)
Accessories	Power cables; HDMI cable
UPS	Include 700VA UPS with surge protection
Warranty	One (1) Year, Proof of Warranty must be provided
ALL ORIGINAL	MEDIA KIT TO BE INCLUDED DURING DELIVERY AND WILL BE
	AUTHENTICATED BEFORE ACCEPTANCE





PO BOX 701-20303 Telephone: 0202660859 Email: ict@nyandarua.go.ke

ITEM	MINIMUM REQUIREMENTS	
Processor & Logic	16th Generation Intel® Core™ i7, 12 MB L3 cache	
System Memory	16 GB DDR4	
Storage	1 TB SSD	
Form Factor	All in one	
Display	27" diagonal FHD display	
Graphics	Intel graphics	
Keyboard	USB/wireless Enhanced Keyboard	
<b>Pointing Device</b>	USB/wireless Optical Mouse	
Audio	inbuilt speakers	
	headphone jack	
Webcam	1080p FHD webcam with integrated digital microphone,	
Communication	Integrated 10/100/1000 Gigabit Ethanet	
Interface	802.11a/b/g/n/ac (2x2) Wi-Fi 6 and Bluetooth 5.0	
I/O Interface Ports	2 SuperSpeed USB Type A	
	2 USB 2.0 Type-A;	
	1 HDMI	
	1 x RJ 45 Ethernet jack	
	Media card Reader	
	headphone/microphone combo;	
<b>Operating System</b>	Genuine Windows 11 Professional 64 bit pre-installed (licensed with Recovery Disks)	
Software	Microsoft Office Professional 2021 with Genuine License	
	Latest Internet Security software with valid license	
Power Supply	220 - 240 VAC 50/60 HZ /AC power adapter	
Warranty	One (1) Year, Proof of Warranty must be provided	
Accessories	Frame stand	
UPS	Include 700VA UPS	
ALL ORIGINAL MED	IA KIT TO BE INCLUDED DURING DELIVERY AND WILL BE AUTHENTICATED BEFORE ACCEPTANCE	





PO BOX 701-20303 Telephone: 0202660859 Email: <u>ict@nyandarua.go.ke</u>

ITEM	MINIMUM REQUIREMENTS	
Processor & Logic	16th Generation Intel® Core™ i5 (8 MB L3 cache, 4 cores)	
System Memory	8 GB DDR4	
Storage	512 GB SSD storage	
Form Factor	All in one	
	23.8" diagonal FHD touch display	
Display Graphics	Intel UHD graphics	
^		
Optical Drives	DVD Writer	
Keyboard	USB Enhanced Keyboard	
Pointing Device/Mo use	USB Optical Mouse	
Audio	Stereo audio system with inbuilt speakers	
	Headphone/microphone jack	
Webcam	720p HD camera with integrated dual array digital microphones	
Communicat ion	Integrated Gigabit Ethernet -10/100/1000 Mbps	
Interface	802.11ax Wi-Fi 6.0 and 5.0 Bluetooth	
I/O Interface	2 x SuperSpeed USB Type-A	
Ports	2 x USB 2.0 Type-A;	
	1 x RJ 45 Ethernet jack	
	1 x HDMI out	
	Media card Reader	
	Headphone /microphone jack	
Operating System	Genuine Windows 11 Professional 64 bit pre-installed (licensed with Recovery Disks)	
Software	Microsoft Office Professional 2021 with Genuine License	
	Latest Internet Security software with valid license	
Power Supply	220 - 240 VAC 50/60 HZ (Autosensing)/AC power adapter	
Warranty	One (1) Year, Proof of Warranty must be provided	
UPS	Include 700VA UPS with surge protection	
ALL ORIGINAL MEDIA KIT TO BE INCLUDED DURING DELIVERY AND WILL BE AUTHENTICATED BEFORE ACCEPTANCE		





PO BOX 701-20303 Telephone: 0202660859 Email: ict@nyandarua.go.ke

Specification	Details
Camera Type	Analog Dome Camera
Best For	Indoor or sheltered outdoor installations; more discreet than bullet cameras.
Mounting	Ceiling or wall-mounted, designed for indoor or sheltered outdoor areas.
Visibility	Less conspicuous, offering a more discreet surveillance option.
Resolution	1080p (2MP)
Clarity	Provides clear images suitable for recognizing individuals and monitoring entrances or indoor areas.
Field of View (FOV)	70° - 90° (depends on model), suitable for monitoring specific indoor areas like lobbies or corridors.
Night Vision Type	Infrared (IR)
IR Range	20-30 meters, ideal for indoor and sheltered outdoor areas like entrances.
Frame Rate	15-30 FPS, ensuring smooth video during both day and night.
Weatherproofing	IP66 (for outdoor models), protected against dust and moderate rain.
Connection Type	Coaxial Cable (BNC), reliable wired connection typically used with DVR systems.
Storage Options	DVR (Digital Video Recorder) with expandable local hard drive storage, optional cloud backup available.
Power Source	12V DC, with separate power and video cables.
Power Efficiency	Low power consumption, ideal for continuous operation.
Smart Features	Motion detection available with compatible DVR systems.
Recording & Compression	H.264 compression for efficient storage without significant quality loss.
Audio Capability	Optional external microphone for basic audio capture.





PO BOX 701-20303 Telephone: 0202660859 Email: ict@nyandarua.go.ke

Specification	Details	
Camera Type	Analog Bullet Camera	
Best For	Outdoor installations where visible deterrence is important.	
Mounting	Wall-mounted, designed for outdoor use.	
Visibility	Highly visible, acts as a deterrent for potential intruders.	
Resolution	1080p (2MP)	
Clarity	Provides clear images suitable for general outdoor surveillance.	
Field of View (FOV)	80° - 90° (depends on model), best for monitoring specific outdoor areas like driveways or entrances.	
Night Vision Type	Infrared (IR)	
IR Range	20-30 meters, ideal for monitoring outdoor areas at night.	
Frame Rate	15-30 FPS, suitable for capturing smooth video during both day and night.	
Weatherproofing	IP66, fully protected from dust and heavy rain, designed for outdoor use.	
Connection Type	Coaxial Cable (BNC), provides reliable wired connection, typically used with DVR systems.	
Storage Options	DVR (Digital Video Recorder) with expandable local hard drive storage, optional cloud backup available.	
Power Source	12V DC, with separate power and video cables.	
Power Efficiency	Low power consumption, ideal for continuous outdoor operation.	
Smart Features	Motion detection available with compatible DVR systems.	
Recording & Compression	H.264 compression for efficient storage without significant quality loss.	
Audio Capability	Optional external microphone for basic audio capture, not for two-way communication.	





PO BOX 701-20303 Telephone: 0202660859 Email: ict@nyandarua.go.ke

Specification	Details	
Camera Type	IP Bullet Camera	
Best For	Outdoor installations requiring high-quality video and remote monitoring capability.	
Mounting	Wall-mounted, designed for outdoor use.	
Visibility	Highly visible, acts as a deterrent for potential intruders.	
Resolution	1080p (2MP)	
Clarity	Provides clear, high-quality images suitable for detailed surveillance.	
Field of View (FOV)	80° - 110° (depends on model), best for covering wide outdoor areas like driveways, parking lots, etc.	
Night Vision Type	Infrared (IR)	
IR Range	30-50 meters, ideal for monitoring larger outdoor spaces at night.	
Frame Rate	30 FPS, ensuring smooth and fluid video for both day and night recording.	
Weatherproofing	IP67, fully protected from dust and can withstand harsh weather, including heavy rain and snow.	
Connection Type	Ethernet (PoE - Power over Ethernet), one cable for both power and data, simplifying installation.	
Storage Options	NVR (Network Video Recorder) with local hard drive storage, cloud storage options available for remote access.	
Power Source	PoE (Power over Ethernet), uses the same Ethernet cable for power and data transmission.	
Power Efficiency	Efficient power usage with PoE, reducing the need for separate power adapters.	
Smart Features	Motion detection, remote access via mobile apps, email alerts, and advanced features like AI-based facial recognition.	
Recording & Compression	H.265 compression for efficient storage without compromising video quality.	

Audio Capability	Optional two-way audio with built-in microphone and speaker, ideal for remote
	communication.





PO BOX 701-20303 Telephone: 0202660859 Email: ict@nyandarua.go.ke

Specification	Details	
Camera Type	IP Dome Camera	
Best For	Indoor or sheltered outdoor installations where a discreet, high-quality surveillance option is needed.	
Mounting	Ceiling or wall-mounted, suitable for various installation environments.	
Visibility	Less conspicuous compared to bullet cameras, offering a more subtle surveillance solution.	
Resolution	1080p (2MP)	
Clarity	Provides clear, high-quality images suitable for detailed surveillance in both indoor and outdoor settings.	
Field of View (FOV)	$70^{\circ}$ - $110^{\circ}$ (depends on model), ideal for monitoring wide areas such as lobbies, hallways, or outdoor spaces.	
Night Vision Type	Infrared (IR)	
IR Range	20-30 meters, suitable for indoor and sheltered outdoor environments.	
Frame Rate	30 FPS, ensuring smooth and clear video footage for both day and night.	
Weatherproofing	IP66 or IP67 (for outdoor models), resistant to dust and water, suitable for both indoor and outdoor use.	
Connection Type	Ethernet (PoE - Power over Ethernet), simplifies installation with a single cable for both power and data.	
Storage Options	NVR (Network Video Recorder) with local hard drive storage, optional cloud storage for remote access.	
Power Source	PoE (Power over Ethernet), uses a single Ethernet cable for both power and data.	
Power Efficiency	Efficient power consumption with PoE, reducing the need for separate power supplies.	
Smart Features	Motion detection, remote access via mobile apps, advanced analytics (e.g., facial recognition), and alerts.	
Recording & Compression	H.265 compression for efficient storage with high video quality.	
Audio Capability	Optional two-way audio with built-in microphone and speaker, useful for remote communication.	





PO BOX 701-20303 Telephone: 0202660859 Email: ict@nyandarua.go.ke

		PHONE TYPE 1
Network	Technology	GSM / CDMA / HSPA / EVDO / LTE / 5G
BODY	Dimensions	146.6 x 70.6 x 8.3 mm (5.77 x 2.78 x 0.33 in)
	Weight	187 g (6.60 oz)
	Build	Glass front (Corning-made glass), glass back (Corning-made glass),
	CTD 6	titanium frame (grade 5)
	SIM	Nano-SIM and eSIM - International
DICDI AN	Type	LTPO Super Retina XDR OLED, 120Hz, HDR10, Dolby Vision, 1000 nits
DISPLAY	Type	(typ), 2000 nits (HBM)
	Size	6.1 inches, 91.3 cm <sup>2</sup> (~88.2% screen-to-body ratio)
	Resolution	1179 x 2556 pixels, 19.5:9 ratio (~461 ppi density)
	Protection	Ceramic Shield glass - Always-On display
	Trotection	Cerume Smera glass 71 ways on display
PLATFORM	OS	iOS 17, upgradable to iOS 17.6.1, planned upgrade to iOS 18
PLATFORM	Chipset	Apple A17 Pro (3 nm)
Latin Oktivi	CPU	Hexa-core (2x3.78 GHz + 4x2.11 GHz)
	GPU	Apple GPU (6-core graphics)
MEMORY	Card slot	No
MEMORY	Internal	128GB 8GB RAM, 256GB 8GB RAM, 512GB 8GB RAM, 1TB 8GB RAM
MAIN	22202	NVMe
CAMERA		
	Triple	48 MP, f/1.8, 24mm (wide), 1/1.28", 1.22μm, dual pixel PDAF, sensor-
		shift OIS
		12 MP, f/2.8, 77mm (telephoto), 1/3.5", 1.0μm, PDAF, OIS, 3x optical zoom
		12 MP, f/2.2, 13mm, 120° (ultrawide), 1/2.55", 1.4μm, dual pixel
		PDAF TOF 3D LiDAR scanner (depth)
MAIN	Features	Dual-LED dual-tone flash, HDR (photo/panorama)
CAMERA		
MAIN	Video	4K@24/25/30/60fps, 1080p@25/30/60/120/240fps, 10-bit HDR, Dolby
CAMERA		Vision HDR (up to 60fps), ProRes, 3D (spatial) video, stereo sound rec.
SELFIE	Single	12 MP, f/1.9, 23mm (wide), 1/3.6", PDAF, OIS
CAMERA		SL 3D, (depth/biometrics sensor)
SELFIE	Features	HDR
CAMERA		
SELFIE	Video	4K@24/25/30/60fps, 1080p@25/30/60/120fps, gyro-EIS
CAMERA	Loudspeaker	Yes, with stereo speakers
SOUND		·
	3.5mm jack	No
SOUND	J.Jiiiii jack	
SOUND	WLAN	Wi-Fi 802.11 a/b/g/n/ac/6e, dual-band, hotspot
COMMS		

COMMS	Bluetooth	5.3, A2DP, LE	
FEATURES			
COMMS	Positioning	GPS (L1+L5), GLONASS, GALILEO, BDS, QZSS, NavIC	
FEATURES	NFC	Yes	
FEATURES	Radio	No	
	USB	USB Type-C 3.2 Gen 2, DisplayPort	
	Sensors	Face ID, accelerometer, gyro, proximity, compass, barometer	
		Ultra-Wideband (UWB) support (gen2 chip)	
		Emergency SOS via satellite (SMS	
		sending/receiving)	
FEATURES			
BATTERY	Туре	Li-Ion 3274 mAh, non-removable	
BATTERY	Charging	Wired, PD2.0, 50% in 30 min	
		(advertised) 15W wireless (MagSafe)	
		15W wireless (Qi2) - requires iOS 17.2	
		update 4.5W reverse wired	





PO BOX 701-20303 Telephone: 0202660859 Email: ict@nyandarua.go.ke

NETWORK	Technology	GSM / HSPA / LTE / 5G
BODY	Dimensions	162.3 x 79 x 8.6 mm (6.39 x 3.11 x 0.34 in)
	Weight	232 g or 233 g (8.18 oz
	Build	Glass front (Corning Gorilla Armor), glass back (Corning Gorilla Armor), titanium frame (grade 2)
	SIM	Nano-SIM and eSIM/ Dual eSIM or Dual SIM (2 Nano-SIMs and eSIM, dual stand-by 68 dust/water resistant (up to 1.5m for 30 min)Stylus (Bluetooth integration, accelerometer, gyro)
DISPLAY	Туре	Dynamic LTPO AMOLED 2X, 120Hz, HDR10+, 2600 nits (peak)
	Size	6.8 inches, 113.5 cm <sup>2</sup> (~88.5% screen-to-body ratio)
	Resolution	1440 x 3120 pixels, 19.5:9 ratio (~505 ppi density)
	Protection	Corning Gorilla Armor Always-on display
PLATFORM	OS	Android 14, up to 7 major Android upgrades, One UI 6.1.1
	Chipset	Qualcomm SM8650-AC Snapdragon 8 Gen 3 (4 nm)
	CPU	8-core (1x3.39GHz Cortex-X4 & 3x3.1GHz Cortex-A720 & 2x2.9GHz Cortex-A720 & 2x2.2GHz Cortex-A520)
	GPU	Adreno 750 (1 GHz)
MEMORY	Card slot	No
	Internal	256GB 12GB RAM, 512GB 12GB RAM, 1TB 12GB RAM
MAIN CAMERA	Quad	200 MP, f/1.7, 24mm (wide), 1/1.3", 0.6μm, multi-directional PDAF, OIS 10 MP, f/2.4, 67mm (telephoto), 1/3.52", 1.12μm, PDAF, OIS, 3x optical zoom 50 MP, f/3.4, 111mm (periscope telephoto), 1/2.52", 0.7μm, PDAF, OIS, 5x optical zoom 12 MP, f/2.2, 13mm, 120° (ultrawide), 1/2.55", 1.4μm, dual pixel PDAF, Super Steady video
	<b>Features</b>	Laser AF, LED flash, auto-HDR, panorama
	Video	8K@24/30fps, 4K@30/60/120fps, 1080p@30/60/240fps, HDR10+, stereo sound rec., gyro-EIS
SELFIE CAMERA	Single	12 MP, f/2.2, 26mm (wide), dual pixel PDAF

		T=
	<u>Features</u>	Dual video call, Auto-HDR, HDR10+
	<u>Video</u>	4K@30/60fps, 1080p@30fps
SOUND	Loudspeaker	Yes, with stereo speakers
	3.5mm jack	No
		32-bit/384kHz audio Tuned by
		AKG
	W/I ANI	W: E: 900 11 a/b/g/n/aa/6a/7 tri hand Wi Ei Direct
COMMS	WLAN	Wi-Fi 802.11 a/b/g/n/ac/6e/7, tri-band, Wi-Fi Direct
	Bluetooth	5.3, A2DP, LE
	Positioning	GPS, GLONASS, BDS, GALILEO, QZSS
	NFC	Yes
	Radio	No
	USB	USB Type-C 3.2, DisplayPort 1.2, OTG
FEATURES	Sensors	Fingerprint (under display, ultrasonic), accelerometer, gyro, proximity, compass, barometerSamsung DeX, Samsung Wireless DeX (desktop experience support) Ultra Wideband (UWB) support Circle to Search
BATTERY	Type	Li-Ion 5000 mAh, non-removable
	Charging	45W wired, PD3.0, 65% in 30 min (advertised) 15W wireless (Qi/PMA)
		4.5W reverse wireless





PO BOX 701-20303 Telephone: 0202660859 Email: ict@nyandarua.go.ke

NETWORK	Technology	GSM / HSPA / LTE / 5G
BODY	reemotogy	163.7 x 76.1 x 7.6 mm (6.44 x 3.00 x 0.30
БОБТ	Dimensions	in)
	Weight	181 g (6.38 oz)
	SIM	Single SIM (Nano-SIM) or Hybrid Dual SIM (Nano-SIM, dual stand-by)
		IP67 dust/water resistant (up to 1m for
		30 min)
DICDI AV	Type	Super AMOLED Plus, 120Hz, 800 nits
DISPLAY		(HBM)
	Size	6.7 inches, 108.4 cm <sup>2</sup> (~87.0% screen-to-
		body ratio)
	Resolution	1080 x 2400 pixels, 20:9 ratio (~393 ppi
		density)
	Protection	Corning Gorilla Glass 5
DI ATEODM	OS	Android 12, upgradable to Android 14,
PLATFORM		One UI 6
	Chipset	Qualcomm SM7325 Snapdragon 778G
		5G (6 nm)
	CPU	Octa-core (1x2.4 GHz Cortex-A78 &
		3x2.2 GHz Cortex-A78 & 4x1.9 GHz
		Cortex-A55)
	GPU	Adreno 642L
MEMORY		microSDXC (uses shared SIM slot)
	Card slot	
	<u>Internal</u>	128GB 6GB RAM, 128GB 8GB RAM,
		256GB 8GB RAM
B # A TBT	Quad	108 MP, f/1.8, (wide), PDAF, OIS
MAIN CAMERA		12 MP, f/2.2, (ultrawide) 5
CAMERA		MP, f/2.4, (macro)
		5 MP, f/2.4, (depth)
	<u>Features</u>	LED flash, panorama, HDR
	<u>Video</u>	4K@30fps, 1080p@30/60fps; gyro-EIS
SELFIE CAMEDA	Single	32 MP, f/2.2, 26mm (wide), 1/2.8",0.8μm
CAMERA	Features	HDR
	Video	4K@30fps, 1080p@30fps
SOUND	Loudspeaker	Yes, with stereo speakers
BOUND	3.5mm jack	No
	OTOMANA JUNIA	
	WLAN	Wi-Fi 802.11 a/b/g/n/ac/6, dual-band, Wi-Fi
COMMS	(1 444 44 1	Direct
	Bluetooth	5.0, A2DP, LE
	Diactotti	0.0,1101,111

	NFC	Yes (market/region dependent)
	Radio	Unspecified
	<u>USB</u>	USB Type-C 2.0, OTG
FEATURES	<u>Sensors</u>	Fingerprint (under display, optical), accelerometer, gyro, proximity, compass
BATTERY	Type	Li-Po 5000 mAh, non-removable
	Charging	25W wired





PO BOX 701-20303 Telephone: 0202660859 Email: ict@nyandarua.go.ke

NETWORK	Technology	GSM / HSPA / LTE / 5G
BODY	Dimensions	159.9 x 75.1 x 8.4 mm (6.30 x 2.96 x 0.33 in)
	Weight	189 g (6.67 oz)
	Build	Glass front (Gorilla Glass 5), plastic back
	SIM	Single SIM (Nano-SIM) or Hybrid Dual SIM (Nano-SIM, dual stand-by)
DISPLAY	Type	Super AMOLED, 120Hz, HDR10+, 800 nits (HBM)
	<u>Size</u>	6.5 inches, 101.0 cm <sup>2</sup> (~84.1% screen-to-body ratio)
	Resolution	1080 x 2400 pixels, 20:9 ratio (~407 ppi density)
	<b>Protection</b>	Corning Gorilla Glass 5
PLATFORM	<u>OS</u>	Android 11, upgradable to Android 14, One UI 6.1
	Chipset	Qualcomm SM7225 Snapdragon 750G 5G (8 nm)
	<u>CPU</u>	Octa-core (2x2.2 GHz Kryo 570 & 6x1.8 GHz Kryo 570)
	<u>GPU</u>	Adreno 619
MEMORY	Card slot	microSDXC (uses shared SIM slot)
	Internal	128GB 6GB RAM, 128GB 8GB RAM, 256GB 8GB RAM
	Ouad	64 MP, f/1.8, 26mm (wide), 1/1.7X", 0.8μm, PDAF, OIS 12 MP, f/2.2, 123° (ultrawide), 1.12μm 5 MP, f/2.4, (macro) 5 MP, f/2.4, (depth)
	<u>Features</u>	LED flash, panorama, HDR
	<u>Video</u>	4K@30fps, 1080p@30/60fps; gyro-EIS
SELFIE CAMERA	Single	32 MP, f/2.2, 26mm (wide), 1/2.8", 0.8μm
	<b>Features</b>	HDR
	<u>Video</u>	4K@30fps, 1080p@30fps
SOUND	Loudspeaker	Yes, with stereo speakers
	3.5mm jack	Yes
COMMS	WLAN	Wi-Fi 802.11 a/b/g/n/ac, dual-band, Wi-Fi Direct
	Bluetooth	5.0, A2DP, LE
	Positioning	GPS, GLONASS, GALILEO, BDS
	NFC	Yes (market/region dependent)
	Radio	FM radio (market/region dependent)
	<u>USB</u>	USB Type-C 2.0, OTG
FEATURES	Sensors	Fingerprint (under display, optical),
D A TATED ST	/D	accelerometer, gyro, compass
BATTERY	<u>Type</u>	Li-Po 4500 mAh, non-removable
	Charging	25W wired, 50% in 30 min (advertised)





PO BOX 701-20303 Telephone: 0202660859 Email: ict@nyandarua.go.ke

NIE TOTAL OF THE	THORE THE 5	CONTRACTOR AND
NETWORK	Technology	GSM / HSPA / LTE / 5G
BODY	<u>Dimensions</u>	161.7 x 78 x 8.2 mm (6.37 x 3.07 x 0.32 in)
	Weight	209 g (7.37 oz)
	<b>Build</b>	Glass front (Gorilla Glass Victus+), plastic
		frame, glass back
	SIM	Nano-SIM, eSIM or Hybrid SIM (Nano-SIM,
		dual stand-by
DISPLAY	<u>Type</u>	Super AMOLED, 120Hz, 1000 nits (HBM)
	Size	6.6 inches, 106.9 cm <sup>2</sup> (~84.8% screen-to-body ratio)
	Resolution	1080 x 2340 pixels, 19.5:9 ratio (~390 ppi density)
	Protection	Corning Gorilla Glass Victus+ Always-on display
PLATFORM	OS	Android 14, up to 4 major Android upgrades, One UI 6.1
	Chipset	Exynos 1380 (5 nm)
	<u>CPU</u>	Octa-core (4x2.4 GHz Cortex-A78 & 4x2.0 GHz
		Cortex-A55)
	<u>GPU</u>	Mali-G68 MP5
MEMORY	<u>Card slot</u>	microSDXC (uses shared SIM slot)
	Internal	128GB 6GB RAM, 128GB 8GB RAM, 256GB 6GB RAM, 256GB 8GB RAM, 256GB 12GB RAM
MAIN CAMERA	Triple	50 MP, f/1.8, (wide), 1/1.96", PDAF, OIS 8 MP, f/2.2, 123°, (ultrawide), 1/4.0", 1.12μm 5 MP, f/2.4, (macro)
	<b>Features</b>	LED flash, panorama, HDR
	Video	4K@30fps, 1080p@30/60fps, gyro-EIS
SELFIE	Single	13 MP, f/2.2, (wide), 1/3.06", 1.12μm
CAMERA	Video	4K@30fps, 1080p@30fps
SOUND	Loudspeaker	Yes, with stereo speakers
	3.5mm jack	Yes
COMMS	WLAN	Wi-Fi 802.11 a/b/g/n/ac/6, dual-band, Wi-Fi Direct
	Bluetooth	5.3, A2DP, LE
	Positioning	GPS, GALILEO, GLONASS, BDS, QZSS
	NFC	Yes (market/region dependent)
	Radio	No
	USB	USB Type-C 2.0, OTG
EE A TUDEC	Sensors	Fingerprint (under display, optical),
FEATURES		accelerometer, gyro, compass
BATTERY	Type	Li-Ion 5000 mAh, non-removable
· <del></del> -	Charging	25W wired





PO BOX 701-20303 Telephone: 0202660859 Email: ict@nyandarua.go.ke

### PRINTER 1 SPECIFICTIONS

Feature	Specification	
Printer Type	Color Multifunction Printer	
Functions	Print, Copy, Scan, Optional Fax	
Print Technology	Laser (Color)	
Display	9-inch color touchscreen	
Processor Speed	1.2 GHz	
Memory	4 GB standard RAM	
Hard Disk	320 GB HDD	
Print Speed	Up to 25 pages per minute (ppm) for both black and color	
First Page Out	Approximately 6.4 seconds (black), 7.8 seconds (color)	
Print Resolution	1200 x 1200 dpi	
Duty Cycle	Up to 100,000 pages per month	
Duplex Printing	Automatic (standard)	
Scan Type	Color and B/W scanning, Dual Scan Document Processor (DPDP)	
Scan Resolution	Up to 600 x 600 dpi	
Scan Speed	Up to 80 ipm (simplex), 160 ipm (duplex)	
Copy Speed	Up to 25 copies per minute (cpm) for both black and color	
Copy Resolution	600 x 600 dpi	
Max Number of Copies	Up to 999 copies	
Reduction/Enlargement	25% to 400% in 1% increments	
Fax (Optional)	Fax System 12, Dual Fax option available	
Fax Transmission Speed	Less than 3 seconds per page	
Standard Connectivity 10/100/1000BaseTX Ethernet, High-Speed USB 2.0, 2 USB H		
	Interfaces, Optional Wireless LAN	
Mobile Printing	Apple AirPrint, Google Cloud Print, Mopria, Mobile Print	
Input Capacity	Standard: 1,150 sheets; Maximum: 7,150 sheets	
Output Capacity	Standard: 500 sheets	
Paper Sizes Supported	Letter, Legal, Ledger, A4, A5, A6, B5, B6, Custom Sizes	
Media Types Supported	Plain, Letterhead, Bond, Recycled, Envelopes, Labels, Cardstock, Glossy	
Automatic Document Feeder	270 sheets (DPDP)	
Dimensions (W x D x H)	23.6 x 25.7 x 30.7 inches (594 x 653 x 779 mm)	
Weight	Approximately 243.4 lbs (110.4 kg)	
Power Consumption	Printing: 600W, Ready: 100W, Sleep Mode: 1W	
Operating Temperature Range	50 to 90.5°F (10 to 32.5°C)	
Operating Humidity Range	20% to 80% RH	
Security Features	Standard: IPsec, SSL, Network Authentication, Optional Data Security Kit (E)	





PO BOX 701-20303 Telephone: 0202660859 Email: ict@nyandarua.go.ke

#### PRINTER 2 SPECIFICTIONS

Feature	PRINTER 2 SPECIFICTIONS  Specification
Printer Type	Monochrome Multifunction Printer
Functions	Print, Copy, Scan, Optional Fax
Print Technology	Laser (Monochrome)
Display	10.1-inch color touchscreen with tablet-like home screen
Processor Speed	1.6 GHz
-	4 GB standard RAM
Memory Hard Disk	320 GB HDD
Print Speed	Up to 50 pages per minute (ppm)
First Page Out Print Resolution	Approximately 3.7 seconds
	1200 x 1200 dpi
Duty Cycle	Up to 225,000 pages per month
Duplex Printing	Automatic (standard)
Scan Type	Color and B/W scanning, Dual Scan Document Processor (DPDP)
Scan Resolution	Up to 600 x 600 dpi
Scan Speed	Up to 120 ipm (simplex), 220 ipm (duplex)
Copy Speed	Up to 50 copies per minute (cpm)
Copy Resolution	600 x 600 dpi
Max Number of Copies	Up to 999 copies
Reduction/Enlargement	25% to 400% in 1% increments
Fax (Optional)	Fax System 12, Dual Fax option available
Fax Transmission Speed	Less than 3 seconds per page
Standard Connectivity	10/100/1000BaseTX Ethernet, High-Speed USB 2.0, 2 USB Host Interfaces,
	Optional Wireless LAN
Mobile Printing	Apple AirPrint, Google Cloud Print, Mopria, Mobile Print
Input Capacity	Standard: 1,150 sheets; Maximum: 7,150 sheets
Output Capacity	Standard: 500 sheets
Paper Sizes Supported	Letter, Legal, Ledger, A4, A5, A6, B5, B6, Custom Sizes
Media Types Supported	Plain, Letterhead, Bond, Recycled, Envelopes, Labels, Cardstock,
	Glossy
Automatic Document Feeder	270 sheets (DPDP)
Dimensions (W x D x H)	23.6 x 25.7 x 30.7 inches (594 x 653 x 779 mm)
Weight	Approximately 215 lbs (97.5 kg)
Power Consumption	Printing: 710W, Ready: 100W, Sleep Mode: 1W
Operating Temperature Range	50 to 90.5°F (10 to 32.5°C)
Operating Humidity Range	20% to 80% RH
Security Features	Standard: IPsec, SSL, Network Authentication, Optional Data Security Kit (E)





PO BOX 701-20303 Telephone: 0202660859 Email: ict@nyandarua.go.ke

### PRINTER 3 SPECIFICTIONS

Feature	Specification
Printer Type	Color Laser Printer (Not Monochrome)
Functions	Print, Copy, Scan, Fax, Email
Print Technology	Laser
Display	4.3-inch color touchscreen
Processor Speed	1200 MHz
Memory	512 MB
Print Speed	Up to 28 pages per minute (ppm) for both black and color
First Page Out	As fast as 9.7 seconds (black) and 11.3 seconds (color)
Print Resolution	Up to 600 x 600 dpi
Duty Cycle	Up to 50,000 pages per month
Recommended Monthly	900 to 4,800 pages
Volume	
Duplex Printing	Automatic (standard)
Scan Type	Flatbed, ADF (Automatic Document Feeder)
Scan Resolution	Up to 1200 x 1200 dpi
Scan Speed	Up to 26 ppm (B/W) and 21 ppm (color) for single-sided; 49 ipm
	(B/W) and 35 ipm (color) for two-sided
Copy Speed	Up to 19 copies per minute (cpm) for both black and color
Copy Resolution	Up to 600 x 600 dpi
Max Number of Copies	Up to 999 copies
Reduction/Enlargement	25% to 400%
Fax Resolution	Up to 300 x 300 dpi
Transmission Speed	3 seconds per page
Fax Memory	Up to 400 pages
Standard Connectivity	Hi-Speed USB 2.0, Host USB, Gigabit Ethernet, Dual-band Wi-Fi,
	Fax port, Wireless Direct Printing, NFC
Mobile Printing	Apple AirPrint, Google Cloud Print, HP ePrint, Mopria Certified
Input Capacity	Up to 300 sheets
Output Capacity	Up to 150 sheets
Paper Sizes Supported	Letter, Legal, Executive, Oficio, A4, A5, A6, B5 (JIS), B6 (JIS), 16K,
	Envelope, Custom sizes
Media Types Supported	Paper (various types), envelopes, labels, transparencies,
	cardstock

Automatic Document Feeder	50 sheets
Dimensions (W x D x H)	416 x 472 x 400 mm (16.4 x 18.6 x 15.7 inches)
Weight	23.4 kg (51.6 lbs)
Power Consumption	510 watts (active printing), 14.3 watts (ready), 0.7 watts (sleep), 0.7 watts (Auto-Off), 0.06 watts (off)
Operating Temperature Range	15 to 30°C (59 to 86°F)
Operating Humidity Range	10 to 80% RH
Security Features	Secure Boot, Secure Firmware Integrity, LDAP Authentication, 802.1X Authentication, Certificate Management, IPsec/Firewall, Preshared Key Authentication, Kerberos Authentication





PO BOX 701-20303 Telephone: 0202660859 Email: ict@nyandarua.go.ke

# **PRINTER 4 SPECIFICATIONS**

Ports	1 Hi-Speed USB 2.0; 1 Ethernet 10/100Base-TX
	Number of Copies; Lighter/Darker; Optimize; Paper;
Copier settings	Multi-Page Copy; Collation; Draft Mode
Copy reduce/enlarge	25 to 400%
settings	25 to 400%
Copy speed (black, normal)	Up to 30 CPM (Letter), 28 CPM (A4)
Memory, standard	256 MB
Network protocols, supported	USB 2.0, Ethernet, TCP/IP: IPv4; IPv6; IP Direct Mode;
	LPD; SLP; Bonjour; WS-Discovery; BOOTP/DHCP/Auto IP; WINS;
	SNMP v 1/2/3; HTTP/HTTPS
Input capacity	Up to 260 sheets
Output capacity	Up to 150 sheets
Media sizes supported	A4
(metric)	
Media sizes supported	Letter; Legal
(U.S. standard)	
Media sizes, custom (U.S. standard)	3 x 5 to 8.5 x 14 in
Media types	Paper (laser, plain, photo, rough, vellum), envelopes, labels, cardstock,
	postcards
Media weight supported (metric)	60 to 163 g/m <sup>2</sup>
Media weight supported	16 to 43 lb
(U.S. standard)	
Connectivity	USB/Ethernet
Speed Black	at least 25 ppm
Paper handling - duplexer	
Recommended media	60 to 105 g/m <sup>2</sup>
weight, duplex (metric)	
Recommended media	16 to 28 lb
weight, duplex (U.S. standard)	
Media sizes, duplex	A4
(metric)	
Media sizes, duplex (U.S. standard)	Letter; legal
Power	
Energy savings feature technology	HP Auto-On/Auto-Off technology
Power supply	110-volt input voltage: 110 to 127 VAC (+/- 10%), 60
	Hz/50 Hz, 5.9 A; 220-volt input voltage: 220 to 240 VAC (+/-
	10%), 60 Hz/50 Hz, 3.3A
Print cartridges	
Number of print cartridges	1 Black cartridge, 1 drum
Printing specifications	L
Print technology	Laser

Scan	
Scan technology	CIS
Scan speed (normal)	Up to 15 ppm
Scan duplexer	Both sides
Scan resolution, hardware	Up to 300 x 300 dpi (color and mono, ADF); Up to 600 x 600 dpi (color, flatbed); Up to 1200 x 1200 dpi (mono,
	flatbed)
Compatible network operating systems	Windows 10, 8, 7 (32-bit or 64-bit): 2 GB available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Internet Explorer;
One year warranty	





PO BOX 701-20303 Telephone: 0202660859 Email: <u>ict@nyandarua.go.ke</u>

### PRINTER 5 SPECIFICTIONS

Feature	Specification
Printer Type	Monochrome Laser Printer
Functions	Print
Print Technology	Laser (Monochrome)
Display	2-line LCD with keypad
Processor Speed	800 MHz
Memory	256 MB
Print Speed	Up to 35 pages per minute (ppm)
First Page Out	As fast as 8 seconds
Print Resolution	Up to 1200 x 1200 dpi
Duty Cycle	Up to 50,000 pages per month
Recommended	750 to 3,000 pages
Monthly Volume	
Duplex Printing	Automatic (standard)
Standard	1 Hi-Speed USB 2.0, 1 Ethernet 10/100Base-TX
Connectivity	
Mobile Printing	ePrint, Apple AirPrint
Input Capacity	Standard: 300 sheets (250-sheet input tray, 50-sheet multipurpose tray)
Output Capacity	150 sheets
Paper Sizes	Letter, Legal, Executive, Oficio, A4, A5, A6, B5 (JIS), B6 (JIS), 16K,
Supported	Custom sizes
Media Types Supported	Paper (plain, EcoFFICIENT, light, heavy, bond, color, letterhead, preprinted, prepunched, recycled, rough), envelopes, labels, transparencies, cardstock
Dimensions (W x D x H)	364.6 x 368 x 267.5 mm (14.3 x 14.5 x 10.5 inches)
Weight	10.1 kg (22.2 lbs)
Power Consumption	570 watts (printing), 7.3 watts (ready), 1.6 watts (sleep), 0.1 watts (off)
Operating Temperature Range	15 to 32.5°C (59 to 90.5°F)
Operating Humidity Range	30% to 70% RH
Security Features	HP Auto-On/Auto-Off Technology, IPv6, IPsec, 802.1X Authentication





PO BOX 701-20303 Telephone: 0202660859 Email: ict@nyandarua.go.ke

Specification	Details
Model	ISR 4331 (ISR4331/K9)
Series	Cisco 4000 Series Integrated Services Routers
WAN Ports	2 x Integrated Gigabit Ethernet (RJ-45) Ports
LAN Ports	1 x Gigabit Ethernet (RJ-45)
NIM (Network Interface Modules)	2 Slots
SM (Service Module) Slots	1 Slot
Flash Memory	4 GB (Upgradable to 16 GB)
Memory (RAM)	4 GB DDR3 DRAM (Upgradable to 16 GB)
Maximum Throughput	Up to 100 Mbps (default), upgradable to 300 Mbps
Routing Capabilities	IPv4, IPv6, MPLS, BGP, OSPF, EIGRP, IS-IS, RIP
Security Features	IPsec, VPN, SSL VPN, Cisco Zone-Based Firewall, NAT
QoS Support	Advanced QoS (Application-aware)
Voice and Video	Cisco Unified Communications, Voice Gateway Support
Redundancy	Dual Integrated Power Supplies (Optional)
Management	CLI, Cisco IOS-XE, WebUI, SNMP
Virtualization	Cisco NFV (Network Function Virtualization) support
Expansion Capabilities	Up to 2 NIMs, 1 SM
Dimensions	44.5 x 43.8 x 4.4 cm (17.5 x 17.25 x 1.75 in)
Weight	7.25 kg (16 lbs)
Operating Temperature	0°C to 40°C (32°F to 104°F)
Storage Temperature	-40°C to 70°C (-40°F to 158°F)
Power Supply	250W AC or PoE power supply, optional Redundant PSU





PO BOX 701-20303 Telephone: 0202660859 Email: ict@nyandarua.go.ke

Specification	Details
Model	ISR 2911 (ISR2911/K9)
Series	Cisco 2900 Series Integrated Services Routers
WAN Ports	3 x Integrated 10/100/1000 Gigabit Ethernet Ports
LAN Ports	2 x Gigabit Ethernet Ports
Expansion Slots	4 x Enhanced High-Speed WAN Interface Card (EHWIC) Slots
PVDM Slots	2 x PVDM3 Slots for Digital Signal Processing
Flash Memory	256 MB (Upgradable to 4 GB)
Memory (RAM)	512 MB (Default) DDR2 DRAM, Upgradable to 2 GB
Maximum Throughput	Up to 75 Mbps (default), scalable with performance licenses
Routing Capabilities	IPv4, IPv6, MPLS, OSPF, EIGRP, BGP, IS-IS, RIP
Security Features	Cisco IOS Firewall, VPN, IPsec, SSL VPN, Zone-Based Firewall
VPN Support	IPsec VPN, SSL VPN, GET VPN
Voice and Video	Cisco Unified Communications, Voice Gateway, SRST (Survivable Remote Site Telephony)
QoS Support	Advanced QoS (application-aware)
Redundancy	Dual Power Supply Options (AC, DC)
Management	CLI, Cisco Configuration Professional (CCP), SNMP
Virtualization	Cisco Unified Computing System Express (UCS-E) Modules support
Expansion Capabilities	EHWIC, PVDM3 for voice and data support, Service Modules (SMs)
Dimensions	43.8 x 43.8 x 8.9 cm (17.25 x 17.25 x 3.5 in)
Weight	9.07 kg (20 lbs)
Power Supply	250W AC or DC Power Supply, Optional Redundant PSU
Operating Temperature	0°C to 40°C (32°F to 104°F)
Storage Temperature	-40°C to 70°C (-40°F to 158°F)
MTBF (Mean Time Between Failures)	298,500 hours





PO BOX 701-20303 Telephone: 0202660859 Email: ict@nyandarua.go.ke

Specification	Details
Model	Cisco ISR 891F (ISR891F/K9)
Series	Cisco 800 Series Integrated Services Routers
WAN Ports	1 x Gigabit Ethernet (GE) WAN Port
LAN Ports	4 x 10/100/1000 Gigabit Ethernet Ports
Integrated Cellular Module	1 x 3G/4G LTE Cellular Module (optional)
Expansion Slots	1 x High-Speed WAN Interface Card (HWIC) Slot
Flash Memory	512 MB (Upgradable)
Memory (RAM)	1 GB DDR3 (Upgradable)
Maximum Throughput	Up to 100 Mbps
Routing Capabilities	IPv4, IPv6, MPLS, OSPF, EIGRP, BGP, IS-IS, RIP
Security Features	IPsec, VPN, SSL VPN, Cisco Zone-Based Firewall
VPN Support	IPsec VPN, SSL VPN, GET VPN
Voice and Video	Cisco Unified Communications, SRST (Survivable Remote Site Telephony)
QoS Support	Basic QoS with classification and traffic shaping
Redundancy	Single Power Supply
Management	CLI, Cisco Configuration Professional (CCP), WebUI, SNMP
Virtualization	No support for virtualization
Dimensions	43.5 x 23.6 x 4.4 cm (17.1 x 9.3 x 1.7 in)
Weight	4.5 kg (9.9 lbs)
Power Supply	100-240V AC Power Supply
Operating Temperature	0°C to 40°C (32°F to 104°F)
Storage Temperature	-20°C to 70°C (-4°F to 158°F)





PO BOX 701-20303 Telephone: 0202660859 Email: <u>ict@nyandarua.go.ke</u>

Specification	Details
Model	ISR 1921 (ISR1921/K9)
Series	Cisco 1900 Series Integrated Services Routers
WAN Ports	2 x Gigabit Ethernet (GE) Ports
LAN Ports	2 x 10/100/1000 Gigabit Ethernet Ports
Expansion Slots	2 x Enhanced High-Speed WAN Interface Card (EHWIC) Slots
PVDM Slots	1 x PVDM3 Slot for Digital Signal Processing
Flash Memory	256 MB (Upgradable to 4 GB)
Memory (RAM)	512 MB (Default), Upgradable to 2 GB
Maximum Throughput	Up to 75 Mbps (default), scalable with performance licenses
Routing Capabilities	IPv4, IPv6, MPLS, OSPF, EIGRP, BGP, IS-IS, RIP
Security Features	Cisco IOS Firewall, VPN, IPsec, SSL VPN, Zone-Based Firewall
VPN Support	IPsec VPN, SSL VPN, GET VPN
Voice and Video	Cisco Unified Communications, Voice Gateway, SRST (Survivable Remote Site Telephony)
QoS Support	Advanced QoS (application-aware)
Redundancy	Optional Dual Power Supply
Management	CLI, Cisco Configuration Professional (CCP), SNMP
Virtualization	No support for virtualization
Dimensions	43.8 x 31.5 x 4.4 cm (17.25 x 12.4 x 1.75 in)
Weight	5.8 kg (12.8 lbs)
Power Supply	100-240V AC Power Supply
Operating Temperature	0°C to 40°C (32°F to 104°F)
Storage Temperature	-20°C to 70°C (-4°F to 158°F)





PO BOX 701-20303 Telephone: 0202660859 Email: ict@nyandarua.go.ke

Specification	Details
Model	RB3011
Series	Router Board
WAN Ports	1 x 10G SFP+ Port
LAN Ports	10 x Gigabit Ethernet (RJ45) Ports
CPU	ARM Cortex-A15, 1.4 GHz Dual-Core
RAM	1 GB DDR3
Flash Memory	512 MB NAND
Maximum Throughput	Up to 10 Gbps (with SFP+ port)
Routing Capabilities	IPv4, IPv6, MPLS, OSPF, BGP, EIGRP, IS-IS, RIP
Security Features	Firewall, VPN, IPsec, L2TP, PPTP, OpenVPN
QoS Support	Advanced QoS features
Management	CLI, Web Fig (Web-based Interface), Win Box, SNMP
Dimensions	44 x 216 x 44 mm (1.73 x 8.5 x 1.73 in)
Weight	1.24 kg (2.73 lbs)
Power Supply	24V DC (Included Power Adapter)
Operating Temperature	-20°C to 60°C (-4°F to 140°F)
Storage Temperature	-40°C to 70°C (-40°F to 158°F)





PO BOX 701-20303 Telephone: 0202660859 Email: ict@nyandarua.go.ke

# **CABINET TYPE 1**

Specification	Details
Rack Units (U)	42U
Height	Approximately 78 inches (198 cm)
Width	19 inches (48.3 cm)
Depth	800 mm (31.5 inches)
Material	Steel or aluminum with powder-coated finish
Weight Capacity	800-1,500 lbs (363-680 kg)
Doors	Front and rear doors, usually perforated for ventilation
Side Panels	Removable or hinged for access
Cooling	Includes ventilation options with fan mounts or optional cooling units
Cable Management	Includes vertical and horizontal cable management options
Mounting Rails	Adjustable to fit various rackmount equipment
Accessibility	Lockable doors for security, easy access for maintenance
Ventilation	Includes air vents and fan options for optimal airflow
Grounding	Typically includes grounding provisions for electrical safety





PO BOX 701-20303 Telephone: 0202660859 Email: ict@nyandarua.go.ke

# **CABINET TYPE 2**

Specification	Details
Rack Units (U)	22U
Height	Approximately 38.5 inches (98 cm)
Width	19 inches (48.3 cm)
Depth	800 mm (31.5 inches)
Material	Steel or aluminum with powder-coated finish
Weight Capacity	600-1,000 lbs (272-454 kg)
Doors	Front and rear doors, usually perforated for ventilation
Side Panels	Removable or hinged for easy access
Cooling	Includes ventilation options with fan mounts or optional cooling units
Cable Management	Integrated cable management options
Mounting Rails	Adjustable rails to fit various rackmount equipment
Accessibility	Lockable doors for security, convenient access for maintenance
Ventilation	Air vents and fan options for effective airflow
Grounding	Includes grounding provisions for electrical safety





PO BOX 701-20303 Telephone: 0202660859 Email: ict@nyandarua.go.ke

#### **CABINET TYPE 3**

Specification	Details	
Rack Units (U)	18U	
Height	Approximately 31.5 inches (80 cm)	
Width	19 inches (48.3 cm)	
Depth	800 mm (31.5 inches)	
Material	Steel or aluminum with powder-coated finish	
Weight Capacity	500-800 lbs (227-363 kg)	
Doors	Front and rear doors, perforated for ventilation	
Side Panels	Removable or hinged for easy access	
Cooling	Includes ventilation options with fan mounts or optional cooling units	
Cable Management	Integrated cable management options	
Mounting Rails	Adjustable rails to fit various rackmount equipment	
Accessibility	Lockable doors for security, convenient access for maintenance	
Ventilation	Air vents and fan options for effective airflow	
Grounding	Includes grounding provisions for electrical safety	





PO BOX 701-20303 Telephone: 0202660859 Email: ict@nyandarua.go.ke

# **CABINET TYPE 4**

Specification	Details	
Rack Units (U)	9U	
Height	Approximately 15.75 inches (40 cm)	
Width	19 inches (48.3 cm)	
Depth	600 mm (23.6 inches)	
Material	Steel or aluminum with powder-coated finish	
Weight Capacity	200-400 lbs (90-180 kg)	
Doors	Front and rear doors, usually perforated for ventilation	
Side Panels	Removable or hinged for easy access	
Cooling	Includes ventilation options with fan mounts or optional cooling units	
Cable Management	Integrated cable management options	
Mounting Rails	Adjustable rails to fit various rackmount equipment	
Accessibility	Lockable doors for security, convenient access for maintenance	
Ventilation	Air vents and fan options for effective airflow	
Grounding	Includes grounding provisions for electrical safety	





PO BOX 701-20303 Telephone: 0202660859 Email: ict@nyandarua.go.ke

	SWITCH TYPE 1
Specification	Details
Model	Cisco Catalyst 2960X-48FPS-L
Series	Cisco Catalyst 2960-X
Form Factor	1U Rack-Mountable
Total Ports	48 x 10/100/1000 Gigabit Ethernet Ports
Uplink Ports	4 x 1G SFP Uplink Ports
PoE Support	Yes, PoE/PoE+
PoE Power Budget	740W
PoE Power per Port	Up to 30W (PoE+)
Switching Capacity	216 Gbps
Forwarding Rate	107.1 Mpps
Stacking	Supports FlexStack-Plus (up to 8 switches)
Memory (RAM)	512 MB
Flash Memory	128 MB
Layer Support	Layer 2 and basic Layer 3
Management	CLI, Web Interface, Cisco Network Assistant
Security Features	ACLs, DHCP Snooping, IP Source Guard, 802.1X
QoS Support	Advanced QoS for traffic prioritization
Energy Efficiency	Energy Efficient Ethernet (EEE) 802.3az
Power Supply	Dual Redundant Power Supplies Supported
Dimensions	44.5 x 27.9 x 4.5 cm (17.5 x 11 x 1.75 in)
Weight	8.4 kg (18.52 lbs)
Operating Temperature	0°C to 45°C (32°F to 113°F)
Storage Temperature	-25°C to 70°C (-13°F to 158°F)
MTBF (Mean Time Between Failures)	320,000 hours





PO BOX 701-20303 Telephone: 0202660859 Email: ict@nyandarua.go.ke

Specification	Details
Model	Cisco Catalyst 2960X-24FPS-L
Series	Cisco Catalyst 2960-X
Form Factor	1U Rack-Mountable
Total Ports	24 x 10/100/1000 Gigabit Ethernet Ports
Uplink Ports	4 x 1G SFP Uplink Ports
PoE Support	Yes, PoE/PoE+
PoE Power Budget	370W
PoE Power per Port	Up to 30W (PoE+)
Switching Capacity	216 Gbps
Forwarding Rate	95.2 Mpps
Stacking	Supports FlexStack-Plus (up to 8 switches)
Memory (RAM)	512 MB
Flash Memory	128 MB
Layer Support	Layer 2 and basic Layer 3
Management	CLI, Web Interface, Cisco Network Assistant
Security Features	ACLs, DHCP Snooping, IP Source Guard, 802.1X
QoS Support	Advanced QoS for traffic prioritization
Energy Efficiency	Energy Efficient Ethernet (EEE) 802.3az
Power Supply	Dual Redundant Power Supplies Supported
Dimensions	44.5 x 27.9 x 4.5 cm (17.5 x 11 x 1.75 in)
Weight	5.6 kg (12.34 lbs)
Operating Temperature	0°C to 45°C (32°F to 113°F)
Storage Temperature	-25°C to 70°C (-13°F to 158°F)
MTBF (Mean Time Between Failures)	432,000 hours





PO BOX 701-20303 Telephone: 0202660859 Email: ict@nyandarua.go.ke

SWITCH TYPE 3
Details
Cisco SG350-48MP
Cisco Small Business 350 Series
48 x 10/100/1000 Gigabit Ethernet Ports
2 x 1G/5G SFP Combo Ports
Yes, PoE/PoE+
740W
Up to 30W per port (PoE+)
104 Gbps
77.38 Mpps
No stacking capability
512 MB
256 MB
Layer 2 and Layer 3
CLI, Web-based GUI, Cisco FindIT, SNMP
ACLs, DHCP Snooping, IP Source Guard, 802.1X
Advanced QoS with 8 priority queues
Energy Efficient Ethernet (EEE) 802.3az
Internal Power Supply
44 x 25.7 x 4.4 cm (17.3 x 10.1 x 1.7 in)
5.32 kg (11.73 lbs)
0°C to 40°C (32°F to 104°F)
-20°C to 70°C (-4°F to 158°F)
355,050 hours





PO BOX 701-20303 Telephone: 0202660859 Email: ict@nyandarua.go.ke

Specification	Details
Model	Cisco SG350-28P
Series	Cisco Small Business 350 Series
Total Ports	24 x 10/100/1000 Gigabit Ethernet Ports
Uplink Ports	2 x 1G/5G SFP Combo Ports
PoE Support	Yes, PoE/PoE+
PoE Power Budget	195W
PoE Power per Port	Up to 30W per port (PoE+)
Switching Capacity	56 Gbps
Forwarding Rate	41.66 Mpps
Stacking	No stacking capability
Memory (RAM)	512 MB
Flash Memory	256 MB
Layer Support	Layer 2 and basic Layer 3
Management	CLI, Web-based GUI, Cisco FindIT, SNMP
Security Features	ACLs, DHCP Snooping, IP Source Guard, 802.1X
QoS Support	Advanced QoS with 8 priority queues
Energy Efficiency	Energy Efficient Ethernet (EEE) 802.3az
Power Supply	Internal Power Supply
Dimensions	44 x 20 x 4.4 cm (17.3 x 7.87 x 1.73 in)
Weight	3.65 kg (8.05 lbs)
Operating Temperature	0°C to 40°C (32°F to 104°F)
Storage Temperature	-20°C to 70°C (-4°F to 158°F)
MTBF (Mean Time Between Failures)	328,991 hours





PO BOX 701-20303 Telephone: 0202660859 Email: <u>ict@nyandarua.go.ke</u>

Specification	Details
Model	Cisco Catalyst 2960-48TC-L
Series	Cisco Catalyst 2960 Series
Total Ports	48 x 10/100 Fast Ethernet Ports
Uplink Ports	2 x 10/100/1000 Gigabit Ethernet Combo (SFP) Ports
Switching Capacity	16.8 Gbps
Forwarding Rate	6.5 Mpps
Stacking	Not stackable
Memory (RAM)	64 MB
Flash Memory	32 MB
Layer Support	Layer 2
Management	CLI, Web-Based Interface, Cisco Network Assistant
Security Features	ACLs, 802.1X, Port Security
QoS Support	Basic QoS with classification and traffic shaping
Energy Efficiency	Not Energy Efficient Ethernet (older model)
Power Supply	Fixed Internal Power Supply
Dimensions	44.5 x 23.6 x 4.5 cm (17.5 x 9.3 x 1.75 in)
Weight	4.5 kg (9.92 lbs)
Operating Temperature	0°C to 40°C (32°F to 104°F)
Storage Temperature	-25°C to 70°C (-13°F to 158°F)
MTBF (Mean Time Between	336,000 hours
Failures)	





PO BOX 701-20303 Telephone: 0202660859 Email: <u>ict@nyandarua.go.ke</u>

Specification	Details
Model	Cisco Catalyst 2960-24TC-L
Series	Cisco Catalyst 2960 Series
Total Ports	24 x 10/100 Fast Ethernet Ports
Uplink Ports	2 x 10/100/1000 Gigabit Ethernet Combo (SFP) Ports
Switching Capacity	8.8 Gbps
Forwarding Rate	6.5 Mpps
Stacking	Not stackable
Memory (RAM)	64 MB
Flash Memory	32 MB
Layer Support	Layer 2
Management	CLI, Web-Based Interface, Cisco Network Assistant
Security Features	ACLs, 802.1X, Port Security
QoS Support	Basic QoS with classification and traffic shaping
Energy Efficiency	Not Energy Efficient Ethernet (older model)
Power Supply	Fixed Internal Power Supply
Dimensions	44.5 x 23.6 x 4.5 cm (17.5 x 9.3 x 1.75 in)
Weight	4.0 kg (8.82 lbs)
Operating Temperature	0°C to 40°C (32°F to 104°F)
Storage Temperature	-25°C to 70°C (-13°F to 158°F)
MTBF (Mean Time Between Failures)	461,000 hours





PO BOX 701-20303 Telephone: 0202660859 Email: <u>ict@nyandarua.go.ke</u>

Specification	Details
Model	SF200-48
Series	200 Series
Total Ports	48 x 10/100 Fast Ethernet Ports
Uplink Ports	2 x Gigabit Ethernet (RJ45) Combo Ports (with SFP)
Switching Capacity	17.6 Gbps
Forwarding Rate	13.1 Mpps
Stacking	No stacking capability
Layer Support	Layer 2
Management	Web-based GUI, Cisco FindIT, SNMP
Security Features	ACLs, 802.1X, MAC-based port security
QoS Support	Basic QoS with 4 priority queues
Energy Efficiency	Energy Efficient Ethernet (EEE) 802.3az
Power Supply	Internal Power Supply
Dimensions	44 x 25.7 x 4.4 cm (17.3 x 10.1 x 1.73 in)
Weight	3.52 kg (7.75 lbs)
Operating Temperature	0°C to 40°C (32°F to 104°F)
Storage Temperature	-20°C to 70°C (-4°F to 158°F)
MTBF (Mean Time Between Failures)	389,030 hours





PO BOX 701-20303 Telephone: 0202660859 Email: <u>ict@nyandarua.go.ke</u>

Specification	Details
Model	Cisco SF200-24
Series	Cisco Small Business 200 Series
Total Ports	24 x 10/100 Fast Ethernet Ports
Uplink Ports	2 x Gigabit Ethernet (RJ45) Combo Ports (with SFP)
Switching Capacity	12.8 Gbps
Forwarding Rate	9.52 Mpps
Stacking	No stacking capability
Layer Support	Layer 2
Management	Web-based GUI, Cisco FindIT, SNMP
Security Features	ACLs, 802.1X, MAC-based port security
QoS Support	Basic QoS with 4 priority queues
Energy Efficiency	Energy Efficient Ethernet (EEE) 802.3az
Power Supply	Internal Power Supply
Dimensions	44 x 20.3 x 4.4 cm (17.3 x 8 x 1.73 in)
Weight	2.45 kg (5.4 lbs)
Operating Temperature	0°C to 40°C (32°F to 104°F)
Storage Temperature	-20°C to 70°C (-4°F to 158°F)
MTBF (Mean Time Between Failures)	486,435 hours





PO BOX 701-20303 Telephone: 0202660859 Email: <u>ict@nyandarua.go.ke</u>

Specification	Details
Model	TP-Link TL-SG1048
Series	TP-Link TL-SG1000 Series
Total Ports	48 x 10/100/1000 Gigabit Ethernet Ports
Uplink Ports	None (all ports are Gigabit Ethernet)
Switching Capacity	96 Gbps
Forwarding Rate	71.4 Mpps
Stacking	No stacking capability
Layer Support	Layer 2
Management	Unmanaged (Plug and Play)
QoS Support	No QoS (Unmanaged switch)
Energy Efficiency	Energy Efficient Ethernet (IEEE 802.3x flow control)
Power Supply	Internal Power Supply
Dimensions	43 x 18 x 4.4 cm (17 x 7.1 x 1.7 in)
Weight	3.7 kg (8.16 lbs)
Operating Temperature	0°C to 40°C (32°F to 104°F)
Storage Temperature	-40°C to 70°C (-40°F to 158°F)
MTBF (Mean Time Between Failures)	374,800 hours





PO BOX 701-20303 Telephone: 0202660859 Email: <u>ict@nyandarua.go.ke</u>

Feature	Specification	
Product Name	24-Port Gigabit Rackmount Switch	
Port Count	24 Gigabit Ethernet ports	
Switch Type	Unmanaged	
Port Speed	10/100/1000 Mbps	
Bandwidth	48 Gbps	
MAC Address Table	8K entries	
Forwarding Rate	35.7 Mpps (Million packets per second)	
Jumbo Frame Support	10 KB	
Auto MDI/MDIX	Yes	
Energy Efficiency	IEEE 802.3x Flow Control, Energy-Efficient Ethernet (EEE)	
Housing	Metal, fanless design	
LED Indicators	Power, Link/Activity per port	
Mounting Options	Rackmount or desktop	
Dimensions (W x D x H)	294 x 180 x 44 mm (11.6 x 7.1 x 1.7 inches)	
Power Supply	Internal power supply (100-240V AC, 50/60Hz)	
Power Consumption	Maximum: 13.2W (220V/50Hz)	
Operating	0°C to 40°C (32°F to 104°F)	
Temperature		
Operating Humidity	10% to 90% non-condensing	
Certifications	FCC, CE, RoHS	





PO BOX 701-20303 Telephone: 0202660859 Email: <u>ict@nyandarua.go.ke</u>

Feature	Specification	
Product Name	5-Port Gigabit Desktop Switch	
Port Count	5 Gigabit Ethernet ports	
Switch Type	Unmanaged	
Port Speed	10/100/1000 Mbps	
Bandwidth	10 Gbps	
MAC Address Table	2K entries	
Forwarding Rate	7.44 Mpps (Million packets per second)	
Jumbo Frame Support	9 KB	
Auto MDI/MDIX	Yes	
Energy Efficiency	IEEE 802.3x Flow Control, Energy-Efficient Ethernet (EEE)	
Housing	Metal, fanless design	
LED Indicators	Power, Link/Activity	
Mounting Options	Desktop or wall-mountable	
Dimensions (W x D x H)	99.8 x 98 x 25 mm (3.9 x 3.9 x 1.0 inches)	
Power Supply	External power adapter (5V/0.6A)	
Power Consumption	Maximum: 2.3W	
Operating	0°C to 40°C (32°F to 104°F)	
Temperature		
Operating Humidity	10% to 90% non-condensing	
Certifications	FCC, CE, RoHS	





PO BOX 701-20303 Telephone: 0202660859 Email: ict@nyandarua.go.ke

## TABLET TYPE 1

NETWORK	4G bands	1 2 2 4 5 7 9 12 14 17
INDI WOKK	4G bands	1, 2, 3, 4, 5, 7, 8, 12, 13, 14, 17,
		19, 20, 25, 26, 28, 29, 30, 38, 40, 41, 66, 71
	Speed	HSPA, LTE
BODY	Dimensions	166.3 x 225.3 x 7.2 mm (6.55 x
		8.87 x 0.28 in)
	Weight	465 g (1.03 lb)
	Build	Glass front, aluminum frame,
		aluminum back
	SIM	Nano-SIM Stylus support
DISPLAY	Туре	IPS LCD, 90Hz, 400 nits (typ)
	Size	11.0 inches, 350.9 cm <sup>2</sup> (~93.6%
		screen-to-body ratio)
	Resolution	1200 x 1920 pixels, 16:10 ratio
	Resolution	(~206 ppi density
PLATFORM	os	Android 13
	Chipset	Mediatek MT6769H Helio G88
	Cmpset	(12nm)
	СРИ	Octa-core (2x2.0 GHz Cortex-
	Cro	A75 & 6x1.8 GHz Cortex-A55)
	GPU	Mali-G52 MC2
MENTODAY		
MEMORY	Card slot	microSDXC (dedicated slot)
	Internal	128GB 4GB RAM
		Emmc 5.1
MAIN CAMERA	Single	13 MP, f/2.2, (wide), AF or
		8 MP, f/2.0, (wide), AF
	<b>Features</b>	LED flash
	Video	1080p@30fps
SELFIE CAMERA	Single	8 MP, f/2.0, (wide)
SELFIE CANIEKA	Video	1080p@30fps
COLIND		1 1
SOUND	Loudspeaker	Yes, with stereo speakers (4
	2.5	speakers)
	3.5mm jack	Yes
COMMS	WLAN	Wi-Fi 802.11 a/b/g/n/ac, dualband, Wi-Fi Direct
	Bluetooth	5.1, A2DP, LE
	Positioning	GPS, GLONASS, BDS
	NFC	No
	Radio	No
	USB	USB Type-C 2.0
FEATURES	Sensors	Accelerometer, gyro, proximity (accessories only)
BATTERY	Туре	Li-Po 7040 mAh, non-
		removable
	Charging	15W wired
WARRANTY		





PO BOX 701-20303 Telephone: 0202660859 Email: <u>ict@nyandarua.go.ke</u>

#### **TABLET TYPE 2**

NETWORK	5G BANDS	1, 3, 5, 7, 8, 20, 28, 38, 40, 41, 66, 77, 78 SA/NSA/Sub6
	Speed	HSPA, LTE (CA), 5G
BODY	Dimensions	254.3 x 165.8 x 5.9 mm (10.01 x 6.53 x 0.23 in)
	Weight	498 g (1.10 lb)
	Build	Glass front, aluminum frame, aluminum back
	SIM	Nano-SIM, eSIM
DISPLAY	Туре	Dynamic AMOLED 2X, 120Hz, HDR10+
	Size	11.0 inches, 350.9 cm <sup>2</sup> (~83.2% screen-to-body ratio)
	Resolution	1600 x 2560 pixels, 16:10 ratio (~274 ppi density)
PLATFORM	os	Android 13, up to 4 major Android upgrades, One UI 6
	Chipset	Qualcomm SM8550-AC Snapdragon 8 Gen 2 (4 nm)
	CPU	Octa-core (1x3.36 GHz Cortex-X3 & 2x2.8 GHz Cortex-A715 & 2x2.8 GHz Cortex-A710 & 3x2.0 GHz Cortex-A510)
	GPU	Adreno 740
MEMORY	Card slot	microSDXC (dedicated slot)
	Internal	256GB 8GB RAM
MAIN CAMERA	Single	13 MP, f/2.0, 26mm (wide), 1/3.4", 1.0μm, AF
	Features	LED flash, HDR, panorama
	Video	4K@30fps, 1080p@30fps
SELFIE CAMERA	Single	12 MP, f/2.4, 120° (ultrawide)
SOUND	Video Loudspeaker	4K@30fps, 1080p@30fps Yes, with stereo speakers (4
		speakers)
00.00	3.5mm jack	No
COMMS	WLAN	Wi-Fi 802.11 a/b/g/n/ac/6e, tri- band, Wi-Fi Direct
	Bluetooth	5.3, A2DP, LE
	Positioning	GPS, GLONASS, BDS, GALILEO
	NFC	No
	Radio	No

	USB	USB Type-C 3.2, magnetic connector
FEATURES	Sensors	Fingerprint (under display, optical), accelerometer, gyro, proximity, compass Wireless Samsung DeX
BATTERY	Туре	Li-Po 8400 mAh, non- removable
	Charging	45W wired
WARRANTY	Туре	1 year's warranty (12 months)





PO BOX 701-20303 Telephone: 0202660859 Email: <u>ict@nyandarua.go.ke</u>

Specification	Details	
Model	Smart-UPS SRT10KXLT	
Capacity	10 kVA / 10,000 VA	
Output Power	10 kW / 10,000 Watts	
Form Factor	Tower and Rack-mountable (3U)	
Input Voltage	208/240V AC (Selectable)	
Output Voltage	208/240V AC (Selectable)	
Frequency	50/60 Hz (auto-sensing)	
Waveform Type	Pure Sine Wave	
Battery Type	Lead-acid, Maintenance-free	
Battery Runtime	Varies based on load and battery configuration	
Battery Replacement	Hot-swappable	
Input Connections	Hardwired	
Output Connections	6 x NEMA L6-30R (outlets)	
Communication Ports	USB, Serial, SmartSlot (for optional network management card)	
Management Features	LCD display, Network management card support, Environmental monitoring	
Dimensions	43.5 x 74.9 x 17.4 cm (17.1 x 29.5 x 6.9 in)	
Weight	43.5 kg (95.7 lbs)	
Power Supply	100-240V AC Power Supply	
Operating Temperature	0°C to 40°C (32°F to 104°F)	
Storage Temperature	-15°C to 45°C (5°F to 113°F)	
MTBF (Mean Time Between Failures)	Approximately 272,000 hours	





PO BOX 701-20303 Telephone: 0202660859 Email: ict@nyandarua.go.ke

Specification	Details	
Model	Smart-UPS SRT10KXLT	
Capacity	10 kVA / 10,000 VA	
Output Power	10 kW / 10,000 Watts	
Form Factor	Tower and Rack-mountable (3U)	
Input Voltage	208/240V AC (Selectable)	
Output Voltage	208/240V AC (Selectable)	
Frequency	50/60 Hz (auto-sensing)	
Waveform Type	Pure Sine Wave	
Battery Type	Lead-acid, Maintenance-free	
Battery Runtime	Varies based on load and battery configuration	
Battery Replacement	Hot-swappable	
Input Connections	Hardwired	
Output Connections	6 x NEMA L6-30R (outlets)	
Communication Ports	USB, Serial, SmartSlot (for optional network management card)	
Management Features	LCD display, Network management card support, Environmental monitoring	
Dimensions	43.5 x 74.9 x 17.4 cm (17.1 x 29.5 x 6.9 in)	
Weight	43.5 kg (95.7 lbs)	
Power Supply	100-240V AC Power Supply	
Operating Temperature	0°C to 40°C (32°F to 104°F)	
Storage Temperature	-15°C to 45°C (5°F to 113°F)	
MTBF (Mean Time Between Failures)	Approximately 272,000 hours	





PO BOX 701-20303 Telephone: 0202660859 Email: ict@nyandarua.go.ke

Specification	Details	
Model	Smart-UPS SMT2200RM2U	
Capacity	2 kVA / 2,000 VA	
Output Power	1.8 kW / 1,800 Watts	
Form Factor	Rack-mountable (2U)	
Input Voltage	208/240V AC (Selectable)	
Output Voltage	208/240V AC (Selectable)	
Frequency	50/60 Hz (auto-sensing)	
Waveform Type	Pure Sine Wave	
Battery Type	Lead-acid, Maintenance-free	
Battery Runtime	Varies based on load and battery configuration	
Battery Replacement	Hot-swappable	
Input Connections	(1) Hardwired	
Output Connections	(6) NEMA 5-15R (outlets)	
Communication Ports	USB, Serial, SmartSlot (for optional network management card)	
Management Features	LCD display, Network management card support, Environmental monitoring	
Dimensions	43.2 x 53.3 x 8.9 cm (17 x 21 x 3.5 in)	
Weight	13.5 kg (29.8 lbs)	
Power Supply	100-240V AC Power Supply	
Operating Temperature	0°C to 40°C (32°F to 104°F)	
Storage Temperature	-15°C to 45°C (5°F to 113°F)	
MTBF (Mean Time Between Failures)	Approximately 272,000 hours	





PO BOX 701-20303 Telephone: 0202660859 Email: ict@nyandarua.go.ke

Specification	Details
Model	Back-UPS BE700G
Capacity	700 VA / 700 VA
Output Power	390 Watts
Form Factor	Tower
Input Voltage	120V AC
Output Voltage	120V AC
Frequency	50/60 Hz (auto-sensing)
Waveform Type	Stepped Sine Wave
Battery Type	Lead-acid, Maintenance-free
Battery Runtime	Varies based on load
Battery Replacement	User-replaceable
Input Connections	(1) NEMA 5-15P (plug)
Output Connections	(8) NEMA 5-15R (outlets)
Communication Ports	None (basic model without advanced management)
Management Features	LED indicators for power status and battery condition
Dimensions	33.8 x 12.7 x 15.5 cm (13.3 x 5 x 6.1 in)
Weight	4.7 kg (10.4 lbs)
Power Supply	120V AC Power Supply
Operating Temperature	0°C to 40°C (32°F to 104°F)
Storage Temperature	-15°C to 45°C (5°F to 113°F)





PO BOX 701-20303 Telephone: 0202660859 Email: ict@nyandarua.go.ke

PROJECTOR TYPE 1		
Feature	Specifications	
Display Technology	TriChroma Laser Technology	
Resolution	4K UHD (3840 x 2160)	
Brightness	Up to 3,000 ANSI lumens	
Contrast Ratio	Dynamic, up to 1,000,000:1	
Screen Size	100 inches (optimized for large screen sizes)	
Color	Covers up to 107% of BT.2020 color space	
HDR Support	HDR10, HLG	
Connectivity	HDMI, USB, Ethernet, Wi-Fi, Bluetooth	
Audio	Built-in Dolby Atmos sound system	
Smart Features	Android TV, built-in apps like Netflix, YouTube	
Throw Ratio	Short-throw (projects large images from a short distance)	
<b>Keystone Correction</b>	8-point keystone correction	
Lamp Life	Up to 25,000 hours	





Telephone: 0202660859 PROJECTOR TYPE 2 Email: ict@nyandarua.go.ke PO BOX 701-20303

Trade as Constitute 2		
Feature	Specifications	
Display Technology	3LCD	
Resolution	WXGA (1280 x 800)	
Brightness	4,200 lumens (Color and White Brightness)	
Contrast Ratio	Up to 16,000:1	
Lamp Life	Up to 12,000 hours (ECO Mode), 6,000 hours (Normal Mode)	
Throw Ratio	1.38 – 2.24	
<b>Keystone Correction</b>	Vertical and Horizontal Keystone Adjustment	
Connectivity	HDMI, VGA, USB, Ethernet, RS-232, Audio In/Out	
Built-in Speaker	Yes, 16W speaker	
Wireless Connectivity	Optional, via wireless module (sold separately)	
Compatibility	PC, Mac, Chromebooks, Blu-ray/DVD players, streaming devices	
Weight	6.17 lbs (2.8 kg)	





PO BOX 701-20303 Telephone: 0202660859 Email: ict@nyandarua.go.ke

# TELEVISION TYPE 1

SPECIFICATION	DETAILS	
MODEL	55-inch Full HD Smart Android TV	
DISPLAY SIZE	55 inches	
RESOLUTION	1920 x 1080 pixels (Full HD)	
DISPLAY TECHNOLOGY	LED	
REFRESH RATE	60 Hz	
ASPECT RATIO	16:9	
SMART TV	Yes, with Android TV	
OPERATING SYSTEM	Android TV OS	
ANDROID VERSION	Android 11	
PROCESSOR	Quad-core processor	
RAM	2.5 GB	
INTERNAL STORAGE	16 GB	
CONNECTIVITY	Wi-Fi, Ethernet	
HDMI PORTS	3 HDMI inputs	
USB PORTS	2 USB inputs	
AUDIO	2 x 12W speakers, Dolby Audio support	
BLUETOOTH	Yes, Bluetooth 5.0	
SCREEN MIRRORING	Chromecast built-in	
VOICE CONTROL	Google Assistant enabled	
POWER CONSUMPTION	120W	
REMOTE CONTROL	Smart remote with voice control	
DIMENSIONS (W X H X D)	Approximately 124 x 78 x 25 cm (with stand)	
WEIGHT	Approximately 12 kg	
MOUNT TYPE	Wall mount or stand included	
WARRANTY	1 year	





PO BOX 701-20303 Telephone: 0202660859 Email: ict@nyandarua.go.ke

# **TELEVISION TYPE 2**

Model	43-inch Full HD Smart Android TV
Display Size	43 inches
Resolution	1920 x 1080 pixels (Full HD)
Display Technology	LED
Refresh Rate	60 Hz
Aspect Ratio	16:9
Smart TV	Yes, with Android TV
Operating System	Android TV OS
Android Version	Android 11
Processor	Quad-core processor
RAM	2 GB
Internal Storage	16 GB
Connectivity	Wi-Fi, Ethernet
HDMI Ports	3 HDMI inputs
USB Ports	2 USB inputs
Audio	2 x 10W speakers, Dolby Audio support
Bluetooth	Yes, Bluetooth 5.0
Screen Mirroring	Chromecast built-in
Voice Control	Google Assistant enabled
Power Consumption	75W
Remote Control	Smart remote with voice control
Dimensions (W x H x D)	Approximately 96 x 61 x 22 cm (with stand)
Weight	Approximately 7 kg
Mount Type	Wall mount or stand included
Warranty	1 year





PO BOX 701-20303 Telephone: 0202660859 Email: ict@nyandarua.go.ke

# TELEVISION TYPE 3

SPECIFICATION	DETAILS
Model	32-inch HD Smart Android TV
Display size	32 inches
Resolution	1366 x 768 pixels (HD)
Display technology	LED
Refresh rate	60 Hz
Aspect ratio	16:9
Smart tv	Yes, with Android TV
Operating system	Android TV OS
Android version	Android 11
Processor	Quad-core processor
Ram	1.5 GB
Internal storage	8 GB
Connectivity	Wi-Fi, Ethernet
Hdmi ports	2 HDMI inputs
Usb ports	1 USB input
Audio	2 x 8W speakers, Dolby Audio support
Bluetooth	Yes, Bluetooth 5.0
Screen mirroring	Chromecast built-in
Voice control	Google Assistant enabled
Power consumption	50W
Remote control	Smart remote with voice control
Dimensions (w x h x d)	Approximately 73 x 48 x 18 cm (with stand)
Weight	Approximately 4 kg
Mount type	Wall mount or stand included
Warranty	1 year





PO BOX 701-20303 Telephone: 0202660859 Email: ict@nyandarua.go.ke

#### **IP Phone TYPE1**

TD 4 '11
Details
SIP-T26P
132x64-pixel graphical LCD with backlight
- HD Voice: G.722 wideband codec for superior voice clarity
- Full-duplex speakerphone with AEC (Acoustic Echo Cancellation)
- Adaptive jitter buffer, packet loss concealment
SIP v1 (RFC2543), SIP v2 (RFC3261)
- Dual 10/100 Mbps Ethernet ports (LAN and PC) with PoE
- Static IP/DHCP, NAT traversal (STUN mode)
- Integrated IEEE 802.3af Power over Ethernet (PoE) support
- Call hold, mute, DND (Do Not Disturb), call forwarding, call transfer
- 3-way conferencing
- Redial, auto-answer, speed dial, call park/pickup
- 10 programmable soft keys
- 4 context-sensitive "soft" keys
- 4 dedicated navigation keys, 2 volume control keys
- Dedicated keys for voicemail, hold, transfer, headset, redial
Compatible with Yealink EXP39 Expansion Module (up to 2 modules)
- Local phonebook (up to 1000 entries)
- XML/LDAP remote phonebook, intelligent search, call
logs(inbound/outbound/missed)
- HTTPS, SRTP (Secure Real-time Transport Protocol)
- TLS (Transport Layer Security), 802.1x authentication, OpenVPN
- Auto-provisioning via TFTP/FTP/HTTP/HTTPS
- PnP (Plug and Play) configuration, TR-069 remote management
G.711 (A-law/μ-law), G.722 (HD Voice), G.723, G.726, G.729AB, iLBC
PoE (Power over Ethernet) or external power adapter (5V/1.2A)
- RJ9 headset port
- EHS (Electronic Hook Switch) support for wireless headsets (Plantronics, Jabra, etc.)
- Operating temperature: 0°C to 40°C (32°F to 104°F)
- Humidity: 10% to 90% non-condensing
273mm x 204mm x 42mm
1.05 kg (with stand)

Certifications	CE, FCC, RoHS compliant
QoS Support	Layer 2 (802.1Q VLAN), Layer 3 (ToS, DSCP)
Dial Plan	Customizable dial plans and call routing
Web Interface	Built-in web server for easy configuration via browser
BLF (Busy Lamp Field)	Support for BLF keys to monitor the status of other extensions
Voice Mail Integration	Visual voicemail support with notification and management from the device





PO BOX 701-20303 Telephone: 0202660859 Email: ict@nyandarua.go.ke

Specification	Details
Model	SIP-T25P
Display	132x64-pixel graphical LCD with backlight
Audio Features	- HD Voice: G.722 wideband codec for enhanced voice clarity
	- Full-duplex speakerphone with Acoustic Echo Cancellation (AEC)
	- Voice Activity Detection (VAD), Comfort Noise Generation (CNG)
	- Adaptive jitter buffer, packet loss concealment
VoIP Protocols	SIP v1 (RFC2543), SIP v2 (RFC3261)
<b>Network &amp; Connectivity</b>	- Dual 10/100 Mbps Ethernet ports (LAN and PC)
	- Static IP/DHCP, NAT traversal (STUN mode)
	- Integrated Power over Ethernet (PoE) support (IEEE 802.3af)
Call Handling Features	- Call hold, mute, DND (Do Not Disturb), call forwarding (unconditional, busy, no answer)
	- Call transfer (attended and blind), 3-way conferencing
	- Redial, call park/pickup, speed dial, voicemail
Line Keys & Buttons	- 2 SIP accounts
	- 2 line keys with dual-color (busy/idle) LED
	- 4 context-sensitive soft keys, 4 dedicated navigation keys
	- Dedicated keys for voicemail, hold, transfer, mute, headset, and redial
<b>Expansion Module Support</b>	N/A
Directory & Phonebook	- Local phonebook (up to 300 entries)
	- XML/LDAP remote phonebook, intelligent search, call logs (inbound/outbound/missed)
Security & Encryption	- HTTPS, SRTP (Secure Real-time Transport Protocol)
	- TLS (Transport Layer Security) encryption, 802.1x authentication
Provisioning & Management	- Auto-provisioning via TFTP/FTP/HTTPS
	- PnP (Plug and Play) configuration, TR-069 remote management
Voice Codecs	G.711 (A-law/μ-law), G.722 (HD Voice), G.723, G.726, G.729AB, iLBC
Power Supply	PoE (Power over Ethernet) or optional external power adapter (5V/1.2A)
<b>Headset Compatibility</b>	- RJ9 headset port

	- No EHS (Electronic Hook Switch) support for wireless headsets
<b>Operating Conditions</b>	- Operating temperature: 0°C to 40°C (32°F to 104°F)
	- Humidity: 10% to 90% non-condensing
Dimensions	209mm x 188mm x 150mm
Weight	1.10 kg (with stand)
Certifications	CE, FCC, RoHS compliant
QoS Support	Layer 2 (802.1Q VLAN), Layer 3 (ToS, DSCP)
Web Interface	Built-in web server for easy configuration via browser
BLF (Busy Lamp Field)	Not supported
Voice Mail Integration	Visual voicemail support with notification and management from the device





PO BOX 701-20303 Telephone: 0202660859 Email: ict@nyandarua.go.ke

Specification	Details Details
Model	SIP-T24P
Display	132x64-pixel graphical LCD with backlight
Audio Features	- HD Voice: G.722 wideband codec for enhanced voice clarity
	- Full-duplex speakerphone with Acoustic Echo Cancellation (AEC)
	- Voice Activity Detection (VAD), Comfort Noise Generation (CNG)
	- Adaptive jitter buffer, packet loss concealment
VoIP Protocols	SIP v1 (RFC2543), SIP v2 (RFC3261)
Network & Connectivity	- Dual 10/100 Mbps Ethernet ports (LAN and PC)
	- Static IP/DHCP, NAT traversal (STUN mode)
	- Integrated Power over Ethernet (PoE) support (IEEE 802.3af)
Call Handling Features	- Call hold, mute, DND (Do Not Disturb), call forwarding (unconditional, busy, no answer)
	- Call transfer (attended and blind), 3-way conferencing
	- Redial, call park/pickup, speed dial, voicemail
Line Keys & Buttons	- 2 SIP accounts
	- 2 line keys with dual-color (busy/idle) LED
	- 4 context-sensitive soft keys, 4 dedicated navigation keys
	- Dedicated keys for voicemail, hold, transfer, mute, headset, and redial
<b>Expansion Module Support</b>	N/A
Directory & Phonebook	- Local phonebook (up to 300 entries)
	- XML/LDAP remote phonebook, intelligent search, call logs (inbound/outbound/missed)
Security & Encryption	- HTTPS, SRTP (Secure Real-time Transport Protocol)
	- TLS (Transport Layer Security) encryption, 802.1x authentication
Provisioning & Management	- Auto-provisioning via TFTP/FTP/HTTPS
	- PnP (Plug and Play) configuration, TR-069 remote management
Voice Codecs	G.711 (A-law/μ-law), G.722 (HD Voice), G.723, G.726, G.729AB, iLBC
Power Supply	PoE (Power over Ethernet) or optional external power adapter (5V/1.2A)

Headset Compatibility	- RJ9 headset port
	- No EHS (Electronic Hook Switch) support for wireless headsets
<b>Operating Conditions</b>	- Operating temperature: 0°C to 40°C (32°F to 104°F)
	- Humidity: 10% to 90% non-condensing
Dimensions	209mm x 188mm x 150mm
Weight	1.10 kg (with stand)
Certifications	CE, FCC, RoHS compliant
QoS Support	Layer 2 (802.1Q VLAN), Layer 3 (ToS, DSCP)
Web Interface	Built-in web server for easy configuration via browser
BLF (Busy Lamp Field)	Not supported
Voice Mail Integration	Visual voicemail support with notification and management from the device





PO BOX 701-20303 Telephone: 0202660859 Email: ict@nyandarua.go.ke

	IP PHONE TYPE 4
Specification	Details
Model	SIP-T23P
Display	132x64-pixel graphical LCD with backlight
Audio Features	- HD Voice: G.722 wideband codec for crystal-clear sound quality
	- Full-duplex speakerphone with Acoustic Echo Cancellation (AEC)
	- Voice Activity Detection (VAD), Comfort Noise Generation (CNG)
	- Adaptive jitter buffer, packet loss concealment
VoIP Protocols	SIP v1 (RFC2543), SIP v2 (RFC3261)
Network & Connectivity	- Dual 10/100 Mbps Ethernet ports (LAN and PC)
	- Static IP/DHCP, NAT traversal (STUN mode)
	- Integrated Power over Ethernet (PoE) support (IEEE 802.3af)
Call Handling Features	- Call hold, mute, DND (Do Not Disturb)
	- Call forwarding (unconditional, busy, no answer)
	- Call transfer (attended and blind), 3-way conferencing
	- Redial, auto-answer, speed dial, voicemail
Line Keys & Buttons	- 3 SIP accounts
	- 3 line keys with dual-color (busy/idle) LED
	- 4 context-sensitive soft keys
	- Dedicated keys for voicemail, hold, transfer, headset, redial
Expansion Module Support	N/A
Directory & Phonebook	- Local phonebook (up to 1000 entries)
	- XML/LDAP remote phonebook, intelligent search, call logs
	(inbound/outbound/missed)
Security & Encryption	- HTTPS, SRTP (Secure Real-time Transport Protocol)
	- TLS (Transport Layer Security) encryption, 802.1x authentication
Provisioning & Management	- Auto-provisioning via TFTP/FTP/HTTP/HTTPS
	- PnP (Plug and Play) configuration, TR-069 remote management
Voice Codecs	G.711 (A-law/μ-law), G.722 (HD Voice), G.723, G.726, G.729AB,
Down Caranta	iLBC
Power Supply	PoE (Power over Ethernet) or optional external power adapter (5V/1.2A)
Headset Compatibility	- RJ9 headset port
	- EHS (Electronic Hook Switch) support for wireless headsets
	(Plantronics, Jabra, etc.)
<b>Operating Conditions</b>	- Operating temperature: 0°C to 40°C (32°F to 104°F)
- 1 - //8/	

	- Humidity: 10% to 90% non-condensing
Dimensions	185mm x 188mm x 150mm
Weight	0.93 kg (with stand)
Certifications	CE, FCC, RoHS compliant
QoS Support	Layer 2 (802.1Q VLAN), Layer 3 (ToS, DSCP)
Web Interface	Built-in web server for easy configuration via browser
BLF (Busy Lamp Field)	Supported
Voice Mail Integration	Visual voicemail support with notification and management from the device





PO BOX 701-20303 Telephone: 0202660859 Email: ict@nyandarua.go.ke

T T	IP PHONE I YPE 5
Specification	Details
Model	SIP-T22P
Display	132x64-pixel graphical LCD with backlight
Audio Features	- HD Voice: G.722 wideband codec for superior voice clarity
	- Full-duplex speakerphone with Acoustic Echo Cancellation (AEC)
	- Voice Activity Detection (VAD), Comfort Noise Generation (CNG)
	- Adaptive jitter buffer, packet loss concealment
VoIP Protocols	SIP v1 (RFC2543), SIP v2 (RFC3261)
Network & Connectivity	- Dual 10/100 Mbps Ethernet ports (LAN and PC)
	- Static IP/DHCP, NAT traversal (STUN mode)
	- Integrated Power over Ethernet (PoE) support (IEEE 802.3af)
Call Handling Features	- Call hold, mute, DND (Do Not Disturb)
	- Call forwarding (unconditional, busy, no answer)
	- Call transfer (attended and blind), 3-way conferencing
	- Redial, auto-answer, speed dial, voicemail
Line Keys & Buttons	- 3 SIP accounts
	- 3 line keys with dual-color (busy/idle) LED
	- 4 context-sensitive soft keys
	- Dedicated keys for voicemail, hold, transfer, headset, redial
Expansion Module Support	N/A
Directory & Phonebook	- Local phonebook (up to 300 entries)
	- XML/LDAP remote phonebook, intelligent search, call logs
	(inbound/outbound/missed)
Security & Encryption	- HTTPS, SRTP (Secure Real-time Transport Protocol)
	- TLS (Transport Layer Security) encryption, 802.1x authentication
Provisioning &	- Auto-provisioning via TFTP/FTP/HTTPS
Management	Auto provisioning via 11 11/1 11/1111110
	- PnP (Plug and Play) configuration, TR-069 remote management
Voice Codecs	G.711 (A-law/μ-law), G.722 (HD Voice), G.723, G.726, G.729AB, iLBC
Power Supply	PoE (Power over Ethernet) or optional external power adapter (5V/1.2A)
Headset Compatibility	- RJ9 headset port
	- EHS (Electronic Hook Switch) support for wireless headsets (Plantronics, Jabra, etc.)

<b>Operating Conditions</b>	- Operating temperature: 0°C to 40°C (32°F to 104°F)
	- Humidity: 10% to 90% non-condensing
Dimensions	209mm x 188mm x 150mm
Weight	0.77 kg (with stand)
Certifications	CE, FCC, RoHS compliant
QoS Support	Layer 2 (802.1Q VLAN), Layer 3 (ToS, DSCP)
Web Interface	Built-in web server for easy configuration via browser
BLF (Busy Lamp Field)	Supported
Voice Mail Integration	Visual voicemail support with notification and management from the device





PO BOX 701-20303 Telephone: 0202660859 Email: ict@nyandarua.go.ke

Specification	Details
Model	SIP-T21P
Display	132x64-pixel graphical LCD with backlight
Audio Features	- HD Voice: G.722 wideband codec for superior audio clarity
	- Full-duplex speakerphone with Acoustic Echo Cancellation(AEC)
	- Voice Activity Detection (VAD), Comfort Noise Generation(CNG)
	- Adaptive jitter buffer, packet loss concealment
VoIP Protocols	SIP v1 (RFC2543), SIP v2 (RFC3261)
Network & Connectivity	- Dual 10/100 Mbps Ethernet ports (LAN and PC)
	- Static IP/DHCP, NAT traversal (STUN mode)
	- Integrated Power over Ethernet (PoE) support (IEEE 802.3af)
Call Handling Features	- Call hold, mute, DND (Do Not Disturb)
	- Call forwarding (unconditional, busy, no answer)
	- Call transfer (attended and blind), 3-way conferencing
	- Redial, auto-answer, speed dial, voicemail
Line Keys & Buttons	- 2 SIP accounts
	- 2 line keys with dual-color (busy/idle) LED
	- 4 context-sensitive soft keys
	- Dedicated keys for voicemail, hold, transfer, headset, redial
<b>Expansion Module Support</b>	N/A
Directory & Phonebook	- Local phonebook (up to 300 entries)
	- XML/LDAP remote phonebook, intelligent search, call logs(inbound/outbound/missed)
Security & Encryption	- HTTPS, SRTP (Secure Real-time Transport Protocol)
	- TLS (Transport Layer Security) encryption, 802.1x authentication

Provisioning &	- Auto-provisioning via TFTP/FTP/HTTPS
Management	
	- PnP (Plug and Play) configuration, TR-069 remote management
Voice Codecs	G.711 (A-law/μ-law), G.722 (HD Voice), G.723, G.726, G.729AB, iLBC
Power Supply	PoE (Power over Ethernet) or optional external power adapter (5V/1.2A)
Headset Compatibility	- RJ9 headset port
<b>Operating Conditions</b>	- Operating temperature: 0°C to 40°C (32°F to 104°F)
	- Humidity: 10% to 90% non-condensing
Dimensions	209mm x 188mm x 150mm
Weight	0.81 kg (with stand)
Certifications	CE, FCC, RoHS compliant
QoS Support	Layer 2 (802.1Q VLAN), Layer 3 (ToS, DSCP)
Web Interface	Built-in web server for easy configuration via browser
BLF (Busy Lamp Field)	Supported
Voice Mail Integration	Visual voicemail support with notification and management from the device



## COUNTY GOVERNMENT OF NYANDARUA



PO BOX 701-20303 Telephone: 0202660859 Email: ict@nyandarua.go.ke

**SCANNER TYPE 1** 

	SCANNER TYPE I
Feature	SPECIFICATION
Scanning Speed	Up to 60 pages per minute (ppm)
Resolution	Up to 600 x 600 dpi
Color Depth	24-bit color depth
Document Size	Up to A4 (8.5 x 11.7 inches)
Automatic Document Feeder	Yes, 80-sheet capacity
Interface	USB 3.0, Network (Ethernet)
Compatibility	Windows, macOS
Software Included	HP Smart Document Scan Software, TWAIN, and ISIS drivers
Daily Duty Cycle	Up to 4,000 pages
Connectivity	USB 3.0, Network (Ethernet)



# COUNTY GOVERNMENT OF NYANDARUA



PO BOX 701-20303 Telephone: 0202660859 Email: ict@nyandarua.go.ke

**SCANNER TYPE 2** 

	SCANNER TYPE 2
Feature	Specifications
Scanning Speed	Up to 40 pages per minute (ppm)
Resolution	Up to 600 x 600 dpi
Color Depth	24-bit color depth
Document Size	Up to A4 (8.5 x 11.7 inches)
Automatic Document Feeder	Yes, 50-sheet capacity
Interface	USB 3.0
Compatibility	Windows, macOS
Software Included	HP Scan Software, TWAIN, and ISIS drivers
Daily Duty Cycle	Up to 3,000 pages
Connectivity	USB 3.0

## COUNTY GOVERNMENT OF NYANDARUA





PO BOX 701-20303 Telephone: 0202660859 Email: ict@nyandarua.go.ke

SCANNER TYPE 3

Specifications  Up to 30 ppm (duplex)  Up to 1200 x 1200 dpi
Up to 1200 x 1200 dpi
Up to 1200 x 1200 dpi
Up to 1200 x 1200 dpi
24-bit color depth
24-on color depui
Up to A4 (8.5 x 11.7 inches)
V. 50 1
Yes, 50-sheet capacity
USB 3.0, Network (Ethernet)
Windows, macOS
HP Scan Software, TWAIN, and ISIS drivers
The Scale Software, 1 With a list of the second sec
Up to 1,500 pages
LICD 2.0 Naturaly (Ethomat)
USB 3.0, Network (Ethernet)



## REPUBLIC OF KENYA COUNTY GOVERNMENT OF NYANDARUA

Telephone: 0202660859 701-20303 P.O Box

Fax: 02026660859

Ol Kalou

Website: www.nyandarua.go.ke Kenya

Camera Drone	
Aircraft	Specs
Take-off Weight	958 g
Dimensions	Folded (without propellers): 231.1×98×95.4 mm (L×W×H)
2	Unfolded (without propellers): 347.5×290.8×107.7 mm (L×W×H
Max Ascent Speed	8 m/s
Max Descent Speed	6 m/s
Max Horizontal Speed (at sea level, no	21 m/s
wind)	
Max Takeoff Altitude	6000 m
Max Flight Time	43 minutes
Ma Hovering time	37 minutes
Max flight distance	28km
Max wind resistance	12m/s
Max pith angle	350
Operating temperature	-10° to 40° C (14° to 104° F)
Global Navigation satellite system	GPS + Galileo + BeiDou
Hovering Accuracy range	Vertical:
in the factorial fange	±0.1 m (with vision positioning)
	±0.5 m (with GNSS positioning)
	20.5 iii (widi Ortob posidoining)
	Horizontal:
	$\pm 0.3$ m (with vision positioning)
	±0.5 m (with high-precision positioning system)
Internal Storage	1TB
Camera	Specs
Image sensor	Hasselblad Camera: 4/3 CMOS, Effective Pixels: 20 MP
g- 0	Medium Tele Camera: 1/1.3" CMOS, Effective Pixels: 48 MP
	Tele Camera: 1/2" CMOS, Effective Pixels: 12 MP
Lens	Hasselblad Camera
	FOV: 84°
	Format Equivalent: 24mm
	Aperture: f/2.8-f/11
	Focus: 1 m to ∞
	Medium Tele Camera
	FOV: 35°
	Format Equivalent: 70mm
	Aperture: f/2.8
	Focus: $3 \text{ m to } \infty$
	Tele Camera
	FOV: 15°
	Format Equivalent: 166mm
	Aperture: f/3.4
TGO P	Focus: 3 m to ∞
ISO Range	Video
	Normal and Slow Motion:
	100-6400 (Normal)
	400-1600 (D-Log)
	100-1600 (D-Log M)
	100-1600 (HLG)

Shutter speed		Night:
100-6400		
100-6400		
Hasselblad Camera: \$280x3956     Medium Tele Camera: \$400x3000     Hasselblad Camera: \$400x3000		
Medium Tele Camera: 8004-8008	Shutter sneed	
Hasselblad Camera: 5280-3956   Medium Tele Camera: 8044-6048   Tele Camera: 4000x3000   Hasselblad Camera Single Shot: 20 MP   Sligh Shot: 21 MP   Slight	Shutter speed	
Medium Tele Camera: Moles		
Tele Camera 4000-3000	Max image size	
Hasselblad Camera		
Single Shot: 20 MP, 3/5/7 frames	Still Photography Modes	
Burst Shooting: 20 MP, 3/5/7 frames	Still I notography Modes	
Timed: 20 MP, 2/3/5/7/10/15/20/30/60 s   Medium Tele Camera   Single Shot: 12 MP or 48 MP     Burst Shooting: 12 MP or 48 MP   Step or 48 MP, 3/5/7 frames     Automatic Exposure Bracketing (AEB): 12 MP or 48 MP, 3/5 frames at 0.7 EV     step   Timed:   12 MP: 2/3/5/7/10/15/20/30/60 s     48 MP: 7/10/15/20/30/60 s     Tele Camera   Single Shot: 12 MP     Burst Shooting: 12 MP   Step or 3/5/7 frames   Automatic Exposure Bracketing (AEB): 12 MP, 3/5 frames at 0.7 EV     step   Timed: 12 MP   2/3/5/7/10/15/20/30/60 s     Photo format   JPEG/NDG(RAW)     Hasselblad Camera   Apple ProRes 422 HQ/422/422 LT     5.1K: 5120×2700@24/25/30/48/50/60/120*fps     DCI 4K: 4096×2160@24/25/30/48/50/60/120*fps     H.264/H.265   S.1K: 5120×2700@24/25/30/48/50/60/120*fps     H.264/H.265   S.1K: 5120×2700@24/25/30/48/50/60/120*fps     H.264/H.265   AK: 3840×2160@24/25/30/48/50/60/120*fps     H.264/H.265   AK: 3840×2160@24/25/30/48/50/60/ps     H.264/H.265   H.264/H.265		
Medium Tele Camera   Single Shot: 12 MP or 48 MP or 48 MP, 3/5/7 frames   Automatic Exposure Bracketing (AEB): 12 MP or 48 MP, 3/5 frames at 0.7 EV step   Timed: 12 MP: 2/3/5/7/10/15/20/30/60 s   48 MP: 7/10/15/20/30/60 s   48 MP: 7/10/15/20/30/60 s   48 MP: 7/10/15/20/30/60 s   Tele Camera   Single Shot: 12 MP   Burst Shooting: 12 MP, 3/5/7 frames   Automatic Exposure Bracketing (AEB): 12 MP, 3/5 frames at 0.7 EV step   Timed: 12 MP, 2/3/5/7/10/15/20/30/60 s   Photo format   JPEG/NDG(RAW)   JPEG/NDG(RA		
Single Shot: 12 MP or 48 MP, 3/5/7 frames Automatic Exposure Bracketing (AEB): 12 MP or 48 MP, 3/5 frames at 0.7 EV step Timed: 12 MP: 2/3/5/7/10/15/20/30/60 s 48 MP: 7/10/15/20/30/60 s Tele Camera Single Shot: 12 MP Burst Shooting: 12 MP, 3/5/7 frames Automatic Exposure Bracketing (AEB): 12 MP, 3/5 frames at 0.7 EV step Timed: 12 MP, 2/3/5/7/10/15/20/30/60 s    Photo format		Timed: 20 MP, 2/3/5/7/10/15/20/30/60 s
Single Shot: 12 MP or 48 MP, 3/5/7 frames Automatic Exposure Bracketing (AEB): 12 MP or 48 MP, 3/5 frames at 0.7 EV step Timed: 12 MP: 2/3/5/7/10/15/20/30/60 s 48 MP: 7/10/15/20/30/60 s Tele Camera Single Shot: 12 MP Burst Shooting: 12 MP, 3/5/7 frames Automatic Exposure Bracketing (AEB): 12 MP, 3/5 frames at 0.7 EV step Timed: 12 MP, 2/3/5/7/10/15/20/30/60 s    Photo format		Madium Tala Camana
Burst Shooting; 12 MP or 48 MP, 3/5/7 frames   Automatic Exposure Bracketing (AEB): 12 MP or 48 MP, 3/5 frames at 0.7 EV   step   Timed:   12 MP; 2/3/5/7/10/15/20/30/60 s   48 MP; 7/10/15/20/30/60 s   Tele Camera   Single Shot: 12 MP   Burst Shooting: 12 MP, 3/5/7 frames   Automatic Exposure Bracketing (AEB): 12 MP, 3/5 frames at 0.7 EV step   Timed: 12 MP, 2/3/5/7/10/15/20/30/60 s   PPG/ NDG(RAW)   PPG/ NDG(RAW)   PPG/ NDG(RAW)   PPG/ NDG(RAW)   PRG/ NDG(		
Automatic Exposure Bracketing (AEB): 12 MP or 48 MP, 3/5 frames at 0.7 EV step Timed: 12 MP: 2/3/5/7/10/15/20/30/60 s 48 MP; 7/10/15/20/30/60 s  Tele Camera Single Shot: 12 MP Burs Shooting: 12 MP, 3/5/7 frames Automatic Exposure Bracketing (AEB): 12 MP, 3/5 frames at 0.7 EV step Timed: 12 MP, 2/3/5/7/10/15/20/30/60 s  Photo format  Photo format  Photo format  Photo format  Photo JPEG/ NDG/RAW)  Vide Resolution  Hasselblad Camera Apple ProRes 422 HQ/42/2422 LT 5.1K: 5120-2700@24/25/30/48/50/60/120*fps  1K: 3840×2160@24/25/30/48/50/60/120*fps  H.264/H.265 5.1K: 5120-2700@24/25/30/48/50/60/120*fps  H.264/H.265 5.1K: 3120-2700@24/25/30/48/50/60/120*fps  HFD: 1920×1080@24/25/30/48/50/60/120*fps  HPD: 1920×1080@24/25/30/48/50/60/120*fps  *Recording frame rates. The corresponding video plays as slow-motion video.  Medium Tele Camera Apple ProRes 422 HQ/422/422 LT 4K: 3840×2160@24/25/30/48/50/60/fps  H.264/H.265  4K: 3840×2160@24/25/30/48/50/60/fps  Tele Camera Apple ProRes 422 HQ/422/422 LT 4K: 3840×2160@24/25/30/48/50/60/fps  Tele Camera Apple ProRes 422 HQ/422/422 LT 4K: 3840×2160@24/25/30/48/50/60/fps  Tele Camera Apple ProRes 422 HQ/422/422 LT 4K: 3840×2160@24/25/30/48/50/60/fps  Tele Camera Apple ProRes 422 HQ/422/422 LT 4K: 3840×2160@24/25/30/48/50/60/fps  Tele Camera Apple ProRes 422 HQ/422/422 LT 4K: 3840×2160@24/25/30/48/50/60/fps  Tele Camera Apple ProRes 422 HQ/422/422 LT 4K: 3840×2160@24/25/30/48/50/60/fps  Tele Camera Apple ProRes 422 HQ/422/422 LT 4K: 3840×2160@24/25/30/48/50/60/fps  Tele Camera Apple ProRes 422 HQ/422/422 LT 4K: 3840×2160@24/25/30/48/50/60/fps  Tele Camera Apple ProRes 422 HQ/42/423 LT 4K: 3840×2160@24/25/30/50/60/fps  Tele Camera Apple ProRes 422 HQ/42/423 LT 4K: 3840×2160@24/25/30/50/60/fps  Tele Camera Apple ProRes 422 HQ/42/423 LT 4K: 3840×2160@24/25/30/50/60/fps		
Timed: 12 MP: 2/3/5/7/10/15/20/30/60 s 48 MP: 7/10/15/20/30/60 s  Tele Camera Single Shot: 12 MP Burst Shooting: 12 MP, 3/5/7 frames Automatic Exposure Bracketing (AEB): 12 MP, 3/5 frames at 0.7 EV step Timed: 12 MP, 2/3/5/7/10/15/20/30/60 s  Photo format JPEG/NDG(RAW)  Vide Resolution  Hasselblad Camera Apple ProRes 422 HQ/422/422 LT 5.1K: 5120×2700@24/25/30/48/50/60/120*fps 4K: 3840×2160@24/25/30/48/50/60/120*fps  H.264/H.265 5.1K: 5120×2700@24/25/30/48/50/60/120*fps HC4/H.265 DC1 4K: 4096×2160@24/25/30/48/50/60/120*fps HC5/HD5/HD5/HD5/HD5/HD5/HD5/HD5/HD5/HD5/HD		
12 MP: 2/3/5/7/10/15/20/30/60 s		step
48 MP: 7/10/15/20/30/60 s   Tele Camera   Single Shot: 12 MP   Burst Shooting: 12 MP, 3/5/7 frames   Automatic Exposure Bracketing (AEB): 12 MP, 3/5 frames at 0.7 EV step   Timed: 12 MP, 2/3/5/7/10/15/20/30/60 s   JPEG/ NDG(RAW)		
Tele Camera Single Shot: 12 MP, 3/5/7 frames Automatic Exposure Bracketing (AEB): 12 MP, 3/5 frames at 0.7 EV step Timed: 12 MP, 2/3/5/7/10/15/20/30/60 s  Photo format  JPEG/ NDG(RAW)  Vide Resolution  Hasselblad Camera Apple ProRes 422 HQ/422/422 LT 5.1K: 5120×2700@24/25/30/48/50/60/120*fps DC1 4K: 4096×2160@24/25/30/48/50/60/120*fps  H.264/H.265 5.1K: 5120×2700@24/25/30/48/50/60/120*fps  H.264/H.265 5.1K: 5120×2700@24/25/30/48/50/60/120*fps DC1 4K: 4096×2160@24/25/30/48/50/60/120*fps  H.264/H.265 5.1K: 5120×2700@24/25/30/48/50/60/120*fps HD: 1920×1080@24/25/30/48/50/60/120*fps FHD: 1920×1080@24/25/30/48/50/60/120*fps * Recording frame rates. The corresponding video plays as slow-motion video.  Medium Tele Camera Apple ProRes 422 HQ/422/422 LT 4K: 3840×2160@24/25/30/48/50/60fps  H.264/H.265 4K: 3840×2160@24/25/30/48/50/60fps  Tele Camera Apple ProRes 422 HQ/422/422 LT 4K: 3840×2160@24/25/30/48/50/60fps  Tele Camera Apple ProRes 422 HQ/422/422 LT 4K: 3840×2160@24/25/30/48/50/60fps  Tele Camera Apple ProRes 422 HQ/422/422 LT 4K: 3840×2160@24/25/30/48/50/60fps  Tele Camera Apple ProRes 422 HQ/422/422 LT 4K: 3840×2160@24/25/30/48/50/60fps  Tele Camera Apple ProRes 422 HQ/422/420 LT 4K: 3840×2160@24/25/30/48/50/60fps  Tele Camera Apple ProRes 422 HQ/422/420 LT 4K: 3840×2160@24/25/30/48/50/60fps  Tele Camera Apple ProRes 422 HQ/422/420 LT 4K: 3840×2160@24/25/30/50/60fps  Tele Camera Apple ProRes 422 HQ/422/420 LT 4K: 3840×2160@24/25/30/50/60fps  Tele Camera Apple ProRes 422 HQ/422/420 LT 4K: 3840×2160@24/25/30/50/60fps  Tele Camera Apple ProRes 422 HQ/422/420 LT 4K: 3840×2160@24/25/30/50/60fps  Tele Camera Apple ProRes 422 HQ/422/420 LT 4K: 3840×2160@24/25/30/50/60fps  Tele Camera Apple ProRes 422 HQ/422/420 LT 4K: 3840×2160@24/25/30/50/60fps  Tele Camera Apple ProRes 422 HQ/422/420 LT 4K: 3840×2160@24/25/30/50/60fps  Tele Camera Apple ProRes 422 HQ/422/420 LT 4K: 3840×2160@24/25/30/50/60fps		
Single Shot: 12 MP   Burst Shooting: 12 MP, 3/5/7 frames   Automatic Exposure Bracketing (AEB): 12 MP, 3/5 frames at 0.7 EV step   Timed: 12 MP, 2/3/5/7/10/15/20/30/60 s		48 MP: //10/15/20/30/60 s
Single Shot: 12 MP   Burst Shooting: 12 MP, 3/5/7 frames   Automatic Exposure Bracketing (AEB): 12 MP, 3/5 frames at 0.7 EV step   Timed: 12 MP, 2/3/5/7/10/15/20/30/60 s		Tele Camera
Automatic Exposure Bracketing (AEB): 12 MP, 3/5 frames at 0.7 EV step Timed: 12 MP, 2/3/5/1/0/15/20/30/60 s   Photo format		
Timed: 12 MP, 2/3/5/7/10/15/20/30/60 s     Photo format   PEG/ NDG(RAW)     Vide Resolution   Hasselblad Camera     Apple ProRes 422 HQ/422/422 LT     5.1K: 5120×2700@24/25/30/48/50/fps     DCI 4K: 4996×2160@24/25/30/48/50/60/120*fps     4K: 3840×2160@24/25/30/48/50/60/120*fps     H.264/H.265     5.1K: 5120×2700@24/25/30/48/50/60/120*fps     H.264/H.265     5.1K: 5120×2700@24/25/30/48/50/60/120*fps     DCI 4K: 4996×2160@24/25/30/48/50/60/120*fps     H.264/H.265     4K: 3840×2160@24/25/30/48/50/60/120*fps     *Recording frame rates. The corresponding video plays as slow-motion video.     Medium Tele Camera     Apple ProRes 422 HQ/422/422 LT     4K: 3840×2160@24/25/30/48/50/60/fps     H.264/H.265     4K: 3840×2160@24/25/30/48/50/60fps     FHD: 1920×1080@24/25/30/48/50/60fps     Tele Camera     Apple ProRes 422 HQ/422/422 LT     4K: 3840×2160@24/25/30/48/50/60fps     H.264/H.265     4K: 3840×2160@24/25/30/50/60fps     4K: 3840×2160@2		
Photo format		
Hasselblad Camera	DL. 4. C 4	
Apple ProRes 422 HQ/422/422 LT 5.1K: 5120×2700@24/25/30/48/50/fops DCI 4K: 4096×2160@24/25/30/48/50/60/120*fps 4K: 3840×2160@24/25/30/48/50/60/120*fps  H.264/H.265 5.1K: 5120×2700@24/25/30/48/50/fops DCI 4K: 4096×2160@24/25/30/48/50/fops DCI 4K: 4096×2160@24/25/30/48/50/60/120*fps 4K: 3840×2160@24/25/30/48/50/60/120*fps 4K: 3840×2160@24/25/30/48/50/60/120*fps FHD: 1920×1080@24/25/30/48/50/60/120*fps * Recording frame rates. The corresponding video plays as slow-motion video.  Medium Tele Camera Apple ProRes 422 HQ/422/422 LT 4K: 3840×2160@24/25/30/48/50/60fps  H.264/H.265 4K: 3840×2160@24/25/30/48/50/60fps  Tele Camera Apple ProRes 422 HQ/422/422 LT 4K: 3840×2160@24/25/30/48/50/60fps  Tele Camera Apple ProRes 422 HQ/422/422 LT 4K: 3840×2160@24/25/30/48/50/60fps  H.264/H.265 4K: 3840×2160@24/25/30/48/50/60fps  H.264/H.265 4K: 3840×2160@24/25/30/50/60fps		
5.1K: 5120×2700@24/25/30/48/50/60/120*fps DCI 4K: 4096×2160@24/25/30/48/50/60/120*fps 4K: 3840×2160@24/25/30/48/50/60/120*fps H.264/H.265 5.1K: 5120×2700@24/25/30/48/50/60/120*fps DCI 4K: 4096×2160@24/25/30/48/50/60/120*fps 4K: 3840×2160@24/25/30/48/50/60/120*fps 4K: 3840×2160@24/25/30/48/50/60/120*fps FHD: 1920×1080@24/25/30/48/50/60/120*fps * Recording frame rates. The corresponding video plays as slow-motion video.  Medium Tele Camera Apple ProRes 422 HQ/422/422 LT 4K: 3840×2160@24/25/30/48/50/60fps  H.264/H.265 4K: 3840×2160@24/25/30/48/50/60fps FHD: 1920×1080@24/25/30/48/50/60fps  Tele Camera Apple ProRes 422 HQ/422/422 LT 4K: 3840×2160@24/25/30/48/50/60fps  Tele Camera Apple ProRes 422 HQ/422/422 LT 4K: 3840×2160@24/25/30/48/50/60fps  H.264/H.265 4K: 3840×2160@24/25/30/48/50/60fps  H.264/H.265 4K: 3840×2160@24/25/30/50/60fps  Wideo Format	Vide Resolution	
DCI 4K: 4096×2160@24/25/30/48/50/60/120*fps 4K: 3840×2160@24/25/30/48/50/60/120*fps  H.264/H.265 5.1K: 5120×2700@24/25/30/48/50/60/120*fps DCI 4K: 4096×2160@24/25/30/48/50/60/120*fps 4K: 3840×2160@24/25/30/48/50/60/120*fps FHD: 1920×1080@24/25/30/48/50/60/120*fps * Recording frame rates. The corresponding video plays as slow-motion video.  Medium Tele Camera Apple ProRes 422 HQ/422/422 LT 4K: 3840×2160@24/25/30/48/50/60fps  H.264/H.265 4K: 3840×2160@24/25/30/48/50/60fps FHD: 1920×1080@24/25/30/48/50/60fps  Tele Camera Apple ProRes 422 HQ/422/422 LT 4K: 3840×2160@24/25/30/48/50/60fps  Tele Camera Apple ProRes 422 HQ/422/422 LT 4K: 3840×2160@24/25/30/48/50/60fps  Tele Camera Apple ProRes 422 HQ/422/422 LT 4K: 3840×2160@24/25/30/50/60fps  H.264/H.265 4K: 3840×2160@24/25/30/50/60fps  H.264/H.265 MCS AVC/H.264, HEVC/H.265)		
H.264/H.265 5.1K: 5120×2700@24/25/30/48/50/fps DCI 4K: 4096×2160@24/25/30/48/50/60/120*fps 4K: 3840×2160@24/25/30/48/50/60/120*fps FHD: 1920×1080@24/25/30/48/50/60/120*fps * Recording frame rates. The corresponding video plays as slow-motion video.  Medium Tele Camera Apple ProRes 422 HQ/422/422 LT 4K: 3840×2160@24/25/30/48/50/60fps  H.264/H.265 4K: 3840×2160@24/25/30/48/50/60fps FHD: 1920×1080@24/25/30/48/50/60fps  Tele Camera Apple ProRes 422 HQ/422/422 LT 4K: 3840×2160@24/25/30/48/50/60fps  Tele Camera Apple ProRes 422 HQ/422/422 LT 4K: 3840×2160@24/25/30/48/50/60fps  H.264/H.265 4K: 3840×2160@24/25/30/50/60fps  H.264/H.265 4K: 3840×2160@24/25/30/50/60fps  H.264/H.265 MCV  Wideo Format  MP4/MOV (MPEG-4 AVC/H.264, HEVC/H.265) MOV		
5.1K: 5120×2700@24/25/30/48/50fps DCI 4K: 4096×2160@24/25/30/48/50/60/120*fps 4K: 3840×2160@24/25/30/48/50/60/120*fps FHD: 1920×1080@24/25/30/48/50/60/120*fps * Recording frame rates. The corresponding video plays as slow-motion video.  Medium Tele Camera Apple ProRes 422 HQ/422/422 LT 4K: 3840×2160@24/25/30/48/50/60fps  H.264/H.265 4K: 3840×2160@24/25/30/48/50/60fps FHD: 1920×1080@24/25/30/48/50/60fps  Tele Camera Apple ProRes 422 HQ/422/422 LT 4K: 3840×2160@24/25/30/48/50/60fps  Tele Camera Apple ProRes 422 HQ/422/422 LT 4K: 3840×2160@24/25/30/48/50/60fps  H.264/H.265 4K: 3840×2160@24/25/30/48/50/60fps  H.264/H.265 4K: 3840×2160@24/25/30/50/60fps  H.264/H.265 4K: 3840×2160@24/25/30/50/60fps  WH264/H.265 4K: 3840×2160@24/25/30/50/60fps  WH264/H.265 4K: 3840×2160@24/25/30/50/60fps		4K: 3840×2160@24/25/30/48/50/60/120*fps
5.1K: 5120×2700@24/25/30/48/50fps DCI 4K: 4096×2160@24/25/30/48/50/60/120*fps 4K: 3840×2160@24/25/30/48/50/60/120*fps FHD: 1920×1080@24/25/30/48/50/60/120*fps * Recording frame rates. The corresponding video plays as slow-motion video.  Medium Tele Camera Apple ProRes 422 HQ/422/422 LT 4K: 3840×2160@24/25/30/48/50/60fps  H.264/H.265 4K: 3840×2160@24/25/30/48/50/60fps FHD: 1920×1080@24/25/30/48/50/60fps  Tele Camera Apple ProRes 422 HQ/422/422 LT 4K: 3840×2160@24/25/30/48/50/60fps  Tele Camera Apple ProRes 422 HQ/422/422 LT 4K: 3840×2160@24/25/30/48/50/60fps  H.264/H.265 4K: 3840×2160@24/25/30/48/50/60fps  H.264/H.265 4K: 3840×2160@24/25/30/50/60fps  H.264/H.265 4K: 3840×2160@24/25/30/50/60fps  WH264/H.265 4K: 3840×2160@24/25/30/50/60fps  WH264/H.265 4K: 3840×2160@24/25/30/50/60fps		11 264 71 265
DCI 4K: 4096×2160@24/25/30/48/50/60/120*fps  4K: 3840×2160@24/25/30/48/50/60/120*fps  FHD: 1920×1080@24/25/30/48/50/60/120*fps  * Recording frame rates. The corresponding video plays as slow-motion video.  Medium Tele Camera Apple ProRes 422 HQ/422/422 LT 4K: 3840×2160@24/25/30/48/50/60fps  H.264/H.265 4K: 3840×2160@24/25/30/48/50/60fps  FHD: 1920×1080@24/25/30/48/50/60fps  Tele Camera Apple ProRes 422 HQ/422/422 LT 4K: 3840×2160@24/25/30/48/50/60fps  Tele Camera Apple ProRes 422 HQ/422/422 LT 4K: 3840×2160@24/25/30/48/50/60fps  H.264/H.265 4K: 3840×2160@24/25/30/50/60fps  H.264/H.265 4K: 3840×2160@24/25/30/50/60fps  FHD: 1920×1080@24/25/30/50/60fps  Video Format  MP4/MOV (MPEG-4 AVC/H.264, HEVC/H.265) MOV		
4K: 3840×2160@24/25/30/48/50/60/120*fps FHD: 1920×1080@24/25/30/48/50/60/120*fps * Recording frame rates. The corresponding video plays as slow-motion video.  Medium Tele Camera Apple ProRes 422 HQ/422/422 LT 4K: 3840×2160@24/25/30/48/50/60fps  H.264/H.265 4K: 3840×2160@24/25/30/48/50/60fps FHD: 1920×1080@24/25/30/48/50/60fps  Tele Camera Apple ProRes 422 HQ/422/422 LT 4K: 3840×2160@24/25/30/48/50/60fps  H.264/H.265 4K: 3840×2160@24/25/30/48/50/60fps  H.264/H.265 H.264/H.265 H.264/H.265 W: 3840×2160@24/25/30/50/60fps  H.264/H.265 MY-1080@24/25/30/50/60fps  Wideo Format  MP4/MOV (MPEG-4 AVC/H.264, HEVC/H.265) MOV		
* Recording frame rates. The corresponding video plays as slow-motion video.  Medium Tele Camera Apple ProRes 422 HQ/422/422 LT 4K: 3840×2160@24/25/30/48/50/60fps  H.264/H.265 4K: 3840×2160@24/25/30/48/50/60fps FHD: 1920×1080@24/25/30/48/50/60fps  Tele Camera Apple ProRes 422 HQ/422/422 LT 4K: 3840×2160@24/25/30/48/50/60fps  H.264/H.265 4K: 3840×2160@24/25/30/50/60fps  H.264/H.265 4K: 3840×2160@24/25/30/50/60fps  FHD: 1920×1080@24/25/30/50/60fps  Video Format  MP4/MOV (MPEG-4 AVC/H.264, HEVC/H.265) MOV		
Medium Tele Camera Apple ProRes 422 HQ/422/422 LT 4K: 3840×2160@24/25/30/48/50/60fps  H.264/H.265 4K: 3840×2160@24/25/30/48/50/60fps FHD: 1920×1080@24/25/30/48/50/60fps  Tele Camera Apple ProRes 422 HQ/422/422 LT 4K: 3840×2160@24/25/30/48/50/60fps  H.264/H.265 4K: 3840×2160@24/25/30/50/60fps  H.264/H.265 4K: 3840×2160@24/25/30/50/60fps FHD: 1920×1080@24/25/30/50/60fps  Video Format  MP4/MOV (MPEG-4 AVC/H.264, HEVC/H.265) MOV		
Apple ProRes 422 HQ/422/422 LT 4K: 3840×2160@24/25/30/48/50/60fps  H.264/H.265 4K: 3840×2160@24/25/30/48/50/60fps FHD: 1920×1080@24/25/30/48/50/60fps  Tele Camera Apple ProRes 422 HQ/422/422 LT 4K: 3840×2160@24/25/30/48/50/60fps  H.264/H.265 4K: 3840×2160@24/25/30/50/60fps  H.264/H.265 4K: 3840×2160@24/25/30/50/60fps FHD: 1920×1080@24/25/30/50/60fps  Video Format  MP4/MOV (MPEG-4 AVC/H.264, HEVC/H.265) MOV		* Recording frame rates. The corresponding video plays as slow-motion video.
Apple ProRes 422 HQ/422/422 LT 4K: 3840×2160@24/25/30/48/50/60fps  H.264/H.265 4K: 3840×2160@24/25/30/48/50/60fps FHD: 1920×1080@24/25/30/48/50/60fps  Tele Camera Apple ProRes 422 HQ/422/422 LT 4K: 3840×2160@24/25/30/48/50/60fps  H.264/H.265 4K: 3840×2160@24/25/30/50/60fps  H.264/H.265 4K: 3840×2160@24/25/30/50/60fps FHD: 1920×1080@24/25/30/50/60fps  Video Format  MP4/MOV (MPEG-4 AVC/H.264, HEVC/H.265) MOV		Madium Tala Camara
4K: 3840×2160@24/25/30/48/50/60fps  H.264/H.265  4K: 3840×2160@24/25/30/48/50/60fps  FHD: 1920×1080@24/25/30/48/50/60fps  Tele Camera Apple ProRes 422 HQ/422/422 LT  4K: 3840×2160@24/25/30/48/50/60fps  H.264/H.265  4K: 3840×2160@24/25/30/50/60fps  FHD: 1920×1080@24/25/30/50/60fps  Video Format  MP4/MOV (MPEG-4 AVC/H.264, HEVC/H.265) MOV		
H.264/H.265 4K: 3840×2160@24/25/30/48/50/60fps FHD: 1920×1080@24/25/30/48/50/60fps  Tele Camera Apple ProRes 422 HQ/422/422 LT 4K: 3840×2160@24/25/30/48/50/60fps  H.264/H.265 4K: 3840×2160@24/25/30/50/60fps FHD: 1920×1080@24/25/30/50/60fps  Video Format  MP4/MOV (MPEG-4 AVC/H.264, HEVC/H.265) MOV		
4K: 3840×2160@24/25/30/48/50/60fps FHD: 1920×1080@24/25/30/48/50/60fps  Tele Camera Apple ProRes 422 HQ/422/422 LT 4K: 3840×2160@24/25/30/48/50/60fps  H.264/H.265 4K: 3840×2160@24/25/30/50/60fps FHD: 1920×1080@24/25/30/50/60fps  Video Format  MP4/MOV (MPEG-4 AVC/H.264, HEVC/H.265) MOV		-
FHD: 1920×1080@24/25/30/48/50/60fps  Tele Camera Apple ProRes 422 HQ/422/422 LT 4K: 3840×2160@24/25/30/48/50/60fps  H.264/H.265 4K: 3840×2160@24/25/30/50/60fps FHD: 1920×1080@24/25/30/50/60fps  Video Format  MP4/MOV (MPEG-4 AVC/H.264, HEVC/H.265) MOV		
Tele Camera Apple ProRes 422 HQ/422/422 LT 4K: 3840×2160@24/25/30/48/50/60fps  H.264/H.265 4K: 3840×2160@24/25/30/50/60fps FHD: 1920×1080@24/25/30/50/60fps  Video Format  MP4/MOV (MPEG-4 AVC/H.264, HEVC/H.265) MOV		·
Apple ProRes 422 HQ/422/422 LT 4K: 3840×2160@24/25/30/48/50/60fps  H.264/H.265 4K: 3840×2160@24/25/30/50/60fps FHD: 1920×1080@24/25/30/50/60fps  Video Format  MP4/MOV (MPEG-4 AVC/H.264, HEVC/H.265) MOV		FID. 1920×1080@24/25/30/48/30/001ps
Apple ProRes 422 HQ/422/422 LT 4K: 3840×2160@24/25/30/48/50/60fps  H.264/H.265 4K: 3840×2160@24/25/30/50/60fps FHD: 1920×1080@24/25/30/50/60fps  Video Format  MP4/MOV (MPEG-4 AVC/H.264, HEVC/H.265) MOV		Tele Camera
4K: 3840×2160@24/25/30/48/50/60fps  H.264/H.265  4K: 3840×2160@24/25/30/50/60fps  FHD: 1920×1080@24/25/30/50/60fps  Video Format  MP4/MOV (MPEG-4 AVC/H.264, HEVC/H.265)  MOV		
4K: 3840×2160@24/25/30/50/60fps FHD: 1920×1080@24/25/30/50/60fps Video Format MP4/MOV (MPEG-4 AVC/H.264, HEVC/H.265) MOV		4K: 3840×2160@24/25/30/48/50/60fps
4K: 3840×2160@24/25/30/50/60fps FHD: 1920×1080@24/25/30/50/60fps Video Format MP4/MOV (MPEG-4 AVC/H.264, HEVC/H.265) MOV		11.264.71.265
FHD: 1920×1080@24/25/30/50/60fps  Video Format  MP4/MOV (MPEG-4 AVC/H.264, HEVC/H.265) MOV		
Video FormatMP4/MOV (MPEG-4 AVC/H.264, HEVC/H.265) MOV		
MOV	Video Format	
Max video Bitrate Hasselblad Camera:		
	Max video Bitrate	Hasselblad Camera:

	H.264/H.265: 200 Mbps
	ProRes 422 HQ: 3772 Mbps
	ProRes 422: 2514 Mbps
	ProRes 422 LT: 1750 Mbps
	Medium Tele Camera:
	H.264/H.265: 160 Mbps
	ProRes 422 HQ: 1768 Mbps
	ProRes 422: 1178 Mbps
	ProRes 422 LT: 821 Mbps
	Tele Camera:
	H.264/H.265: 160 Mbps
	ProRes 422 HQ: 1768 Mbps
	ProRes 422: 1178 Mbps
	ProRes 422 LT: 821 Mbps
Supported file format	exFAT
Color mode and sampling Method	Hasselblad Camera
Color mode and sampling Method	Normal:
	10-bit 4:2:2 (Apple ProRes 422 HQ/422/422 LT)
	8-bit 4:2:2 (Apple Prokes 422 HQ/422/422 LT)
	D-Log:
	10-bit 4:2:2 (Apple ProRes 422 HQ/422/422 LT)
	10-bit 4:2:0 (H.264/H.265)
	HLG/D-Log M:
	10-bit 4:2:2 (Apple ProRes 422 HQ/422/422 LT)
	10-bit 4:2:0 (H.265)
	Medium Tele Camera
	Normal:
	10-bit 4:2:2 (Apple ProRes 422 HQ/422/422 LT)
	8-bit 4:2:0 (H.264/H.265)
	HLG/D-Log M:
	10-bit 4:2:2 (Apple ProRes 422 HQ/422/422 LT)
	10-bit 4:2:0 (H.265)
	Tele Camera
	Normal:
	10-bit 4:2:2 (Apple ProRes 422 HQ/422/422 LT)
	8-bit 4:2:0 (H.264/H.265)
	HLG/D-Log M:
	10-bit 4:2:2 (Apple ProRes 422 HQ/422/422 LT)
	10-bit 4:2:0 (H.265)
Digital Zoom (only in Normal Video	Hasselblad Camera: 1-3x
Mode and Explore Mode)	Medium Tele Camera: 3-7x
F	Tele Camera: 7-28x
Gimbal	Specs
Stabilization	3-axis mechanical gimbal (tilt, roll, pan)
Mechanical range	Tilt: -140° to 50°
Tracinament range	Roll: -50° to 50°
	Pan: -23° to 23°
Controllable range	Tilt: -90° to 35°
Controllable range	Pan: -5° to 5°
May Control Speed (#14)	100°/s
Max Control Speed (tilt)	
Angular Vibration Range	Hovering Without Wind: ±0.001°
	Normal Mode: ±0.003°
g .	Sport Mode: ±0.005°
Sensing	Specs
Sensing type	Omnidirectional binocular vision system, supplemented with an infrared sensor at
	the bottom of the aircraft
Forward	Measurement Range:
	0.5-20 m
	Detection Range:

	0.5-200 m
	Effective Sensing Speed:
	Flight Speed ≤ 15 m/s
	FOV:
	Horizontal 90°, Vertical 103°
Backward	Measurement Range:
Backward	0.5-16 m
	Effective Sensing Speed:
	Flight Speed ≤ 12 m/s
	FOV:
	Horizontal 90°, Vertical 103°
Upward	Measurement Range:
op., az a	0.2-10 m
	Effective Sensing Speed:
	Flight Speed $\leq 6 \text{ m/s}$
	FOV:
	Front and Back 100°, Left and Right 90°
Lateral	Measurement Range:
	0.5-25 m
	Effective Sensing Speed:
	Flight Speed ≤ 15 m/s
	FOV:
	Horizontal 90°, Vertical 85°
Downward	Measurement Range:
	0.3-18 m
	Effective Sensing Speed:
	Flight Speed $\leq 6 \text{ m/s}$
	FOV:
	Front and Back 130°, Left and Right 160°
Operating environment	Forward, Backward, Left, Right, and Upward:
	surfaces with discernible patterns and adequate lighting ( $lux > 15$ )
	Downward:
	surfaces with discernible patterns, diffuse reflectivity > 20% (e.g. walls, trees,
	people), and adequate lighting (lux > 15)
Video Transmission	people), and adequate lighting (lux > 15)  Specs
Video Transmission System	people), and adequate lighting (lux > 15)  Specs  O3+
	people), and adequate lighting (lux > 15)  Specs  O3+  Remote Controller:
Video Transmission System Live view quality	people), and adequate lighting (lux > 15)  Specs  O3+  Remote Controller: 1080p/30fps, 1080p/60fps
Video Transmission System	people), and adequate lighting (lux > 15)  Specs  O3+  Remote Controller: 1080p/30fps, 1080p/60fps 2.400-2.4835 GHz
Video Transmission System Live view quality  Operating Frequency	people), and adequate lighting (lux > 15)  Specs  O3+  Remote Controller: 1080p/30fps, 1080p/60fps  2.400-2.4835 GHz 5.725-5.850 GHz
Video Transmission System Live view quality	people), and adequate lighting (lux > 15)  Specs  O3+  Remote Controller: 1080p/30fps, 1080p/60fps  2.400-2.4835 GHz 5.725-5.850 GHz  2.4 GHz:
Video Transmission System Live view quality  Operating Frequency	people), and adequate lighting (lux > 15)  Specs  O3+  Remote Controller: 1080p/30fps, 1080p/60fps  2.400-2.4835 GHz 5.725-5.850 GHz  2.4 GHz: < 33 dBm (FCC)
Video Transmission System Live view quality  Operating Frequency	people), and adequate lighting (lux > 15)  Specs  O3+  Remote Controller: 1080p/30fps, 1080p/60fps  2.400-2.4835 GHz 5.725-5.850 GHz  2.4 GHz:
Video Transmission System Live view quality  Operating Frequency	people), and adequate lighting (lux > 15)  Specs  O3+  Remote Controller: 1080p/30fps, 1080p/60fps  2.400-2.4835 GHz 5.725-5.850 GHz  2.4 GHz: < 33 dBm (FCC) < 20 dBm (CE/SRRC/MIC)
Video Transmission System Live view quality  Operating Frequency	people), and adequate lighting (lux > 15)  Specs  O3+  Remote Controller: 1080p/30fps, 1080p/60fps  2.400-2.4835 GHz 5.725-5.850 GHz  2.4 GHz: < 33 dBm (FCC) < 20 dBm (CE/SRRC/MIC)  5.8 GHz:
Video Transmission System Live view quality  Operating Frequency	people), and adequate lighting (lux > 15)  Specs  O3+  Remote Controller: 1080p/30fps, 1080p/60fps  2.400-2.4835 GHz 5.725-5.850 GHz  2.4 GHz: < 33 dBm (FCC) < 20 dBm (CE/SRRC/MIC)  5.8 GHz: < 33 dBm (FCC)
Video Transmission System Live view quality  Operating Frequency	people), and adequate lighting (lux > 15)  Specs  O3+  Remote Controller: 1080p/30fps, 1080p/60fps  2.400-2.4835 GHz 5.725-5.850 GHz  2.4 GHz: < 33 dBm (FCC) < 20 dBm (CE/SRRC/MIC)  5.8 GHz: < 33 dBm (FCC) < 30 dBm (SRRC)
Video Transmission System Live view quality  Operating Frequency  Transmitter Power (EIRP)	people), and adequate lighting (lux > 15)  Specs  O3+  Remote Controller: 1080p/30fps, 1080p/60fps  2.400-2.4835 GHz 5.725-5.850 GHz  2.4 GHz: < 33 dBm (FCC) < 20 dBm (CE/SRRC/MIC)  5.8 GHz: < 33 dBm (FCC) < 30 dBm (SRRC) < 14 dBm (CE)
Video Transmission System Live view quality  Operating Frequency  Transmitter Power (EIRP)  Max Transmission Distance	people), and adequate lighting (lux > 15)  Specs  O3+  Remote Controller: 1080p/30fps, 1080p/60fps  2.400-2.4835 GHz 5.725-5.850 GHz  2.4 GHz: < 33 dBm (FCC) < 20 dBm (CE/SRRC/MIC)  5.8 GHz: < 33 dBm (FCC) < 30 dBm (SRRC) < 14 dBm (CE)  FCC: 15 km
Video Transmission System Live view quality  Operating Frequency  Transmitter Power (EIRP)	people), and adequate lighting (lux > 15)  Specs  O3+  Remote Controller: 1080p/30fps, 1080p/60fps  2.400-2.4835 GHz 5.725-5.850 GHz  2.4 GHz: < 33 dBm (FCC) < 20 dBm (CE/SRRC/MIC)  5.8 GHz: < 33 dBm (FCC) < 14 dBm (CE)  FCC: 15 km CE: 8 km
Video Transmission System Live view quality  Operating Frequency  Transmitter Power (EIRP)  Max Transmission Distance	people), and adequate lighting (lux > 15)  Specs  O3+  Remote Controller: 1080p/30fps, 1080p/60fps  2.400-2.4835 GHz 5.725-5.850 GHz  2.4 GHz: < 33 dBm (FCC) < 20 dBm (CE/SRRC/MIC)  5.8 GHz: < 33 dBm (FCC) < 30 dBm (SRRC) < 14 dBm (CE)  FCC: 15 km CE: 8 km SRRC: 8 km
Video Transmission System Live view quality  Operating Frequency  Transmitter Power (EIRP)  Max Transmission Distance	people), and adequate lighting (lux > 15)  Specs  O3+  Remote Controller: 1080p/30fps, 1080p/60fps  2.400-2.4835 GHz 5.725-5.850 GHz  2.4 GHz: < 33 dBm (FCC) < 20 dBm (CE/SRRC/MIC)  5.8 GHz: < 33 dBm (FCC) < 30 dBm (SRRC) < 14 dBm (CE)  FCC: 15 km CE: 8 km SRRC: 8 km MIC: 8 km
Video Transmission System Live view quality  Operating Frequency  Transmitter Power (EIRP)  Max Transmission Distance (unobstructed, free of interference)  Max Transmission Distance	people), and adequate lighting (lux > 15)  Specs  O3+  Remote Controller: 1080p/30fps, 1080p/60fps  2.400-2.4835 GHz 5.725-5.850 GHz  2.4 GHz: < 33 dBm (FCC) < 20 dBm (CE/SRRC/MIC)  5.8 GHz: < 33 dBm (FCC) < 30 dBm (SRRC) < 14 dBm (CE)  FCC: 15 km CE: 8 km SRRC: 8 km
Video Transmission System Live view quality  Operating Frequency  Transmitter Power (EIRP)  Max Transmission Distance (unobstructed, free of interference)	people), and adequate lighting (lux > 15)  Specs  O3+  Remote Controller: 1080p/30fps, 1080p/60fps  2.400-2.4835 GHz 5.725-5.850 GHz  2.4 GHz: < 33 dBm (FCC) < 20 dBm (CE/SRRC/MIC)  5.8 GHz: < 33 dBm (FCC) < 30 dBm (SRRC) < 14 dBm (CE)  FCC: 15 km CE: 8 km SRRC: 8 km MIC: 8 km Strong Interference: Urban landscape, approx. 1.5-3 km Medium Interference: Suburban landscape, approx. 3-9 km
Video Transmission System Live view quality  Operating Frequency  Transmitter Power (EIRP)  Max Transmission Distance (unobstructed, free of interference)  Max Transmission Distance	people), and adequate lighting (lux > 15)  Specs  O3+  Remote Controller: 1080p/30fps, 1080p/60fps  2.400-2.4835 GHz 5.725-5.850 GHz  2.4 GHz: < 33 dBm (FCC) < 20 dBm (CE/SRRC/MIC)  5.8 GHz: < 33 dBm (FCC) < 30 dBm (SRRC) < 14 dBm (CE)  FCC: 15 km CE: 8 km SRRC: 8 km MIC: 8 km Strong Interference: Urban landscape, approx. 1.5-3 km Medium Interference: Suburban landscape, approx. 3-9 km Low Interference: Suburb/seaside, approx. 9-15 km
Video Transmission System Live view quality  Operating Frequency  Transmitter Power (EIRP)  Max Transmission Distance (unobstructed, free of interference)  Max Transmission Distance (unobstructed, with interference	people), and adequate lighting (lux > 15)  Specs  O3+  Remote Controller: 1080p/30fps, 1080p/60fps  2.400-2.4835 GHz 5.725-5.850 GHz  2.4 GHz: < 33 dBm (FCC) < 20 dBm (CE/SRRC/MIC)  5.8 GHz: < 33 dBm (FCC) < 30 dBm (SRRC) < 14 dBm (CE)  FCC: 15 km CE: 8 km SRRC: 8 km MIC: 8 km Strong Interference: Urban landscape, approx. 1.5-3 km Medium Interference: Suburban landscape, approx. 3-9 km Low Interference: Suburb/seaside, approx. 9-15 km  Low Interference and Obstructed by Buildings: approx. 0-0.5 km
Video Transmission System Live view quality  Operating Frequency  Transmitter Power (EIRP)  Max Transmission Distance (unobstructed, free of interference)  Max Transmission Distance (unobstructed, with interference (obstructed, with interference)	people), and adequate lighting (lux > 15)  Specs  O3+  Remote Controller: 1080p/30fps, 1080p/60fps  2.400-2.4835 GHz 5.725-5.850 GHz  2.4 GHz: < 33 dBm (FCC) < 20 dBm (CE/SRRC/MIC)  5.8 GHz: < 33 dBm (FCC) < 30 dBm (SRRC) < 14 dBm (CE)  FCC: 15 km CE: 8 km SRRC: 8 km MIC: 8 km Strong Interference: Urban landscape, approx. 1.5-3 km Medium Interference: Suburban landscape, approx. 3-9 km Low Interference: Suburb/seaside, approx. 9-15 km
Video Transmission System Live view quality  Operating Frequency  Transmitter Power (EIRP)  Max Transmission Distance (unobstructed, free of interference)  Max Transmission Distance (unobstructed, with interference	people), and adequate lighting (lux > 15)  Specs  O3+  Remote Controller: 1080p/30fps, 1080p/60fps  2.400-2.4835 GHz 5.725-5.850 GHz  2.4 GHz: < 33 dBm (FCC) < 20 dBm (CE/SRRC/MIC)  5.8 GHz: < 33 dBm (FCC) < 30 dBm (SRRC) < 14 dBm (CE)  FCC: 15 km CE: 8 km SRRC: 8 km MIC: 8 km Strong Interference: Urban landscape, approx. 1.5-3 km Medium Interference: Suburban landscape, approx. 3-9 km Low Interference and Obstructed by Buildings: approx. 0-0.5 km Low Interference and Obstructed by Trees: approx. 0.5-3 km
Video Transmission System Live view quality  Operating Frequency  Transmitter Power (EIRP)  Max Transmission Distance (unobstructed, free of interference)  Max Transmission Distance (unobstructed, with interference  Max Transmission Distance (obstructed, with interference)  Max Download Speed	people), and adequate lighting (lux > 15)  Specs  O3+  Remote Controller: 1080p/30fps, 1080p/60fps  2.400-2.4835 GHz 5.725-5.850 GHz  2.4 GHz: < 33 dBm (FCC) < 20 dBm (CE/SRRC/MIC)  5.8 GHz: < 33 dBm (FCC) < 30 dBm (SRRC) < 14 dBm (CE)  FCC: 15 km CE: 8 km SRRC: 8 km MIC: 8 km Strong Interference: Urban landscape, approx. 1.5-3 km Medium Interference: Suburban landscape, approx. 3-9 km Low Interference and Obstructed by Buildings: approx. 0-0.5 km Low Interference and Obstructed by Trees: approx. 0.5-3 km O3+: 5.5 MB/s (with DJI RC-N1 Remote Controller)
Video Transmission System Live view quality  Operating Frequency  Transmitter Power (EIRP)  Max Transmission Distance (unobstructed, free of interference)  Max Transmission Distance (unobstructed, with interference (unobstructed, with interference)  Max Transmission Distance (obstructed, with interference)  Max Download Speed  Lowest latency	people), and adequate lighting (lux > 15)  Specs  O3+  Remote Controller: 1080p/30fps, 1080p/60fps  2.400-2.4835 GHz 5.725-5.850 GHz  2.4 GHz: < 33 dBm (FCC) < 20 dBm (CE/SRRC/MIC)  5.8 GHz: < 33 dBm (FCC) < 30 dBm (SRRC) < 14 dBm (CE)  FCC: 15 km CE: 8 km SRRC: 8 km MIC: 8 km Strong Interference: Urban landscape, approx. 1.5-3 km Medium Interference: Suburban landscape, approx. 3-9 km Low Interference and Obstructed by Buildings: approx. 0-0.5 km Low Interference and Obstructed by Trees: approx. 0.5-3 km O3+: 5.5 MB/s (with DJI RC-N1 Remote Controller)  130 ms (with DJI RC-N1 Remote Controller)
Video Transmission System Live view quality  Operating Frequency  Transmitter Power (EIRP)  Max Transmission Distance (unobstructed, free of interference)  Max Transmission Distance (unobstructed, with interference  Max Transmission Distance (obstructed, with interference)  Max Download Speed	people), and adequate lighting (lux > 15)  Specs  O3+  Remote Controller: 1080p/30fps, 1080p/60fps  2.400-2.4835 GHz 5.725-5.850 GHz  2.4 GHz: < 33 dBm (FCC) < 20 dBm (CE/SRRC/MIC)  5.8 GHz: < 33 dBm (FCC) < 30 dBm (SRRC) < 14 dBm (CE)  FCC: 15 km CE: 8 km SRRC: 8 km MIC: 8 km Strong Interference: Urban landscape, approx. 1.5-3 km Medium Interference: Suburban landscape, approx. 3-9 km Low Interference and Obstructed by Buildings: approx. 0-0.5 km Low Interference and Obstructed by Trees: approx. 0.5-3 km O3+: 5.5 MB/s (with DJI RC-N1 Remote Controller)

Capacity	5000 mAh
Weight	335.5 g
Nominal Voltage	15.4 V
Max Charging Voltage	17.6 V
Type	Li-ion 4S
Energy	77 Wh
Charging Temperature	5° to 40° C (41° to 104° F)
Charging Time	Approx. 96 minutes
Output	DJI 65W Portable Charger:
	USB-C:
	5 V, 5 A
	9 V, 5 A
	12 V, 5 A
	15 V, 4.3 A
	20 V, 3.25 A
	5-20 V, 3.25 A
	USB-A:
	5 V, 2 A
Storage	Recommended microSD Cards
	Lexar 1066x 64GB V30 A2 microSDXC
	Lexar 1066x 128GB V30 A2 microSDXC
	Lexar 1066x 256GB V30 A2 microSDXC
	Lexar 1066x 512GB V30 A2 microSDXC

## Handheld Camera Stabilizer Gimbal

Peripheral	Specs
Accessory port	Ronin Series Accessories (RSA)/NATO Ports
	1/4"-20 Mounting Hole
	Cold Shoe
	Video Transmission/LiDAR Range Finder Port (USB-C)
	RSS Camera Control Port (USB-C)
	Focus Motor Port (USB-C)
Battery	Model: BG30-1950mAh-15.4V
	Type: LiPo 4S
	Capacity: 1950 mAh
	Energy: 30 Wh
Connections	Bluetooth 5.1
	Charging Port (USB-C)
Ronin app Requirements	Android 8.0 or above
Language supported by the touch	English
screen	
Working performance	
Tested payload	4.5 kg (10 lbs)
Maximum controlled speed rotation	Pan: 360°/s
	Tilt: 360°/s
	Roll: 360°/
Mechanical range	Pan Axis: 360° continuous rotation
	Roll Axis: $-95^{\circ}$ to $+240^{\circ}$
	Tilt Axis: -112° to +214°
Mechanical & Electrical Properties	
Operating Frequency	2.400-2.4835 GHz
<b>Bluetooth Transmitter Power</b>	< 8 dBm
Operating Temperature	-20° to 45° C (-4° to 113° F)

Weight	Gimbal: Approx. 1242 g (2.74 lbs)
Weight	Grip: Approx. 265 g (0.58 lbs)
	Extended Grip/Tripod (Metal): Approx. 226 g (0.49 lbs)
	Upper and Lower Quick-Release Plates: Approx. 110 g (0.24 lbs)
Dimensions	Folded: 271×283×75 mm (L×W×H, excluding camera, grip, and the Extended
Difficusions	Grip/Tripod)
	Unfolded: 416×223×202 mm (L×W×H, height includes grip and excludes the
T	Extended Grip/Tripod)
Image transmitter	D/C
Connections	Power/Communication Port (USB-C)
	HDMI Port (Mini HDMI)
<del>-</del>	RSS Camera Control Port (USB-C)
Expansion port	Cold Shoe
Operating frequency	2.400-2.4835 GHz
	5.725-5.850 GHz
Weight	126 g (0.27 lbs)
Dimensions	82×63×24 mm (L×W×H)
Transmitter power (EIRD)	2.400-2.4835 GHz:
	< 25 dBm (FCC)
	< 20 dBm (CE/SRRC/MIC)
	5.725-5.850 GHz:
	< 25 dBm (FCC/SRRC)
	< 14 dBm (CE)
Battery	Capacity: 2970 mAh
	Compatible Charger: 5 V/2 A
	Charging Time: Approx. 2.5 hours
	Operating Time: Approx. 3.5 hours
Transmission range	200 m (SRRC/FCC)
_	100 m (CE)
Latency	60 ms
Operating Current/Voltage	900 mA/3.7 V
Operating Temperature	0° to 45° C (32° to 113° F)

Teleprompter

General	
Beamsplitter Ratio	70/30
Beamsplitter Shape	Rectangular
Beamsplitter Material	Glass
Monitor	
Size (Diagonal)	21.5" / 54.6 cm
Maximum Brightness	300 cd/m2
Resolution	1920 x 1080
Aspect Ratio	4:3
Viewing Angle (H x V)	160 x 170°
Inputs/Outputs	1 x Composite (RCA) Input
	1 x VGA Input
	1 x SDI (BNC) Input
	1 x HDMI Unspecified Version Input
USB Interface	1 x USB Type-A
Self Reversing	Yes
Output Voltage	12 VDC at 5 A
Power Consumption	10 W
Remote	
Wireless Range	32.8′ / 10 m
Software	
OS Compatibility	Windows
Other	
Material of Construction	Aluminum
Height Adjustment	1.6" / 40 mm

ITEM	SPECIFICATIONS
Speed light	Full colour; satin; board-base stand; 2M X 0.9M
Dual wireless Lapel	High-grade aluminum frame, lightweight frame only 10 KGs; free padded carry case – bag;
microphone Eaper	hook and loop Velcro hubs made graphic banner; Velcro tension fabric straight pop-up display; 4M X 3M PVC banner
4K 3-Cmos 1/3' Sensor	Built-in ND Filter: 2 Stop (1/4)
XDCAM Camcorder	4 Stop (1/6)
	6 Stop (/64) ND Filters
	a 2 to 7 Stop Electronic ND filter
	Mechanical Filter Wheel with clear
	Minimum Illumination: 0.02 Lux
	Sensor type: 3-Chip 1/3' CMOS Sensor
	Sensor resolution: Effective 8.3 Megapixel
	Lens Focal Length: 3.7 to 92.5mm (35mm Equivalent Focal Length: 28.8 to 720mm)
	Optical Zoom Ratio: 25x
	Maximum Aperture: f/1.6
	Minimum Aperture: f/11
	Filter size: 82 mm
	Focus: Auto/Manual
	Display Type: Articulating LCD
	Display Screen: 3.5"
	Display resolution: 1,560,000 Dots Audio recording: XAVC: 4-Channel 24-Bit 48KHz LPCM Audio
	Audio recording: XAVC: 4-Channel 24-Bit 48KHz LPCM Audio Wireless Video Streaming: 2.4/5 GHz Wi-Fi 5(802.11 ac) NFC
	Audio inputs: 1x1/8"/3.5 mm Stereo Headphone output
	2x3-Pin XLR mic/Line level (+48 V Phantom Power) input
	Built-In Microphone: Stereo
	Video inputs: 1xBNC (3G-SDI) Output
	1xHDMI Output
	Battery Series: Sony BP- U Series
	Dimensions: 7.5x8x16.5x202x419mm (with Protrusions)
	Accessory mounting threads: 1x Intelligent Hot Shoe
	Other I/O: 1x2.5 mm Sub-Mini LANC Control
	1x BNC Timecode Input/output
	1x RJ45 LAN
	1x USB Micro-B
	2x USB Type-A
Canon EOS 5D Mark IV	Shutter Speed: Bulb Mode
with24-105mm lens	Electronic Front Curtain Shutter 1/8000 to 30 Seconds
	Camera Format: Full-Frame (1.0x Crop Factor)
	Reduction System: Yes
	Pixels: Actual: 31.7 Megapixel
	Effective: 30.4 Megapixel Max Resolution: 30.4 MP: 6720x4480
	Aspect Ratio: 1:1, 16:9, 3:2, 4:3
	Sensory type: CMOS
	Sensor Size: 36x24mm
	Image format: JPEG/RAW
	ISO sensitivity: 100-320000 (Extended Mode: 50-102400)
	Bit Depth: 14-bit
	Image Stabilization: Yes
	Lens Mount: Canon EF
	Focus Type: Auto/Manual
	Self-Timer: 2/10-Second Delay
	Focus mode: Continuous-Servo AF (C)
	Manual Focus (M)
	Single-Servo AF (S)
	Auto Focus points: Phase Detection: 61 (41 cross-Type)
	Auto Sensitivity: -3 to +18 EV

Aluminum Video Tripod	Camera mount Type	:: 1x1/4"-20 Male
with Fluid	Folded Length:	37.80"/96cm
	Leg Sections:	3
	Max Operating Heig	• • • • • • • • • • • • • • • • • • • •
	Load Capacity: Material:	22lb/9.98 kg Aluminum
	Min. Operating Heig	
	Leg lock Type:	Twist Lock
	Feet:	Rubber
	Vertical Tilt:	+90° to 75°
	Pan Bar:	1x Rosette
	Pan Drag:	Pan: Continuous
		Tilt: Continuous
	Pan Lock:	Yes
	Tilt Lock:	No
	Panning range:	360° Mid Level (integrated)
	Spreader: Mount:	Mid-Level (integrated) 75 mm Half Ball
	Mount.	73 Illili Hali Bali
HDMI Cables	Connections: 19pins	s Male – 19pins Male
		MI version 1.4 and v1.3
	Fully HDCP compli	ant to provide the highest level of signal quality.
		ors for the highest signal transfer rate and corrosion resistance.
XLR Cables	Connector1: XLR M	
	Connector 2: XLR F	
Audio Recorder	Frequency Response	e: 50Hz-16kHz @ 44.1 kHz Sample Rate / 128kbs MP3
		50Hz-20KHz Sample Rate/16-Bit LPCM
	0 1 1	50Hz- 20kHz @44.1 kHz Sample Rate/ 192 kbs MP3
	On-screen clock:	Yes
	Microphone Type:	Internal Stereo -1 Elements
	Recording Format:	LPCM MP3
	Recording modes:	Stereo
	Internal Memory:	Flash Memory- 4GB
	Battery Type:	1Xaaa
Canon LP-E6NH Battery	Voltage:	7.2VDC
Original Dorvin Buttery	Dimensions:	2.2 x1.5" /5.6 x 2x 3.8 cm
	Weight:	2.8 oz /79.4 g
	Dimension:	7.1 x2.8 1.2"
	Package weight:	0.25lb
	Amp-Hours:	1865 mAh
CD 1	Chemistry:	Lithium-Ion
SD card	Write protect switch	: Yes UHS-I
	Bus Type: Data Transfer:	Read Speed: 120 Mb/s Maximum Burst
	Data Hallstel.	Write Speed: 10 MB/s Minimum
	Durability:	Shockproof
		Temperature Extremes
		Waterproof
		X-Ray Proof
	Speed Class:	10
	Storage:	128 GB
CVM DO CLED 4111	UHS Speed Class:	U1
GVM P8oS LED 4-Light	Cooling System:	Fan Vac 0 to 00%
Ki with Umbrellas, Softboxes, and Backdrops	Dimming: Display Type:	Yes, 0 to 99% LCD
bottooxes, and backurops	Battery plate:	None
		111/115
	Mount:	Reflector Mount Bowens S-Type 30 VDC'
		Reflector Mount Bowens S-Type
	Mount: AC input Power:	Reflector Mount Bowens S-Type 30 VDC'

4K Wireless Video Encryption: None **Transmission System** Video Format: HDMI 1080p: 60/30/24 HDMI UHD 4K: 30 SDI 1080p: 60/59.94/30/29.97/24/23.98 Frequency Range: US: 5GHz Latency: 0.06 sec Video Connectors: Transmitter: 1xBNC input Transmitter: 1x HDMI input Transmitter/Receiver: 2x RP-SMA female Antenna: Embedded audio: HDMI/SDI 6 to 16 VDC DC input power: Transmitter/Receiver: 1x Coax input Power: Transmitter/Receiver: 1x USB-C input Wireless range: 450'/ 137.2 m (Line of sight) Projection System: 3LCD Technology, RGB liquid crystal shutter **Epson EB-X49 Projector** LCD Panel: 0.55 inch with C2 Fine Color Light Output: 3,600 Lumen- 2,400 Lumen (economy) White Light Output: 3,600 Lumen Resolution: XGA, 1024 x 768, 4:3 Native Contrast: 16,000: 1 Lamp: UHE, 210 W, 6,000 h durability, 12,000 h durability (economy mode) Auto vertical:  $\pm$  30 °, Manual horizontal  $\pm$  30 ° **Keystone Correction:** Color Reproduction: Upto 1.07 billion colours Throw Ratio: 1.48 - 1.77:1 Zoom: **Digital** Screen Size: 30 inches - 300 inches Projection Lens F Number: 1.49 - 1.72 Projection Lens Focal Length: 16.9 mm - 20.28 mm Offset: 8: 1 USB Display Function: 3 in 1: Image / Mouse / Sound Interfaces: USB 2.0 Type B, RS-232C, Ethernet interface (100 Base-TX / 10 Base-T), Wireless LAN a/n (5GHz) (optional), VGA in (2x), VGA out, HDMI in, Composite in, Stereo mini jack audio out, Stereo mini jack audio in (2x), Cinch audio in, USB 2.0 Type A Epson iProjection App: Ad-Hoc / Infrastructure Power consumption: 327-Watt, 225 Watt (economy) Product dimensions: 302 x 249 x 87 mm (Width x Depth x Height) Product weight: 2.7 kgNormal: 37 dB (A) - Economy: 28 dB (A) Noise Level: Positioning: Ceiling Mounted, Desktop

## Yolobox Pro

Color:

Exterior	Dimensions & Weight	
	Height: 27 mm Width: 129 mm Length: 218 mm Weight: 750 g Ports	

White

Ports	<ul> <li>1HDMI IN 1: Video input</li> <li>2HDMI IN 2: Video input</li> <li>3HDMI IN 3: Video input</li> <li>4USB IN: Video input (Please note in some usb webcams, only video can be captured.)</li> <li>5Ethernet: Connect to Internet by Ethernet cable</li> <li>6HDMI OUT: Video output</li> <li>7TYPE-C 3.0: A fully functional interface supports input</li> <li>8AUDIO OUT: Connect with 3.5mm monitor headphones</li> <li>9MIC IN: Mono, connect to microphone for recording</li> <li>10LINE IN: Stereo, connect to electric guitar or synthesizer</li> <li>11TYPE-C: Power connector</li> <li>121/4" Screw Hole: Mount YoloBox Pro with camera</li> <li>13Insert SD card as video sources (video &amp; PDF) &amp; for recording</li> <li>14SIM Card Slot: Insert SIM Card to connect to Internet</li> <li>15Power Button: Turn on and turn off</li> </ul>
Encoded Format	<ul> <li>Video Encoded Format: H.264</li> <li>Audio Encoded Format: AAC (44.1k)</li> <li>Video Recorded format: MP4</li> <li>Audio Input Format: 32kHz/44.1kHz/48kHz/16-bit/16kHz</li> <li>Video Input Format: 1080i/720p/1080p</li> <li>Live Broadcast Resolution: 540P/720P/1080P</li> </ul>
Video Storage	<ul> <li>Storage Card Type: SD Card</li> <li>Storage Card Capacity: Expanded to 128G in FAT32 Format</li> </ul>
Network Connection	<ul> <li>WiFi: 2.4G/5G</li> <li>4G Network Countries &amp; Frequency Band For</li> <li>Users: [NA: Variant for North America (US/Canada/Mexico)]</li> <li>B2/B4/B5/B7/B12/B13/B14/B17/B25/B26/B41/B66/B71</li> <li>Notes: Mexico B4</li> <li>For Non-US/Canada/Mexico Users: (EM:Variant for EMEA/India/Korea/Taiwan/South</li> <li>Asia/Latin America/Australia/New Zealand) Users:</li> <li>B1/B2/B3/B4/B5/B7/B8/B20/B28/B38/B39/B40/B41</li> </ul>
Power	<ul> <li>Power Interface: Type C, Quick Charge 3.0</li> <li>Battery Capacity: 10000mAh</li> </ul>
Transmission	Network Protocol: RTMP(S)
Rated Voltage	• : 5V-3A; 9V-2A; 12V-1.5A

# **Canon Mount Adapter EF-EOS R**

Camera Mount Type	Canon RF
Lens Mount	Canon EF/EF-S Canon EF
Physical Dimensions	ø: 2.8 x H: 0.9" / ø: 71.2 x H: 24.0 mm
Weight	3.88 oz (110 g)
Box Dimensions (LxWxH)	5.15 x 4.65 x 3.25"
Package Weight	0.6 lb

Shutter Speed	Electronic Front Curtain Shutter 1/8000 to 30 Seconds
•	Electronic Shutter 1/8000 to 0.5 Seconds
	Mechanical Shutter 1/8000 to 30 Seconds
White Balance	Colour Temperature
	Custom Daylight
	Fluorescent (White)
	Auto
	Cloudy
	Flash
	Shade
	Tungsten
Camera Format	Full-Frame (1x Crop Factor)
Imaging/ Image Sensor	Actual: 47.1 Megapixel
Pixels	Effective: 45.0 Megapixel
1 IACID	Effectives 10.0 Fregupixes
Max Resolution	8192 x 5464
Aspect Ratio	1:1
	16:9
	3:2
	4:3
Sensor Type	CMOS
Sensor Size	36 x 24 mm
Image File Format	JPEG
	RAW
ISO Sensitivity	Auto, 100 to 51200 (Extended: 100 to 102400)
Bit Depth	14-bit
Image Stabilization	5-Axis
	Sensor-Shift
Lens	Canon RF
Lens Mount	
· · · · · · · · · · · · · · · · · · ·	

Focus Type	Auto & Manual
Shutter	2/10-Second Delay
Self-Timer	
Focus & Optics	Continuous-servo AF (C)
Focus Mode	Manual Focus (M)
	Single-servo AF (S)
<b>Autofocus Points</b>	Phase Detection: 1053
<b>Autofocus Sensitivity</b>	-6 to +20 EV
Viewfinder & Display	
Viewfinder Coverage	100%
Viewfinder Type	Electronic (OLED)
Viewfinder Eye Point	23.00 mm
Viewfinder magnification	Approx. 0.76x
Viewfinder resolution	5,760,000 Dot
Viewfinder Size	0.5"
Display Type	Articulating Touchscreen LCD
Display Screen	3.2"
<b>Display Resolution</b>	2,100,000 Dot
Diopter Adjustment	-4 to +2 m
<b>Exposure Control</b>	Aperture Priority
Exposure Modes	Manual
Exposure Modes	Program
	Shutter Priority
	Center-weighted average metering
<b>Metering Method</b>	<b>Evaluative Metering</b>
_	Partial Metering
	Spot metering
Metering Range	3 to 20 EV
Exposure Compensation	-3 to +3 EV (1/3, 1/2 EV Steps)
Continuous Shooting	Electronic Shutter Up to 20 fps at 45 MP for up to 83 Frames
Continuous Shooting	(Raw) / 170 Frames (JPEG)
	Mechanical Shutter Up to 12 fps at 45 MP for up to 180 Frames
	(Raw) / 350 Frames (JPEG)
Interval Recording	Yes

Recording	Built-In Microphone (Stereo)
Audio Recording	External Microphone Input
Audio Format	Linear PCM AAC
	AAC
Video Recording	Yes, NTSC/PAL
video Recording	165, N150/1 AL
	DCI 4K (4096 x 2160) at
	23.976p/24.00p/25p/29.97p/50p/59.94p/100p/119.88p [120 to
	1880 Mb/s] DCI 4K (4096 x 2160) at
	23.976p/24.00p/25p/29.97p/59.94p/100p/119.88p [170 to 1880
Recording Modes	Mb/s] Full HD (1920 x 1080) at 23.976p/25p/29.97p/50p/59.94p [12 to
	180 Mb/s]
	Full HD (1920 x 1080) at 23.976p/25p/29.97p/50p/59.94p [28 to
	230 Mb/s] H.264 4:2:0 8-Bit DCI 8K (8192 x 4320) at
	23.976p/24.00p/25p/29.97p [470 to 1300 Mb/s]
	H.265 4:2:2 10-Bit DCI 8K (8192 x 4320) at
	23.976p/24.00p/25p/29.97p [680 to 1300 Mb/s] Raw 12-Bit DCI 8K (8192 x 4320) at 23.976p/24.00p/25p/29.97p
	[2600 Mb/s]
	UHD 4K (3840 x 2160) at
	23.976p/25p/29.97p/50p/59.94p/100p/119.88p [120 to 1880 Mb/s]
	UHD 4K (3840 x 2160) at
	23.976p/25p/29.97p/50p/59.94p/100p/119.88p [170 to 1880 Mb/s] UHD 8K (7680 x 4320) at 23.976p/25p/29.97p [470 to 1300 Mb/s]
	UHD 8K (7680 x 4320) at 23.976p/25p/29.97p [470 to 1300 Mb/s]
External Recording Modes	4:2:2 10-Bit DCI 4K (4096 x 2160) up to 59.94p UHD 4K (3840 x 2160) up to 59.94p
	` ' ' '
Recording Limit	Up to 29 Minutes, 59 Seconds
Connectivity Wireless	Bluetooth WIFI
1111 01033	******
Connectivity	1 x USB Type-C
	3.5mm Headphone 3.5mm Microphone
	HDMI D (Micro)
GPS	No
Flash	Built-in Flash
D. F. A. I. F. L. G. A.	No many
Dedicated Flash System	eTTL
External Flash Connection	Hot Shoe

Flash Compensation	-3 to +3 EV (1/3, 1/2 EV Steps)
Max Sync Speed	1 / 250 Second
Interface Memory Card Slot	Slot 1: CFexpress Type B Slot 2: SD/SDHC/SDXC (UHS-II)
Environmental Operating Temperature	32 to 104°F (0 to 40°C)
Operating Humidity	0 to 85%
Power Battery Type	1 x LP-E6NH Rechargeable Lithium-Ion
Physical Dimensions	5.43 x 3.84 x 3.46" / 138 x 97.5 x 88 mm
Weight	1.62 lb / 738 g
Kit Lens 1 Maximum Aperture KL1	f/4
Minimum Aperture KL1	f/22
Angle of View KL1	84° to 23° 20'
Maximum Magnification KL1	0.24x
Minimum Focus Distance KL1	1.48' / 45 cm
Optical Design KL1	18 Elements in 14 Groups
Diaphragm Blades KL1	9, Rounded
Focus Type KL1	Autofocus
Image Stabilization KL1	Yes
Filter Size KL1	77 mm (Front)
Lens KL1	Canon RF
Dimensions (ø x L) KL1	3.29 x 4.22" / 83.5 x 107.3 mm
Weight KL1	1.54 lb / 700 g
Package Weight KL1	2.175 lb
Box Dimensions (LxWxH) KL1	9.8 x 5.4 x 5.4"
L	

Imaging/ Image Sensor Aspect Ratio	16:9
Bit Depth	8-Bit (16.7 Million Colors)
Image Controls	Anamorphic De-Squeeze Color Temperature Selection False Color Histogram Image Flip Marker Color Pixel-to-Pixel Zoom R/G/B/Chroma Only Screen Markers Underscan, Zebra
Camera Jib Arm Specifications Finish	Matte
Viewfinder & Display	Display Type IPS-Type LCD
Display Type	IPS-Type LCD
Display Screen	5.0" / 12.7 cm
Display Resolution	1920 x 1080
Touchscreen	No
Recording Video Format	1080i: 50/59.94/60 1080p: 23.98/24/25/29.97/30/50/59.94/60 1080PsF: 23.98/24 480i 576i 720p: 23.98/24/25/29.97/30/50/59.94/60 HDMI: DCI 4K: 24 UHD 4K: 23.98/24/25/29.97/30
Image Display Contrast Ratio	1000:1
Receiver Mounting Options	1 x Cold Shoe Mount 2 x 1/4"-20 Female
Audio Built-in Speaker	No
Interface Audio Input	1 x 3.5 mm Headphone Output

Memory Card Slot	None
Environmental	-4 to 131°F (-20 to 55°C)
Operating Temperature	-4 to 131 1 (-20 to 35 C)
Storage Temperature	-22 to 149°F (-30 to 65°C)
Power	6 to 24 VDC
DC Input Power	
Power Consumption	8 W
Battery Type	1 x LP-E6, L-Series
Power	1 x Barrel Output
Physical	
Dimensions	5.35 x 2.98 x 0.99" / 136 x 75.7 x 25.2 mm
Weight	5.03 oz / 142.5 g
Projector	450 cd/m2
Brightness	
Packaging Information	7.45 x 4.95 x 0.01"
Box Dimensions (LxWxH)	
Package Weight	1.2 lb
Video Inputs	1 x HDMI Type A Input
	1 x HDMI Type A Output

# Reflector holder

Туре
Clamp & Holder
-
No
Weight
836g
Maximum Height
173cm
77cm

## Reflector Kit 7 in 1 80x120cm

Features & Benefits	Black
Color	Blue
	Gold
	Green
	Silver
	Translucent
	White
Physical Dimensions	80 x 120 cm

**Boom Pole Holder with Grip head kit** 

Dimensions	5.25 x 7.25 x 2.75" (133.35 x 184.15 x 69.85mm)
Weight	240.98g
Grip Head kit	
Number of Heads	Single Grip
<b>Compatible Diameters</b>	5/8", 1/2", 3/8"
<b>Bottom Mount</b>	5/8" Receiver
Color	Silver
Head Diameter	2.5" / 6.3 cm
	are 7 die em
Weight	1.75 lb / 800 g
	1./3 ID / OUU g

**Heavy Duty Century Stand with Boom Holder** 

ziout j z utj z ontur j z uniu t t on z o oni z o oni	
Color:	Silver
Material:	100% Stainless Steel
Maximum Height:	10.5' / 320cm
Minimum Height:	4.7' / 146cm
Extension Arms Length:	4.2' /128cm
Max. Load Capacity:	17.6lb / 8kg (Extension Arm), 44lb / 20kg (Center
	Column

**Century stand SandBag** 

· ·	
2 zippered pockets each	
Each bag of sand is rated for 5 Kg	
Strong and durable to add weight	
Useful with boom arms, light stands, tripods,	
and/or lighting equipment	
With yellow and black design	

# PART 3 - CONDITIONS OF CONTRACT AND CONTRACT FORMS

#### SECTION VI - GENERAL CONDITIONS OF CONTRACT

#### 1. Definitions

In the Conditions of Contract ("these Conditions"), which include Special Conditions, Parts A and B, and these General Conditions, the following words and expressions shall have the meanings stated. Words indicating persons or parties include corporations and other legal entities, except where the context requires otherwise.

- a) "Contract" means the Contract Agreement entered into between the Procuring Entity and the Supplier, together with the Contract Documents referred to therein, including all attachments, appendices, and all documents incorporated by reference therein.
- b) "Contract Documents" means the documents listed in the Contract Agreement, including any amendments thereto.
- c) "Contract Price" means the price payable to the Supplier as specified in the Contract Agreement, subject to such additions and adjustments thereto or deductions therefrom, as may be made pursuant to the Contract.
- d) "Day" means calendar day.
- e) "Completion" means the fulfilment of the Related Services by the Supplier in accordance with the terms and conditions set forth in the Contract.
- f) "GCC" means the General Conditions of Contract.
- g) "Goods" means all of the commodities, raw material, machinery and equipment, and/or other materials that the Supplier is required to supply to the Procuring Entity under the Contract.
- h) "Procuring Entity" means the Procuring Entity purchasing the Goods and Related Services, as specified in the SCC.
- i) "Related Services" means the services incidental to the supply of the goods, such as insurance, delivery, installation, commissioning, training and initial maintenance and other such obligations of the Supplier under the Contract.
- i) "SCC" means the Special Conditions of Contract.
- k) "Subcontractor" means any person, private or government entity, or a combination of the above, to whom any part of the Goods to be supplied or execution of any part of the Related Services is subcontracted by the Supplier.
- 1) "Supplier" means the person, private or government entity, or a combination of the above, whose Tender to perform the Contract has been accepted by the Procuring Entity and is named as such in the Contract Agreement.
- m) "Base Date" means a date 30 day prior to the submission of tenders.
- n) "Laws" means all national legislation, statutes, ordinances, and regulations and by-laws of any legally constituted public authority.
- o) "Letter of Acceptance" means the letter of formal acceptance, signed by the contractor. Procuring Entity, including any annexed memoranda comprising agreements between and signed by both Parties.
- p) "Procuring Entity" means the Entity named in the Special Conditions of Contract.

## 2. Interpretation

2.1. If the context so requires it, singular means plural and vice versa.

#### 2.2. Incoterms

- a) Unless inconsistent with any provision of the Contract, the meaning of any trade term and the rights and obligations of parties thereunder shall be as prescribed by Incoterms **specified** in the SCC.
- b) The terms EXW and CIP and other similar terms, when used, shall be governed by the rules prescribed in the current edition of Incoterms specified in the SCC and published by the International Chamber of Commerce in Paris, France.

#### 3. Contract Documents

Subject to the order of precedence set forth in the Contract Agreement, all documents forming the Contract (and all parts thereof) are intended to be correlative, complementary, and mutually explanatory. The Framework agreement shall be read as a whole. The documents forming the Contract shall be interpreted in the following order of priority:

- a) the Contract Agreement,
- b) the Letter of Acceptance,
- c) the General Conditions of Contract
- d) Special Conditions of Contract
- e) the Form of Tender,
- f) the Specifications and Schedules of the Drawings (if any), and
- g) the Schedules of Requirements, Price Schedule and any other documents forming part of the Contract.

## 4. Fraud and Corruption

- 3.1 The supplier shall comply with anti-corruption laws and guidelines and the prevailing sanctions, policies and procedures as set forth in the Laws of Kenya.
- 32 The Supplier shall disclose any commissions, gratuity or fees that may have been paid or are to be paid to agents or any other person with respect to the Tendering process or execution of the Contract. The information disclosed must include at least the name and address of the agent or other party, the amount and currency, and the purpose of the commission, gratuity or fee.

#### 4.1 Entire Agreement

4.1.1 The Contract constitutes the entire agreement between the Procuring Entity and the Supplier and supersedes all communications, negotiations and agreements (whether written or oral) of the parties with respect thereto made prior to the date of Contract.

## 4.1.2 Framework Agreement

- 4.1.2.1 The Parties shall enter into a Framework Agreement within 28 days after the Contractor receives the Letter of Acceptance, unless the Particular Conditions establish otherwise. The Framework Agreement shall be based upon FORM No. 3 FRAMEWORK AGREEMENT annexed to the Particular Conditions. The costs of stamp duties and similar charges (if any) imposed by law in connection with entry into the Framework Agreement shall be borne by the Procuring Entity.
- 4.1.2.2 The Framework Agreement establishes the terms and conditions that will govern the contract awarded during the term of the Framework Agreement. The Framework Agreement establishes for the procurement works by package as and when required, over the specified period of time. The Framework Agreement does not commit a Procuring Entity to procure, nor a Firm to supply. The Framework Agreement allows the Procuring Entity to call the Contractor to commence the works on a particular package in a specified location within the duration of the agreement.
- 4.1.2.3 This Framework Agreement does not guarantee the contractor of being called for a contract to start and no commitment is made with regard to possible number of packages to carry out.

- 4.1.2.4 This Framework Agreement does exclude the Procuring Entity from the right to procure the same Works from other firms.
- 4.1.2.5 This Framework Agreement does not stop the Procuring Entity from removing the contractor from the same Agreement.
- 4.1.2.6 FAs shall be established for a maximum period of three (3) years. The Procuring Entity may with the Consent of the Contractor extend this Agreement if the agreement period is less than three (3) years, if the initial engagement has been satisfactory.
- 4.1.2.7 Call-off Contracts; for work on a package to start, the Procuring Entity shall issue a notice of acceptance of a particular package requesting the contractor to furnish a Performance Security and to start the works thereafter, and providing the contractor with details of location where the works, are to be carried out. The call-off statement shall specify the objectives, tasks, deliverables, timeframes and price or price mechanism. The price for individual call-off contracts shall be based on the prices detailed in the Framework Agreement.

#### 4.2 Amendment

No amendment or other variation of the Contract shall be valid unless it is in writing, is dated, expressly refers to the Contract, and is signed by a duly authorized representative of each party thereto.

#### 4.3 Non-waiver

- a) Subject to GCC Sub-Clause 4.5(b) below, no relaxation, forbearance, delay, or indulgence by either party in enforcing any of the terms and conditions of the Contract or the granting of time by either party to the other shall prejudice, affect, or restrict the rights of that party under the Contract, neither shall any waiver by either party of any breach of Contract operate as waiver of any subsequent or continuing breach of Contract.
- b) Any waiver of a party's rights, powers, or remedies under the Contract must be in writing, dated, and signed by an authorized representative of the party granting such waiver, and must specify the right and the extent to which it is being waived.

#### 4.4 Severability

If any provision or condition of the Contract is prohibited or rendered invalid or unenforceable, such prohibition, invalidity or unenforceability shall not affect the validity or enforceability of any other provisions and conditions of the Contract.

#### 5. Language

- 5.1 The Contract as well as all correspondence and documents relating to the Contract exchanged by the Supplier and the Procuring Entity, shall be written in the **English Language**. Supporting documents and printed literature that are part of the Contract may be in another language provided they are accompanied by an accurate and certified translation of the relevant passages in the **English Language**, in which case, for purposes of interpretation of the Contract, the English language is translation shall govern.
- 52 The Supplier shall bear all costs of translation to the governing language and all risks of the accuracy of such translation, for documents provided by the Supplier.

## 6. Joint Venture, Consortium or Association

6.1 If the Supplier is a joint venture, consortium, or association, all of the parties shall be jointly and severally liable to the Procuring Entity for the fulfilment of the provisions of the Contract and shall designate one member of the joint venture, consortium, or association to act as a leader with authority to bind the joint venture, consortium, or association. The composition or the constitution of the joint venture, consortium, or association shall not be altered without the prior written consent of the Procuring Entity.

## 7. Eligibility

- 7.1 The Supplier and its Subcontractors shall have the nationality of an eligible country. A Supplier or Sub- contractor shall be deemed to have the nationality of a country if it is a citizen or constituted, incorporated, or registered, and operates in conformity with the provisions of the laws of that country.
- All Goods and Related Services to be supplied under the Contract shall have their origin in Eligible Countries. For the purpose of this Clause, origin means the country where the goods have been grown, mined, cultivated, produced, manufactured, or processed; or through manufacture, processing, or assembly, another commercially recognized article results that differs substantially in its basic characteristics from its components.
- 73 The Tenderer, if a Kenyan firm, must submit with its tender a valid tax compliance certificate from the Kenya Revenue Authority.

## 8. Notices

- Any notice given by one party to the other pursuant to the Contract shall be in writing to the address specified in the SCC. The term "in writing" means communicated in written form with proof of receipt.
- 82 A notice shall be effective when delivered or on the notice's effective date, whichever is later.

## 9. Governing Law

- 9.1 The Contract shall be governed by and interpreted in accordance with the laws of Kenya.
- Throughout the execution of the Contract, the Supplier shall comply with the import of goods and services prohibitions in Kenya:
  - a) where, as a matter of law, compliance or official regulations, Kenya prohibits commercial relations with that country or any import of goods from that country or any payments to any country, person, or entity in that country; or
  - b) by an act of compliance with a decision of the United Nations Security Council taken under Chapter VII of the Charter of the United Nations, Kenya prohibits any import of goods from that country or any payments to any country, person, or entity.

#### 10. Settlement of Disputes

- 10.1 The Procuring Entity and the Supplier shall make every effort to resolve amicably by direct negotiation any disagreement or dispute arising between them under or in connection with the Contract.
- 102 If, after thirty (30) days, the parties have failed to resolve their dispute or difference by such mutual consultation, then either the Procuring Entity or the Supplier may give notice to the other party of its intention to commence arbitration, as hereinafter provided, as to the matter in dispute, and no arbitration in respect of this matter may be commenced unless such notice is given. Any dispute or difference in respect of which a notice of intention to commence arbitration has been given in accordance with this Clause shall be finally settled by arbitration. Arbitration may be commenced prior to or after delivery of the Goods under the Contract.

## 102 Arbitration proceedings shall be conducted as follows:

- 1021 Any claim or dispute between the Parties arising out of or in connection with the Contract not settled amicably in accordance with Sub-Clause 10.1 shall be finally settled by arbitration.
- 1022 No arbitration proceedings shall be commenced on any claim or dispute where notice of a claim or dispute has not been given by the applying party within thirty days of the occurrence or discovery of the matter or issue giving rise to the dispute.
- 1023 Notwithstanding the issue of a notice as stated above, the arbitration of such a claim or dispute shall not commence unless an attempt has in the first instance been made by the parties to settle such claim or dispute amicably with or without the assistance of third parties. Proof of such attempt shall be required.
- 1024 The Arbitrator shall, without prejudice to the generality of his powers, have powers to direct such measurements, computations, or valuations as may in his opinion be desirable in order to determine the rights of the parties and assess and award any sums which ought to have been the subject of or included in any due payments.
- 1025 Neither Party shall be limited in the proceedings before the arbitrators to the evidence, or to the reasons for the dispute given in its notice of a claim or dispute.

- 1026 Arbitration may be commenced prior to or after delivery of the goods. The obligations of the Parties shall not be altered by reason of any arbitration being conducted during the progress of the delivery of goods.
- 1027 The terms of the remuneration of each or all the members of Arbitration shall be mutually agreed upon by the Parties when agreeing the terms of appointment. Each Party shall be responsible for paying one-half of this remuneration.

#### 10.3 Arbitration Proceedings

- 103.1 Arbitration proceedings with national suppliers will be conducted in accordance with the Arbitration Laws of Kenya. In case of any claim or dispute, such claim or dispute shall be notified in writing by either party to the other with a request to submit it to arbitration and to concur in the appointment of an Arbitrator within thirty days of the notice. The dispute shall be referred to the arbitration and final decision of a person or persons to be agreed between the parties. Failing agreement to concur in the appointment of an Arbitrator, the Arbitrator shall be appointed, on the request of the applying party, by the Chairman or Vice Chairman of any of the following professional institutions;
  - i) Kenya National Chamber of Commerce
  - ii) Chartered Institute of Arbitrators (Kenya Branch)
  - iii) The Law Society of Kenya
- 1032 The institution written to first by the aggrieved party shall take precedence over all other institutions.

## 1033 Alternative Arbitration Proceedings

Alternatively, the Parties may refer the matter to the Nairobi Centre for International Arbitration (NCIA) which offers a neutral venue for the conduct of national and international arbitration with commitment to providing institutional support to the arbitral process.

#### 104 Arbitration with Foreign Suppliers

- 1041 Arbitration with foreign suppliers shall be conducted in accordance with the arbitration rules of the United Nations Commission on International Trade Law (UNCITRAL); or with proceedings administered by the International Chamber of Commerce (ICC) and conducted under the ICC Rules of Arbitration; by one or more arbitrators appointed in accordance with said arbitration rules.
- 1042 The place of arbitration shall be a location specified in the SCC; and the arbitration shall be conducted in the language for communications defined in Sub-Clause 1.4 [Law and Language].

#### 10.5 Alternative Arbitration Proceedings

Alternatively, the Parties may refer the matter to the Nairobi Centre for International Arbitration (NCIA) which offers a neutral venue for the conduct of national and international arbitration with commitment to providing institutional support to the arbitral process.

#### 10.6 Failure to Comply with Arbitrator's Decision

- 1061 The award of such Arbitrator shall be final and binding upon the parties.
- 10.6.1 In the event that a Party fails to comply with a final and binding Arbitrator's decision, then the other Party may, without prejudice to any other rights it may have, refer the matter to a competent court of law.

#### 10.7 Contract operations continue

Notwithstanding any reference to arbitration herein,

- a) the parties shall continue to perform their respective obligations under the Contract unless they otherwise agree; and
- b) the Procuring Entity shall pay the Supplier any monies due the Supplier.

#### 11. Inspections and Audit by the Procuring Entity

- 11.1 The Supplier shall keep, and shall cause its Subcontractors to keep, accurate and systematic accounts and records in respect of the Goods in such form and details as will clearly identify relevant time, changes and costs.
- Pursuant to paragraph 2.2 of Instruction to Tenderers, the Supplier shall permit and shall cause its subcontractors to permit, the Procuring Entity and/or persons appointed by the Procuring Entity or by other statutory bodies of the Government to inspect the Site and/or the accounts and records relating to the procurement process, selection and/or contract execution, and to have such accounts and records audited by auditors appointed by the Procuring Entity. The Supplier's and its Subcontractors' attention is drawn to Sub- Clause 3.1 which provides, inter alia, that acts intended to materially impede the exercise of the Procuring Entity's inspection and audit rights constitute a prohibited practice subject to contract termination, as well as to a determination of ineligibility.

## 12. Scope of Supply

12.1 The Goods and Related Services to be supplied shall be as specified in the Schedule of Requirements.

#### 13. Delivery and Documents

13.1 Subject to GCC Sub-Clause 33.1, the delivery of the Goods and completion of the Related Services shall be in accordance with the List of Goods and Delivery Schedule specified in the Supply Requirements. The details of shipping and other documents to be furnished by the Supplier are specified in the SCC.

#### 14. Supplier's Responsibilities

14.1 The Supplier shall supply all the Goods and Related Services included in the Scope of Supply in accordance with GCC Clause 12, and the Delivery and Completion Schedule, as per GCC Clause 13.

#### 15. Contract Price

- Prices charged by the Supplier for the Goods supplied and the Related Services performed under the Contract shall not vary from the prices quoted by the Supplier in its Tender, with the exception of any price adjustments authorized in the SCC.
- Where the contract price is different from the corrected tender price, in order to ensure the supplier is not paid less or more relative to the contract price (*which would be the tender price*), any partial payment valuation based on rates in the schedule of prices in the Tender, will be adjusted by a <u>plus or minus</u> percentage. The percentage already worked out during tender evaluation is worked out as follows: (*corrected tender price tender price*)/tender price X 100.

#### 16. Terms of Payment

- 16.1 The Supplier shall request for payment by submitting invoice(s), delivery note(s) and any other relevant documents as specified in the SCC to the Procuring Entity.
- Payments shall be made promptly by the Procuring Entity, but not later than thirty (30) days after submission of an invoice by the Supplier, and after the Procuring Entity has accepted it.
- Where a Procuring Entity rejects Goods and Related Services, in part or wholly, the procuring Entity shall promptly inform the Supplier to collect, replace or rectify as appropriate and give reasons for rejection. The Supplier shall submit a fresh invoice, delivery note and any other relevant documents as specified in the SCC.
- The currencies in which payments shall be made to the Supplier under this Contract shall be those in which the Tender price is expressed.
- In the event that the Procuring Entity fails to pay the Supplier any payment by its due date or within the period set forth in the SCC, the Procuring Entity may pay to the Supplier interest on the amount of such delayed payment at the rate shown in the SCC, for the period of delay until payment has been made in full, whether before or after judgment or arbitrage award.

#### 17. Taxes and Duties

- 17.1 The Supplier shall be entirely responsible for all taxes, duties, license fees, and other such levies incurred to deliver the Goods and Related Services to the Procuring Entity at the final delivery point.
- 17.3 If any tax exemptions, reductions, allowances or privileges may be available to the Supplier in Kenya, the Supplier shall inform the Procuring Entity and the Procuring Entity shall use its best efforts to enable the Supplier to benefit from any such tax savings to the maximum allowable extent.

#### 18. Performance Security

- 18.1 If required as specified in the SCC, the Supplier shall, within twenty-eight (28) days of the notification of contract award, provide a performance security for the performance of the Contract in the amount specified in the SCC.
- The proceeds of the Performance Security shall be payable to the Procuring Entity as compensation for any loss resulting from the Supplier's failure to complete its obligations under the Contract.
- As specified in **the SCC**, the Performance Security, if required, shall be denominated in the currency(ies) of the Contract, or in a freely convertible currency acceptable to the Procuring Entity; and shall be in one of the formats stipulated by the Procuring Entity in **the SCC**, or in another format acceptable to the Procuring Entity.
- 184 The Performance Security shall be discharged by the Procuring Entity and returned to the Supplier not later than thirty (30) days following the date of Completion of the Supplier's performance obligations under the Contract, including any warranty obligations, unless specified otherwise in the SCC.

## 19. Copyright

19.1 The copyright in all drawings, documents, and other materials containing data and information furnished to the Procuring Entity by the Supplier herein shall remain vested in the Supplier, or, if they are furnished to the Procuring Entity directly or through the Supplier by any third party, including suppliers of materials, the copyright in such materials shall remain vested in such third party.

#### **20.** Confidential Information

- 20.1 The Procuring Entity and the Supplier shall keep confidential and shall not, without the written consent of the other party hereto, divulge to any third party any documents, data, or other information furnished directly or indirectly by the other party hereto in connection with the Contract, whether such information has been furnished prior to, during or following completion or termination of the Contract. Notwithstanding the above, the Supplier may furnish to its Sub-Supplier such documents, data, and other information it receives from the Procuring Entity to the extent required for the Sub Supplier to perform its work under the Contract, in which event the Supplier shall obtain from such Sub Supplier undertaking of confidentiality similar to that imposed on the Supplier under GCC Clause 20.
- 20.2 The Procuring Entity shall not use such documents, data, and other information received from the Supplier for any purposes unrelated to the contract. Similarly, the Supplier shall not use such documents, data, and other information received from the Procuring Entity for any purpose other than the performance of the Contract.
- 20.3 The obligation of a party under GCC Sub-Clauses 20.1 and 20.2 above, however, shall not apply to information that:
  - a) the Procuring Entity or Supplier need to share with other arms of Government or other bodies participating in the financing of the Contract; such parties shall de disclosed in **the SCC**;
  - b) now or hereafter enters the public domain through no fault of that party;
  - c) can be proven to have been possessed by that party at the time of disclosure and which was not previously obtained, directly or indirectly, from the other party; or

- d) otherwise lawfully becomes available to that party from a third party that has no obligation of confidentiality.
- 20.4 The above provisions of GCC Clause 20 shall not in any way modify any undertaking of confidentiality given by either of the parties hereto prior to the date of the Contract in respect of the Supply or any part thereof.
- 20.5 The provisions of GCC Clause 20 shall survive completion or termination, for whatever reason, of the Contract.

## 21. Subcontracting

- 21.1 The Supplier shall notify the Procuring Entity in writing of all subcontracts awarded under the Contract if not already specified in the Tender. Such notification, in the original Tender or later shall not relieve the Supplier from any of its obligations, duties, responsibilities, or liability under the Contract.
- 212 Subcontracts shall comply with the provisions of GCC Clauses 3 and 7.

## 22. Specifications and Standards

- 22.1 Technical Specifications and Drawings
  - a) The Goods and Related Services supplied under this Contract shall conform to the technical specifications and standards mentioned in Section VI, Schedule of Requirements and, when no applicable standard is mentioned, the standard shall be equivalent or superior to the official standards whose application is appropriate to the Goods' country of origin.
  - b) The Supplier shall be entitled to disclaim responsibility for any design, data, drawing, specification or other document, or any modification thereof provided or designed by or on behalf of the Procuring Entity, by giving a notice of such disclaimer to the Procuring Entity.
  - c) Wherever references are made in the Contract to codes and standards in accordance with which it shall be executed, the edition or the revised version of such codes and standards shall be those specified in the Schedule of Requirements. During Contract execution, any changes in any such codes and standards shall be applied only after approval by the Procuring Entity and shall be treated in accordance with GCC Clause 33.

## 23. Packing and Documents

- 23.1 The Supplier shall provide such packing of the Goods as is required to prevent their damage or deterioration during transit to their final destination, as indicated in the Contract. During transit, the packing shall be sufficient to withstand, without limitation, rough handling and exposure to extreme temperatures, salt and precipitation, and open storage. Packing case size and weights shall take into consideration, where appropriate, the remoteness of the goods' final destination and the absence of heavy handling facilities at all points in transit.
- The packing, marking, and documentation within and outside the packages shall comply strictly with such special requirements as shall be expressly provided for in the Contract, including additional requirements, if any, specified **in the SCC**, and in any other instructions ordered by the Procuring Entity.

#### 24. Insurance

24.1 Unless otherwise specified in the **SCC**, the Goods supplied under the Contract shall be fully insured—in a freely convertible currency from an eligible country—against loss or damage incidental to manufacture or acquisition, transportation, storage, and delivery, in accordance with the applicable Incoterms or in the manner specified in the **SCC**.

#### 25. Transportation and Incidental Services

- 25.1 Unless otherwise specified in the **SCC**, responsibility for arranging transportation of the Goods shall be in accordance with the specified Incoterms.
- 252 The Supplier may be required to provide any or all of the following services, including additional

services, if any, specified in SCC:

- a) performance or supervision of on-site assembly and/or start-up of the supplied Goods;
- b) furnishing of tools required for assembly and/or maintenance of the supplied Goods;
- c) furnishing of a detailed operations and maintenance manual for each appropriate unit of the supplied Goods;
- d) performance or supervision or maintenance and/or repair of the supplied Goods, for a period of time agreed by the parties, provided that this service shall not relieve the Supplier of any warranty obligations under this Contract; and
- e) training of the Procuring Entity's personnel, at the Supplier's plant and/or on-site, in assembly, start-up, operation, maintenance, and/or repair of the supplied Goods.
- Prices charged by the Supplier for incidental services, if not included in the Contract Price for the Goods, shall be agreed upon in advance by the parties and shall not exceed the prevailing rates charged to other parties by the Supplier for similar services

## 26. Inspections and Tests

- 26.1 The Supplier shall at its own expense and at no cost to the Procuring Entity carry out all such tests and/or inspections of the Goods and Related Services as are specified in the SCC.
- The inspections and tests may be conducted on the premises of the Supplier or its Subcontractor, at point of delivery, and/or at the Goods' final destination, or in another place in Kenya as specified in the SCC. Subject to GCC Sub-Clause 26.3, if conducted on the premises of the Supplier or its Subcontractor, all reasonable facilities and assistance, including access to drawings and production data, shall be furnished to the inspectors at no charge to the Procuring Entity.
- The Procuring Entity or its designated representative shall be entitled to attend the tests and/or inspections referred to in GCC Sub-Clause 26.2, provided that the Procuring Entity bear all of its own costs and expenses incurred in connection with such attendance including, but not limited to, all travelling and board and lodging expenses.
- Whenever the Supplier is ready to carry out any such test and inspection, it shall give a reasonable advance notice, including the place and time, to the Procuring Entity. The Supplier shall obtain from any relevant third party or manufacturer any necessary permission or consent to enable the Procuring Entity or its designated representative to attend the test and/or inspection.
- The Procuring Entity may require the Supplier to carry out any test and/or inspection not required by the Contract but deemed necessary to verify that the characteristics and performance of the Goods comply with the technical specifications codes and standards under the Contract, provided that the Supplier's reasonable costs and expenses incurred in the carrying out of such test and/or inspection shall be added to the Contract Price. Further, if such test and/or inspection impedes the progress of manufacturing and/or the Supplier's performance of its other obligations under the Contract, due allowance will be made in respect of the Delivery Dates and Completion Dates and the other obligations so affected.
- 266 The Supplier shall provide the Procuring Entity with a report of the results of any such test and/or inspection.
- 26.7 The Procuring Entity may reject any Goods or any part thereof that fail to pass any test and/or inspection or do not conform to the specifications. The Supplier shall either rectify or replace such rejected Goods or parts thereof or make alterations necessary to meet the specifications at no cost to the Procuring Entity, and shall repeat the test and/or inspection, at no cost to the Procuring Entity, upon giving a notice pursuant to GCC Sub- Clause 26.4.
- The Supplier agrees that neither the execution of a test and/or inspection of the Goods or any part thereof, nor the attendance by the Procuring Entity or its representative, nor the issue of any report pursuant to GCC Sub-Clause 26.6, shall release the Supplier from any warranties or other obligations under the Contract.

#### 27. Liquidated Damages

27.1 Except as provided under GCC Clause 32, if the Supplier fails to deliver any or all of the Goods by the Date(s) of delivery or perform the Related Services within the period specified in the Contract, the Procuring Entity may without prejudice to all its other remedies under the Contract, deduct from the Contract Price, as liquidated damages, a sum equivalent to the percentage specified in the SCC of the delivered price of the delayed Goods or unperformed Services for each week or part thereof of delay until actual delivery or performance, up to a maximum deduction of the percentage specified in those SCC. Once the maximum is reached, the Procuring Entity may terminate the Contract pursuant to GCC Clause 35.

#### 28. Warranty

- 28.1 The Supplier warrants that all the Goods are new, unused, and of the most recent or current models, and that they incorporate all recent improvements in design and materials, unless provided otherwise in the Contract.
- Subject to GCC Sub-Clause 22.1(b), the Supplier further warrants that the Goods shall be free from defects arising from any act or omission of the Supplier or arising from design, materials, and workmanship, under normal use in the conditions prevailing in the country of final destination.
- Unless otherwise specified in the **SCC**, the warranty shall remain valid for twelve (12) months after the Goods, or any portion thereof as the case may be, have been delivered to and accepted at the final destination indicated in the **SCC**, or for eighteen (18) months after the date of shipment from the port or place of loading in the country of origin, whichever period concludes earlier.
- 28.4 The Procuring Entity shall give notice to the Supplier stating the nature of any such defects together with all available evidence thereof, promptly following the discovery thereof. The Procuring Entity shall afford all reasonable opportunity for the Supplier to inspect such defects.
- Upon receipt of such notice, the Supplier shall, within the period specified in the SCC, expeditiously repair or replace the defective Goods or parts thereof, at no cost to the Procuring Entity.
- 28.6 If having been notified, the Supplier fails to remedy the defect within the period specified in the SCC, the Procuring Entity may proceed to take within a reasonable period such remedial action as may be necessary, at the Supplier's risk and expense and without prejudice to any other rights which the Procuring Entity may have against the Supplier under the Contract.

## 29. Patent Indemnity

- 29.1 The Supplier shall, subject to the Procuring Entity's compliance with GCC Sub-Clause 29.2, indemnify and hold harmless the Procuring Entity and its employees and officers from and against any and all suits, actions or administrative proceedings, claims, demands, losses, damages, costs, and expenses of any nature, including attorney's fees and expenses, which the Procuring Entity may suffer as a result of any infringement or alleged infringement of any patent, utility model, registered design, trademark, copyright, or other intellectual property right registered or otherwise existing at the date of the Contract by reason of:
  - a) the installation of the Goods by the Supplier or the use of the Goods in the country where the Site is located; and
  - b) the sale in any country of the products produced by the Goods.
    - Such indemnity shall not cover any use of the Goods or any part thereof other than for the purpose indicated by or to be reasonably inferred from the Contract, neither any infringement resulting from the use of the Goods or any part thereof, or any products produced thereby in association or combination with any other equipment, plant, or materials not supplied by the Supplier, pursuant to the Contract.
- If any proceedings are brought or any claim is made against the Procuring Entity arising out of the matters referred to in GCC Sub-Clause 29.1, the Procuring Entity shall promptly give the Supplier a notice thereof, and the Supplier may at its own expense and in the Procuring Entity's name conduct such proceedings or claim and any negotiations for the settlement of any such proceedings or claim.
- 293 If the Supplier fails to notify the Procuring Entity within twenty-eight (28) days after receipt of

such notice that it intends to conduct any such proceedings or claim, then the Procuring Entity shall be free to conduct the same on its own behalf.

- 29.4 The Procuring Entity shall, at the Supplier's request, afford all available assistance to the Supplier in conducting such proceedings or claim, and shall be reimbursed by the Supplier for all reasonable expenses incurred in so doing.
- 295 The Procuring Entity shall indemnify and hold harmless the Supplier and its employees, officers, and Subcontractors from and against any and all suits, actions or administrative proceedings, claims, demands, losses, damages, costs, and expenses of any nature, including attorney's fees and expenses, which the Supplier may suffer as a result of any infringement or alleged infringement of any patent, utility model, registered design, trademark, copyright, or other intellectual property right registered or otherwise existing at the date of the Contract arising out of or in connection with any design, data, drawing, specification, or other documents or materials provided or designed by or on behalf of the Procuring Entity.

## 30. Limitation of Liability

- 30.1 Except in cases of criminal negligence or willful misconduct,
  - a) the Supplier shall not be liable to the Procuring Entity, whether in contract, tort, or otherwise, for any indirect or consequential loss or damage, loss of use, loss of production, or loss of profits or interest costs, provided that this exclusion shall not apply to any obligation of the Supplier to pay liquidated damages to the Procuring Entity, and
  - b) the aggregate liability of the Supplier to the Procuring Entity, whether under the Contract, in tort or otherwise, shall not exceed the total Contract Price, provided that this limitation shall not apply to the cost of repairing or replacing defective equipment, or to any obligation of the supplier to indemnify the Procuring Entity with respect to patent infringement.

## 31. Change in Laws and Regulations

31.1 Unless otherwise specified in the Contract, if after the date of 30 days prior to date of Tender submission, any law, regulation, ordinance, order or bylaw having the force of law is enacted, promulgated, abrogated, or changed in Kenya (which shall be deemed to include any change in interpretation or application by the competent authorities) that subsequently affects the Delivery Date and/or the Contract Price, then such Delivery Date and/or Contract Price shall be correspondingly increased or decreased, to the extent that the Supplier has thereby been affected in the performance of any of its obligations under the Contract. Notwithstanding the foregoing, such additional or reduced cost shall not be separately paid or credited if the same has already been accounted for in the price adjustment provisions where applicable, in accordance with GCC Clause 15.

## 32. Force Majeure

- 32.1 The Supplier shall not be liable for forfeiture of its Performance Security, liquidated damages, or termination for default if and to the extent that its delay in performance or other failure to perform its obligations under the Contract is the result of an event of Force Majeure.
- For purposes of this Clause, "Force Majeure" means an event or situation beyond the control of the Supplier that is not foreseeable, is unavoidable, and its origin is not due to negligence or lack of care on the part of the Supplier. Such events may include, but not be limited to, acts of the Procuring Entity in its sovereign capacity, wars or revolutions, fires, floods, epidemics, quarantine restrictions, and freight embargoes.
- 32.3 If a Force Majeure situation arises, the Supplier shall promptly notify the Procuring Entity in writing of such condition and the cause thereof. Unless otherwise directed by the Procuring Entity in writing, the Supplier shall continue to perform its obligations under the Contract as far as is reasonably practical, and shall seek all reasonable alternative means for performance not prevented by the Force Majeure event.

## 33. Change Orders and Contract Amendments

- 33.1 The Procuring Entity may at any time order the Supplier through notice in accordance GCC Clause 8, to make changes within the general scope of the Contract in any one or more of the following:
  - a) drawings, designs, or specifications, where Goods to be furnished under the Contract are to be specifically manufactured for the Procuring Entity;
  - b) the method of shipment or packing;
  - c) the place of delivery; and
  - d) the Related Services to be provided by the Supplier.
- If any such change causes an increase or decrease in the cost of, or the time required for, the Supplier's performance of any provisions under the Contract, an equitable adjustment shall be made in the Contract Price or in the Delivery/Completion Schedule, or both, and the Contract shall accordingly be amended. Any claims by the Supplier for adjustment under this Clause must be asserted within twenty-eight (28) days from the date of the Supplier's receipt of the Procuring Entity's change order.
- Prices to be charged by the Supplier for any Related Services that might be needed but which were not included in the Contract shall be agreed upon in advance by the parties and shall not exceed the prevailing rates charged to other parties by the Supplier for similar services.
- Value Engineering: The Supplier may prepare, at its own cost, a value engineering proposal at any time during the performance of the contract. The value engineering proposal shall, at a minimum, include the following;
  - a) the proposed change(s), and a description of the difference to the existing contract requirements;
  - b) a full cost/benefit analysis of the proposed change(s) including a description and estimate of costs (including life cycle costs) the Procuring Entity may incur in implementing the value engineering proposal; and
  - c) a description of any effect(s) of the change on performance/functionality.
- 33.5 The Procuring Entity may accept the value engineering proposal if the proposal demonstrates benefits that:
  - a) accelerates the delivery period; or
  - b) reduces the Contract Price or the life cycle costs to the Procuring Entity; or
  - c) improves the quality, efficiency or sustainability of the Goods; or
  - d) yields any other benefits to the Procuring Entity, without compromising the necessary functions of the Facilities.
- 33.6 If the value engineering proposal is approved by the Procuring Entity and results in:
  - a) a reduction of the Contract Price; the amount to be paid to the Supplier shall be the percentage specified **in the SCC** of the reduction in the Contract Price; or
  - b) an increase in the Contract Price; but results in a reduction in life cycle costs due to any benefit described in
    - (a) to (d) above, the amount to be paid to the Supplier shall be the full increase in the Contract Price.
- 33.7 Subject to the above, no variation in or modification of the terms of the Contract shall be made except by written amendment signed by the parties.

#### 34. Extensions of Time

- 34.1 If at any time during performance of the Contract, the Supplier or its subcontractors should encounter conditions impeding timely delivery of the Goods or completion of Related Services pursuant to GCC Clause 13, the Supplier shall promptly notify the Procuring Entity in writing of the delay, its likely duration, and its cause. As soon as practicable after receipt of the Supplier's notice, the Procuring Entity shall evaluate the situation and may at its discretion extend the Supplier's time for performance, in which case the extension shall be ratified by the parties by amendment of the Contract.
- 342 Except in case of Force Majeure, as provided under GCC Clause 32, a delay by the Supplier in

the performance of its Delivery and Completion obligations shall render the Supplier liable to the imposition of liquidated damages pursuant to GCC Clause 26, unless an extension of time is agreed upon, pursuant to GCC Sub-Clause 34.1.

#### 35. Termination

#### 35.1 Termination for Default

- a) The Procuring Entity, without prejudice to any other remedy for breach of Contract, by written notice of default sent to the Supplier, may terminate the Contract in whole or in part:
  - i) if the Supplier fails to deliver any or all of the Goods within the period specified in the Contract, or within any extension thereof granted by the Procuring Entity pursuant to GCC Clause 34;
  - ii) if the Supplier fails to perform any other obligation under the Contract; or
  - iii) if the Supplier, in the judgment of the Procuring Entity has engaged in Fraud and Corruption, as defined in paragraph 2.2 a of the Appendix to the GCC, in competing for or in executing the Contract.
- b) In the event the Procuring Entity terminates the Contract in whole or in part, pursuant to GCC Clause 35.1(a), the Procuring Entity may procure, upon such terms and in such manner as it deems appropriate, Goods or Related Services similar to those undelivered or not performed, and the Supplier shall be liable to the Procuring Entity for any additional costs for such similar Goods or Related Services. However, the Supplier shall continue performance of the Contract to the extent not terminated.

## 352 Termination for Insolvency.

The Procuring Entity may at any time terminate the Contract by giving notice to the Supplier if the Supplier becomes bankrupt or otherwise insolvent. In such event, termination will be without compensation to the Supplier, provided that such termination will not prejudice or affect any right of action or remedy that has accrued or will accrue thereafter to the Procuring Entity

#### 35.2 Termination for Convenience.

- a) The Procuring Entity, by notice sent to the Supplier, may terminate the Contract, in whole or in part, at any time for its convenience. The notice of termination shall specify that termination is for the Procuring Entity's convenience, the extent to which performance of the Supplier under the Contract is terminated, and the date upon which such termination becomes effective.
- b) The Goods that are complete and ready for shipment within twenty-eight (28) days after the Supplier's receipt of notice of termination shall be accepted by the Procuring Entity at the Contract terms and prices. For the remaining Goods, the Procuring Entity may elect:
  - i) to have any portion completed and delivered at the Contract terms and prices; and/or
  - ii) to cancel the remainder and pay to the Supplier an agreed amount for partially completed Goods and Related Services and for materials and parts previously procured by the Supplier.

## 36. Assignment

36.1 Neither the Procuring Entity nor the Supplier shall assign, in whole or in part, their obligations under this Contract, except with prior written consent of the other party.

#### 37. Export Restriction

37.1 Notwithstanding any obligation under the Contract to complete all export formalities, any export restrictions attributable to the Procuring Entity, to Kenya, or to the use of the products/goods, systems or services to be supplied, which arise from trade regulations from a country supplying those products/goods, systems or services, and which substantially impede the Supplier from meeting its obligations under the Contract, shall release the Supplier from the obligation to provide deliveries or services, always provided, however, that the Supplier can demonstrate to the satisfaction of the Procuring Entity that it has completed all formalities in a timely manner, including applying for permits, authorizations and licenses necessary for the export of the products/goods, systems or services under the terms of the Contract. Termination of the Contract on this basis shall be for the Procuring Entity's convenience pursuant to Sub-Clause 35.3.

## SECTION VII - SPECIAL CONDITIONS OF CONTRACT

The following Special Conditions of Contract (SCC) shall supplement and/or amend the General Conditions of Contract (GCC). Whenever there is a conflict, the provisions herein shall prevail over those in the GCC.

[The Procuring Entity shall select insert the appropriate wording using the samples below or other acceptable wording, and delete the text in italics].

## SECTION VII - SPECIAL CONDITIONS OF CONTRACT

The following Special Conditions of Contract (SCC) shall supplement and / or amend the General Conditions of Contract (GCC). Whenever there is a conflict, the provisions herein shall prevail over those in the GCC.

[The Procuring Entity shall select insert the appropriate wording using the samples below or other acceptable wording, and delete the text in italics]

Number of GC	Amendments of, and Supplements to, Clauses in the General Conditions of Contract	
Clause	, <b>**</b>	
GCC 1.1(h)	The Procuring Entity is: COUNTY GOVERNMENT OF NYANDARUA	
GCC 4.2 (a)	The meaning of the trade terms shall be as prescribed by Incoterms. If the meaning of any	
	trade term and the rights and obligations of the parties thereunder shall not be as prescribed	
	by Incoterms, they shall be as prescribed by: <i>N/A</i>	
GCC 4.2 (b)	The version edition of Incoterms shall be <i>INCOTERMS 2020</i>	
GCC 8.1	For <u>notices</u> , the Procuring Entity's address shall be:	
	Head of Supply Chain Management Services	
	County Government of Nyandarua	
	P.O. BOX 701-20303	
	Ol Kalou	
	Email: scms@nyandarua.go.ke	
GCC 10.4.2	The place of arbitration shall be the <i>as agreed by both parties</i> .	
GCC 13.1	Details of Shipping and other Documents to be furnished by the Supplier are <i>delivery note</i>	
	and supplier invoice while quality inspection and test reports, Manufacturer warranty	
	certificate where requested.	
	The above documents shall be received by the Procuring Entity before arrival of the Goods	
	and, if not received, the Supplier will be responsible for any consequent expenses.	
GCC 15.1	The prices charged for the Goods supplied and the related Services performed <i>shall not</i> be adjustable.	
	adjustable.	
	If prices are adjustable, the following method shall be used to calculate the price	
	adjustment: N/A	
GCC 16.1	Sample provision	
	GCC 16.1—The method and conditions of payment to be made to the Supplier under this	
	Contract shall be as follows: As per the framework agreement.	
GCC 16.5	The payment-delay period after which the Procuring Entity shall pay interest to the supplier	
	shall be $N/A$ .	
	The interest rate that shall be applied is $N/A$ .	
GCC 18.1	A Performance Security <i>may not</i> be required <i>on a need be basis</i> .	
GCC 18.4	Discharge of the Performance Security shall take place: <i>N/A</i>	
GCC 23.2	The packing, marking and documentation within and outside the packages shall be: As	
	required.	
GCC 24.1	The insurance coverage shall be as specified in the Incoterms.	
	If not in accordance with Incoterms, insurance shall be as follows: N/A	
GCC 25.1	Responsibility for transportation of the Goods shall be as specified in the Incoterms.	

GCC 25.2	Incidental services to be provided are: After Sales Services If Any.
GCC 26.1	The inspections and tests shall be: inspection and acceptance by the Procuring Entity
	upon delivery.
GCC 26.2	The Inspections and tests shall be conducted at: <i>Procuring entity's premises</i>
GCC 27.1	The liquidated damage shall be: <i>N/A</i>
GCC 27.1	The maximum amount of liquidated damages shall be: <i>N/A</i>
GCC 28.3	
	The period of validity of the Warranty shall be: 365 days
	For purposes of the Warranty, the place(s) of final destination(s) shall be:
	County Government of Nyandarua
GCC 28.5, GCC	The period for repair or replacement shall be: 30 days.
28.6	
GCC 33.6	If the value engineering proposal is approved by the Procuring Entity the amount to be paid
	to the Supplier shall be $N/A$ .
	The percentage is normally up to 50%) of the reduction in the Contract Price.

#### **SECTION VIII - CONTRACT FORMS**

This Section contains forms which, once completed, will form part of the Contract. The forms for Performance Security and Advance Payment Security, when required, shall only be completed by the successful tenderer after contract award.

#### FORM No. 1: NOTIFICATION OF INTENTION TO AWARD

	lotification format bel	low.		•	•		r Information Form on
<u>FORM</u>	MAT						
1.	For the	attention	n of Tenderer's A	Authorized	Representativ	ve	
	I) Na	ame:	[insert A	Authorized	Representativ	ve's name]	
	ii) Ad	ddress:	[insert	Authorize	ed Representa	tive's Address]	
	iii) Te	elephone:	[inse	ert Author	ized Represer	ntative's telephone/fa	ıx numbers]
	iv) Er	nail Add	ress:	[insert Au	thorized Repr	esentative's email a	ıddress]
		all Tender					. The Notification must be close to the same time
2	Date of	f transmi	ssion:[	[ <i>email</i> ] on	[date]	(local time)	
	This No	otification	is sent by	(Nam	e and designa	tion)	
3.	Notifica	Notification of Intention to Award					
	I) Er	mployer:_	[i	insert the	name of the	Employer]	
	ii) Pr	oject:		[insert na	me of project	]	
	iii) Co	ontract tit	le:	_[insert_t	he name of t	he contract]	
	iv) Co	ountry:		[insert col	untry where I	TT is issued]	
	v) IT	T No:	[i	insert ITT	reference nu	mber from Procure	ment Plan]
	above of		The transmission				decision to award the od. During the Standstill
4.	Request	t a debri	efing in relation	to the eva	aluation of yo	our tender	
(i)			rement-related Co	omplaint ii	n relation to	the decision to awa	ard the contract.
	Pack No.		Name of success Tenderer	ful A	ddress of the	successful Tenderer	Contract price of the successful Tenderer
	Lot N						
	Lot N						

This Notification of Intention to Award shall be sent to each Tenderer that submitted a Tender. Send

# (ii) Other Tenderers

Lot No.
Lot No.

Names of all Tenderers that submitted a Tender. If the Tender's price was evaluated include the evaluated price as well as the Tender price as read out.

Package No.	Name of Tenderer	Address of the Tenderer	Tender price	evaluated price
Lot No.				

5.	How	to	request	a	debriefing

- a) DEADLINE: The deadline to request a debriefing expires at midnight on [insert date] (local time).
- b) You may request a debriefing in relation to the results of the evaluation of your Tender. If you decide to request a debriefing your written request must be made within three (5) Business Days of receipt of this Notification of Intention to Award.
- c) Provide the contract name, reference number, name of the Tenderer, contact details; and address the request for debriefing as follows:

I)	Attention:	[insert full name of person, if applicable]
ii)	Title/position:	[insert title/position]
ii)	Agency:	_[insert name of Employer]
iii)	Email address:	[insert email address]

- d) If your request for a debriefing is received within the 3 Days deadline, we will provide the debriefing within five (3) Business Days of receipt of your request. If we are unable to provide the debriefing within this period, the Standstill Period shall be extended by five (3) Days after the date that the debriefing is provided. If this happens, we will notify you and confirm the date that the extended Standstill Period will end.
- e) The debriefing may be in writing, by phone, video conference call or in person. We shall promptly advise you in writing how the debriefing will take place and confirm the date and time.
- f) If the deadline to request a debriefing has expired, you may still request a debriefing. In this case, we will provide the debriefing as soon as practicable, and normally no later than fifteen (15) Days from the date of publication of the Contract Award Notice.
- 6. How to make a complaint
  - a) Period: Procurement-related Complaint challenging the decision to award shall be submitted by midnight, [insert date] (local time).
  - b) Provide the contract name, reference number, name of the Tenderer, contact details; and address the Procurement-related Complaint as follows:

I) Attent	on:	[insert full name	of person, if applicable]
ii) Title	/position:	[insert title/po	sition]
iii) Age	ncy:	[insert name o	of Employer]
iv) Ema	il address:	[insert email	address]

- c) At this point in the procurement process, you may submit a Procurement-related Complaint challenging the decision to award the contract. You do not need to have requested, or received, a debriefing before making this complaint. Your complaint must be submitted within the Standstill Period and received by us before the Standstill Period ends.
- d) Further information: For more information refer to the Public Procurement and Disposals Act 2015 and its Regulations available from the Website <a href="www.ppra.go.ke">www.ppra.go.ke</a> or email <a href="complaints@ppra.go.ke">complaints@ppra.go.ke</a>.

You should read these documents before preparing and submitting your complaint.

- e) There are four essential requirements:
- i) You must be an 'interested party'. In this case, that means a Tenderer who submitted a Tender in this tendering process, and is the recipient of a Notification of Intention to Award.
- ii) The complaint can only challenge the decision to award the contract.
- iii) You must submit the complaint within the period stated above.
- iv) You must include, in your complaint, all of the information required to support your complaint.

#### 7. <u>Standstill</u> Period

- i) DEADLINE: The Standstill Period is due to end at midnight on [insert date] (local time).
- ii) The Standstill Period lasts ten (14) Days after the date of transmission of this Notification of Intention to Award.
- iii) The Standstill Period may be extended as stated in paragraph Section 5 (d) above.

If you have any questions regarding this Notification please do not hesitate to contact us.

On behalf of the Employer:	
Signature:	
Name:	
Title/position:	
Telephone:	
Email:	

# FORM NO. 2 - REQUEST FOR REVIEW

## FORM FOR REVIEW(r.203(1))

PUBLIC PROCUREMENT ADMINISTRATIVE REVIEW BOARD
APPLICATION NOOF20
BETWEEN
APPLICANT
AND
RESPONDENT (Procuring Entity)
Request for review of the decision of the
REQUEST FOR REVIEW
I/Wep. O. Box NoTel. NoEmail, hereby request the Public Procurement Administrative Review Board to review the whole/part of the above mentioned decision on the following grounds , namely:
1.
2.
By this memorandum, the Applicant requests the Board for an order/orders that:
1.
2.
SIGNED(Applicant) Dated onday of/20
FOR OFFICIAL USE ONLY Lodged with the Secretary Public Procurement Administrative Review Board onday of20
SIGNED
Board Secretary

### FORM NO. 3 LETTER OF AWARD

[Use letter head paper	of the Procuring Entity]
	[Date]
То:	[name and address of the Supplier]
Subject:	Notification of Award Contract No
of the for contract L	you that your Tender dated [insert date] for execution [insert name of the contract and identification number, as given in the SCC] on No
of Contract. On being notification, you will be accordance with the C	rrange to sign the Framework Agreement within 28 days in accordance with the Conditions instructed to commence the contract on any of the packages you have won, by a call-off per requested to furnish for the particular package a Performance Security within 28 days in conditions of Contract, and for that purpose, using one of the Performance Security Forms II, Contract Forms, of the Tender Document.
Authorized Signature:	
Name and Title of Sign	natory:
Name of Agency:	

Attachment: Framework agreement

### FORM NO. 4 - FRAMEWORK AGREEMENT

[The	succe	essful to	enderer shall fill in this form in accordance with the instructions indicated]
year] prince Entity laws	BET ipal p y"), of [in	TWEEN lace of the usert: of	NT made the
1.	WHI	EREAS	the Procuring Entity invited Tenders for certain Goods and ancillary services, viz.,
	_		f description of Goods and Services] and has accepted a Tender by the Supplier for the hose Goods and Services, the Procuring Entity and the Supplier agree as follows:
	i)		is Agreement words and expressions shall have the same meanings as are ctively assigned to them in the Contract documents referred to.
	ii)		following documents shall be deemed to form and be read and construed as part of this ement. This Agreement shall prevail over all other contract documents.
		a)	the Letter of Acceptance
		b)	the Letter of Tender
		c)	the Addenda Nos(if any)
		d)	Special Conditions of Contract
		e)	General Conditions of Contract
		f)	the Specification (including Schedule of Requirements and Technical Specifications)
		g)	the completed Schedules (including Price Schedules)
		h)	any other document listed in GCC as forming part of the Contract
	iii)	specification the C	onsideration of the payments to be made by the Procuring Entity to the Supplier as fied in this Agreement, the Supplier hereby covenants with the Procuring Entity to provide Goods and Services and to remedy defects therein in conformity in all respects with the sions of the Contract.
2.	Good may	ds and	ing Entity hereby covenants to pay the Supplier in consideration of the provision of the Services and the remedying of defects therein, the Contract Price or such other sum as the payable under the provisions of the Contract at the times and in the manner prescribed attract.
3.			SS whereof the parties hereto have caused this Agreement to be executed in accordance ws of Kenya on the day, month and year indicated above.
For a	nd or	behal	f of the Procuring Entity
Signe	ed:		[insert signature]
in the	e capa	acity o	f[insert title or other appropriate designation] In the presence of
			[insert identification of official witness] For and on behalf of the Supplier
Signe	ed:		[insert signature of authorized representative(s) of the Supplier] in the capacity of
			[insert title or other appropriate designation] in the presence of
			[insert identification of official witness]

# FORM NO. 5 - PERFORMANCE SECURITY [Option 1 - Unconditional Demand Bank Guarantee]

[Guc	untor letterhead]	
Bene	ciary:[insert name and Address of	
Етр	ver]	
Date	[Insert date of issue]	
	ntor:[Insert name and address of place of issue, unless indicated in the	
1.	Ve have been informed that_	ereinaft
	r called "the Contractor") has entered into Contract Noda	
	with (name of Employer) (the Employer as the Beneficiary), for the execution of (hereinafter called "the Contract").	
2.	Furthermore, we understand that, according to the conditions of the Contract, a performance guarantee is required.	
3.	At the request of the Contractor, we as Guarantor, hereby irrevocably undertake to Beneficiary any sum or sums not exceeding in total an amount of(in words), sureing payable in the types and proportions of currencies in which the Contract I have a supported by us of the Beneficiary's complying demand supported Beneficiary's statement, whether in the demand itself or in a separate signed doccompanying or identifying the demand, stating that the Applicant is in breach abligation(s) under the Contract, without the Beneficiary needing to prove or to grounds for your demand or the sum specified therein.	ch sum Price is by the ocument of its
4.	This guarantee shall expire, no later than the Day of, 2 <sup>2</sup> , and any demayment under it must be received by us at the office indicated above on or beforate.	
5.	The Guarantor agrees to a one-time extension of this guarantee for a period not to six months] [one year], in response to the Beneficiary's written request for such ex uch request to be presented to the Guarantor before the expiry of the guarantee."	
[Nan	of Authorized Official, signature(s) and seals/stamps]	

Note: All italicized text (including footnotes) is for use in preparing this form and shall be deleted from the final product.

#### **FORM No. 6 - PERFORMANCE SECURITY [Option 2– Performance Bond]**

[Note: Procuring Entities are advised to use Performance Security – Unconditional Demand Bank Guarantee instead of Performance Bond due to difficulties involved in calling Bond holder to action] [Guarantor letterhead or SWIFT identifier code] **Beneficiary:** \_\_\_\_\_\_\_ [insert name and Address of Employer] Date: [Insert date of issue] PERFORMANCE BOND No.:\_\_\_\_ Guarantor: \_\_\_\_\_ [Insert name and address of place of issue, unless indicated in the letterhead] By this Bond\_\_\_\_\_ as Principal (hereinafter called "the Contractor") 1. and \_\_\_\_\_\_ ] as Surety (hereinafter called "the Surety"), are held and firmly bound unto \_\_\_\_\_\_ ] as Obligee (hereinafter called "the Employer") in the amount of\_for the payment of which sum well and truly to be made in the types and proportions of currencies in which the Contract Price is payable, the Contractor and the Surety bind themselves, their heirs, executors, administrators, successors and assigns, jointly and severally, firmly by these presents. 2. WHEREAS the Contractor has entered into a written Agreement with the Employer dated the \_\_\_\_\_day of , 20\_\_\_\_\_\_, for\_\_\_\_ accordance with the documents, plans, specifications, and amendments thereto, which to the extent herein provided for, are by reference made part hereof and are hereinafter referred to as the Contract. NOW, THEREFORE, the Condition of this Obligation is such that, if the Contractor shall promptly 3. and faithfully perform the said Contract (including any amendments thereto), then this obligation shall be null and void; otherwise, it shall remain in full force and effect. Whenever the Contractor shall be, and declared by the Employer to be, in default under the Contract, the Employer having performed the Employer's obligations thereunder, the Surety may promptly remedy the default, or shall promptly: complete the Contract in accordance with its terms and conditions; or 1) 2) obtain a tender or tenders from qualified tenderers for submission to the Employer for completing the Contract in accordance with its terms and conditions, and upon determination by the Employer and the Surety of the lowest responsive Tenderers, arrange for a Contract between such Tenderer, and Employer and make available as work progresses (even though there should be a default or a succession of defaults under the Contract or Contracts of completion arranged under this paragraph) sufficient funds to pay the cost of completion less the Balance of the Contract Price; but not exceeding, including other costs and damages for which the Surety may be liable hereunder, the amount set forth in the first paragraph hereof. The term "Balance of the Contract Price," as used in this paragraph, shall mean the total amount payable by Employer to Contractor under the Contract, less the amount properly paid by Employer to Contractor; or

- 3) pay the Employer the amount required by Employer to complete the Contract in accordance with its terms and conditions up to a total not exceeding the amount of this Bond.
- 4. The Surety shall not be liable for a greater sum than the specified penalty of this Bond.
- 5. Any suit under this Bond must be instituted before the expiration of one year from the date of the issuing of the Taking-Over Certificate. No right of action shall accrue on this Bond to or for the use of any person or corporation other than the Employer named herein or the heirs, executors, administrators, successors, and assigns of the Employer.
- 6. In testimony whereof, the Contractor has hereunto set his hand and affixed his seal, and the Surety has caused these presents to be sealed with his corporate seal duly attested by the signature of his legal representative,

this day	of20	
SIGNED ON	on behalf of	
Ву	in the capacity of	
In the presence of		
SIGNED ON	on behalf of	
Ву	in the capacity of	
In the presence of		

#### FORM NO. 7 - ADVANCE PAYMENT SECURITY [Demand Bank Guarantee] [Guarantor letterhead] **Beneficiary:** [Insert name and Address of Employer] Date: \_\_\_\_\_[Insert date of issue] ADVANCE PAYMENT GUARANTEE No.: [Insert guarantee reference number] **Guarantor:** [Insert name and address of place of issue, unless indicated in the letterhead] We have been informed that \_\_\_\_\_ (hereinafter called "the Contractor") has entered into Contract No. \_\_\_\_\_ dated \_\_\_\_ with the Beneficiary, for the execution of (hereinafter called "the Contract"). Furthermore, we understand that, according to the conditions of the Contract, an advance payment in the 2. sum \_\_\_\_\_ (in words\_\_) is to be made against an advance payment guarantee. At the request of the Contractor, we as Guarantor, hereby irrevocably undertake to pay the Beneficiary any 3. sum or sums not exceeding in total an amount of \_\_\_\_\_ (in words \_\_\_\_\_ upon receipt by us of the Beneficiary's complying demand supported by the Beneficiary's statement, whether in the demand itself or in a separate signed document accompanying or identifying the demand, stating either that the Applicant: has used the advance payment for purposes other than the costs of mobilization in respect of the goods; or (a) has failed to repay the advance payment in accordance with the Contract conditions, specifying the amount (b) which the Applicant has failed to repay. A demand under this guarantee may be presented as from the presentation to the Guarantor of a certificate from the Beneficiary's bank stating that the advance payment referred to above has been credited to the Contractor on its account number \_\_\_\_\_ at -----The maximum amount of this guarantee shall be progressively reduced by the amount of the advance 5. payment repaid by the Contractor as specified in copies of interim statements or payment certificates which shall be presented to us. This guarantee shall expire, at the latest, upon our receipt of a copy of the interim payment certificate indicating that ninety (90) percent of the Accepted Contract Amount, less provisional sums, has been certified for payment, or on the \_\_\_\_ day of \_\_\_\_\_\_\_, 2\_\_\_\_,² whichever is earlier. Consequently, any demand for payment under this guarantee must be received by us at this office on or before that date. The Guarantor agrees to a one-time extension of this guarantee for a period not to exceed [six months] [one year], in response to the Beneficiary's written request for such extension, such request to be presented to the Guarantor before the expiry of the guarantee.

Note: All italicized text (including footnotes) is for use in preparing this form and shall be deleted from the final product.

[Name of Authorized Official, signature(s) and seals/stamps]

<sup>1</sup>The Guarantor shall insert an amount representing the amount of the advance payment and denominated either in the currency of the advance payment as specified in the Contract.

Insert the expected expiration date of the Time for Completion. The Employer should note that in the event of an extension of the time for completion of the Contract, the Employer would need to request an extension of this guarantee from the Guarantor. Such request must be in writing and must be made prior to the expiration date established in the guarantee.

# FORM NO. 8 BENEFICIAL OWNERSHIP DISCLOSURE FORM (Amended and issued pursuant to PPRA CIRCULAR No. 02/2022)

#### INSTRUCTIONS TO TENDERERS: DELETE THIS BOX ONCE YOU HAVE COMPLETED THE FORM

This Beneficial Ownership Disclosure Form ("Form") is to be completed by the successful tenderer pursuant to Regulation 13 (2A) and 13 (6) of the Companies (Beneficial Ownership Information) Regulations, 2020. In case of joint venture, the tenderer must submit a separate Form for each member. The beneficial ownership information to be submitted in this Form shall be current as of the date of its submission.

For the purposes of this Form, a Beneficial Owner of a Tenderer is any natural person who ultimately owns or controls the legal person (tenderer) or arrangements or a natural person on whose behalf a transaction is conducted, and includes those persons who exercise ultimate effective control over a legal person (Tenderer) or arrangement.

Tender Reference No.:		[insert identification
no] Name of the Tender Title/De	scription:	[insert name of the
assignment] to:	[insert complete nar	me of Procuring Entity]
In response to the requirement in additional information on benefic options that are not applicable]		d dated[insert date of notification of award] to furnish[select one option as applicable and delete the

I) We here by provide the following beneficial ownership information.

Details of beneficial ownership

	Details of all Benefici	ial Owners	% of shares a person holds in the company Directly or indirectly	% of voting rights a person holds in the company	Whether a person directly or indirectly holds a right to appoint or remove a member of the board of directors of the company or an equivalent governing body of the Tenderer (Yes / No)	Whether a person directly or indirectly exercises significant influence or control over the Company (tenderer) (Yes / No)
	Full Name		Directly	Directly% of voting	1. Having the right to appoint a majority	
1.	National identity card number or Passport number	of shares rights	rights	of the board of the directors or an equivalent	influence or control over the Company	
	Personal Identification Number (where applicable)		Indirectly % of shares	Indirectly % of voting rights	governing body of the Tenderer: Yes No 2. Is this right held directly or	body of the Company (tenderer)
	Nationality				indirectly?:	
	Date of birth [dd/mm/yyyy]				Direct	2. Is this influence or
	Postal address					control
	Residential address					exercised directly or
	Telephone number				Indirect	indirectly?
	Email address					Direct
	Occupation or profession					
						Indirect

	Details of all Beneficial Owners	% of shares a person holds in the company Directly or indirectly	% of voting rights a person holds in the company	Whether a person directly or indirectly holds a right to appoint or remove a member of the board of directors of the company or an equivalent governing body of the Tenderer (Yes / No)	Whether a person directly or indirectly exercises significant influence or control over the Company (tenderer) (Yes / No)
2.	Full Name  National identity card number or Passport number  Personal Identification Number (where applicable)  Nationality(ies)  Date of birth [dd/mm/yyyy]  Postal address  Residential address  Telephone number  Email address  Occupation or profession	Directly % of shares  Indirectly % of shares	Directly% of voting rights  Indirectly% of voting rights	1. Having the right to appoint a majority of the board of the directors or an equivalent governing body of the Tenderer: YesNo  2. Is this right held directly or indirectly?:  Direct	1. Exercises significant influence or control over the Company body of the Company (tenderer) YesNo  2. Is this influence or control exercised directly or indirectly?  Direct
3.					
e.t .c					

- II) Am fully aware that beneficial ownership information above shall be reported to the Public Procurement Regulatory Authority together with other details in relation to contract awards and shall be maintained in the Government Portal, published and made publicly available pursuant to Regulation 13(5) of the Companies (Beneficial Ownership Information) Regulations, 2020.(Notwithstanding this paragraph Personally Identifiable Information in line with the Data Protection Act shall not be published or made public). Note that Personally Identifiable Information (PII) is defined as any information that can be used to distinguish one person from another and can be used to deanonymize previously anonymous data. This information includes National identity card number or Passport number, Personal Identification Number, Date of birth, Residential address, email address and Telephone number.
- III) In determining who meets the threshold of who a beneficial owner is, the Tenderer must consider a natural person who in relation to the company:
  - (a) holds at least ten percent of the issued shares in the company either directly or indirectly;
  - (b) exercises at least ten percent of the voting rights in the company either directly or indirectly;
  - (c) holds a right, directly or indirectly, to appoint or remove a director of the company; or

ame of the Tenderer:
the of the Tenterer
Name of the person duly authorized to sign the Tender on behalf of the Tenderer: ** [insert complete name of
person duly authorized to sign the Tender]
Designation of the person signing the Tender: [insert complete title of the person signing the
Tender]
Signature of the person named above: [insert signature of person whose name and capacity are
shown above]
Date this

(d) exercises significant influence or control, directly or indirectly, over the

What is stated to herein above is true to the best of my

Bidder Official Stamp